



EXTERIOR COLLECTION

❖ EDITION 24 ❖

Welcome to our most comprehensive collection of Exterior Lighting along with outdoor living and ceiling fans.

This catalogue brings together almost 500 great options to help bring light effectively and attractively to the outdoors. Good and effective outdoor lighting plays an important role in today's marketplace, accenting property appearance, assisting with security and enhancing outdoor living spaces.

We have also placed considerable emphasis on the uniqueness of the designs, the versatility of their use along with performance and quality of the product to ensure this is the catalogue of choice when requiring outdoor lighting solutions. Amongst some of the highlights, this catalogue features a section dedicated to Outdoor Living space with lighting options including IP44 rated outdoor chandeliers as well as outdoor rated ceiling fans.



Look out for our ranges tagged with our Coastal Collection symbol. This industry leading collection brings style and design to locations facing the harshest of conditions.



Visual Index
Pages 5 to 19

1

Modern & Functional
Pages 20 to 51



2

Transitional
Pages 52 to 101



3

Traditional
Pages 102 to 231



4

Outdoor Living
Pages 232 to 241



5

Outdoor Ceiling Fans
Pages 242 to 265



6

Litec LED Lamps
Pages 266 to 267




T&C's

Technical & Warranties
Pages 268 to 270

Abc

A-Z Index
Pages 272


OUTDOOR LIVING



OUTDOOR LIVING

Extend home living areas into your garden patios and verandas. Choose outdoor chandeliers and pendants over your patio furniture.

See more details on page 232.



OUTDOOR CEILING FANS

Keep your cool outside. Our ceiling fans bring style and airflow to your favourite al fresco entertaining spaces. Each offers premium finishes and hardware designed to withstand the elements for years of worry-free performance.

See more details on page 242.



Planet earth is covered by more than 70% ocean, and has more than 620,000 miles of coastline. With a 3.5% content of salt in seawater, and with coastlines often accompanied by extreme temperatures, sun and high winds, it is no surprise that coastal damage due to saline conditions is one of the major outdoor lighting challenges in such locations. This Coastal range delivers solutions that use materials with this very much in mind. Robust, rust resistant and UV stable to resist the harshest of climates, these fittings combine technical competence with design, style and variety. All coastal collection models are identified using the above symbol.



TYPES OF COASTAL COLLECTION MATERIALS:

5 YEAR
GUARANTEE



WEATHER RESISTANT COMPOSITE

- ◆ Strong and durable material, robust in appearance and feel
- ◆ All feature hand made glass lenses
- ◆ Excellent UV, Corrosion and Rusting resistance properties
- ◆ Suitable for ocean facing locations and exposure to the harshest conditions
- ◆ Guaranteed for 5 years*.

10 YEAR
GUARANTEE



MARINE MATERIALS

- ◆ Natural Teak, Brass, Basalt Stone and 316 stainless steel materials used
- ◆ Robust and weather resistant to the harshest conditions
- ◆ Natural Teak wood needs maintenance for colour and lifetime protection
- ◆ Non-ferrous supporting components used internally
- ◆ 10 year limited lifetime warranty*.


15 YEAR
GUARANTEE



PAINTED 304 STAINLESS STEEL

- ◆ 304 Grade Stainless Steel
- ◆ Painted with highly durable paint
- ◆ May experience signs of aging, corrosion or paint fading if not regularly maintained
- ◆ Integrity of construction has a 15 year warranty against structural failure.

20 YEAR
GUARANTEE



POLYMER

- ◆ Extremely strong yet lightweight material
- ◆ All use impact resistant polycarbonate lenses
- ◆ Embedded colour for enhanced UV, colour and corrosion resistance
- ◆ Suitable for ocean facing locations
- ◆ Guaranteed 20 years*.

LIMITED LIFETIME
WARRANTY



BRASS

- ◆ Solid high grade brass material used with glass panels
- ◆ Robust yet hand crafted ensuring long life properties
- ◆ Have lacquered finishes that will potentially age in harsh conditions
- ◆ Can withstand ocean-side locations but will age/patina
- ◆ Limited Lifetime warranty*.

* See Guarantee details on page 270.

PARTNERSHIP

FEISS

COLLECTION

The Feiss collection is a unique series of products by Generation Lighting of Chicago and now part of the Visual Comfort Group. With roots originally starting in 1955 by Murray Feiss, this collection brings great traditional and transitional designs produced to the same exacting standards today as always.



KICHLER

Cleveland, Ohio based and founded in 1938, Kichler are a large company held in high regard by their customers for the diversity of design and breadth of range.

This includes some truly striking and often substantial pieces for grand interiors and exteriors of residential or hospitality establishments.



HINKLEY


Founded in 1922 and based in Cleveland, Ohio; Hinkley are on their 4th generation family ownership. The Hinkley collection has both a classic and contemporary feel to the product ranges, many represent what is classed as "transitional" styling, and are always made to the highest quality and design.



QUOIZEL

LIGHTING

Based in Charleston, South Carolina, Quoizel was founded in 1930 and has since built a reputation for its diverse and unique product range, often engaging well known freelance designers to help with bringing fresh styles to the marketplace. Quoizel are well known for their use of natural materials and art glass, as used in their Tiffany Collectibles range, inspired by the great originator Louis Comfort Tiffany.





ADMIRALS COVE
3 Models, 1 Finish. Page 137



ALLENBURY
2 Models, 1 Finish. Page 57



ANO
2 Models, 1 Finish. Page 44



ARGYLE
2 Models, 1 Finish. Page 221



ASHLAND BAY
14 Models, 2 Finishes. Page 63-67



BAINBRIDGE
2 Models, 1 Finish. Page 78



BALMORAL
1 Model, 1 Finish. Page 223



BALTIMORE
9 Models, 1 Finish. Page 194-195



BARRAS
2 Models, 1 Finish. Page 73



BAY SHORE
2 Models, 1 Finish. Page 168



BAYVIEW
8 Models, 1 Finish. Page 128-129



BEACON SQUARE
8 Models, 2 Finishes. Page 141-143



BEDFORD
5 Models, 1 Finish. Page 146-147



BINGHAM
3 Models, 1 Finish. Page 165



BOYNTON
2 Models, 1 Finish. Page 93



BRIDGE POINT
8 Models, 2 Finishes. Page 68-69



BROMLEY
3 Models, 1 Finish. Page 72



BURFORD
1 Model, 1 Finish. Page 227



BYRON
6 Models, 2 Finishes. Page 74-75



CANTERBURY
4 Models, 1 Finish. Page 207



CARLSON
2 Models, 1 Finish. Page 115



CARSON
4 Models, 1 Finish. Page 237



CASA
3 Models, 1 Finish. Page 107



CEDAR POINT
5 Models, 1 Finish. Page 110-111



CHAPEL
10 Models, 1 Finish. Page 209-211

VISUAL INDEX

Wall Lights



CHAPEL
10 Models, 1 Finish. Page 209-211



CHAPEL
10 Models, 1 Finish. Page 209-211



CHAPEL MINI
5 Models, 1 Finish. Page 208



CHASM
2 Models, 1 Finish. Page 25



CHEDWORTH
1 Model, 1 Finish. Page 228



CHELSEA HARBOR
3 Models, 1 Finish. Page 97



CHICAGO
6 Models, 1 Finish. Page 126-127



CLEVELAND
8 Models, 1 Finish. Page 130



COPENHAGEN
4 Models, 2 Finishes. Page 36



COTSWOLD LANE
11 Models, 1 Finish. Page 177-179



COTSWOLD LANE
11 Models, 1 Finish. Page 177



CRICKLADE
1 Model, 1 Finish. Page 228



CRUSADE
3 Models, 1 Finish. Page 144



DALI
1 Model, 1 Finish. Page 22



DELISON
2 Models, 1 Finish. Page 61



DOWNING STREET
2 Models, 2 Finishes. Page 159



DUNGARVAN
1 Model, 1 Finish. Page 41,151



EGIL
2 Models, 1 Finish. Page 44



ENGLISH BRIDLE
18 Models, 2 Finishes. Page 185-189



FITZGERALD
3 Models, 1 Finish. Page 106



FRANCEASI
3 Models, 1 Finish. Page 174



FREEPORT
6 Models, 2 Finishes. Page 116-117



FREYR
2 Models, 1 Finish. Page 42



FRIDA
2 Models, 1 Finish. Page 42



GALENA
6 Models, 1 Finish. Page 112



GALENA
6 Models, 1 Finish. Page 112-113



GLENBEIGH
5 Models, 1 Finish. Page 148



GLENVIEW
2 Models, 1 Finish. Page 87



GOLDENROD
4 Models, 1 Finish. Page 86



GRAMPIAN
3 Models, 1 Finish. Page 217



GRAND BANK
2 Models, 1 Finish. Page 240



HALLERON
10 Models, 2 Finishes. Page 123-125



HELSINGOR
10 Models, 2 Finishes. Page 37-39



HEREFORD
4 Models, 1 Finish. Page 219



HEREFORD
5 Models, 1 Finish. Page 218



HIGHNAM
1 Model, 1 Finish. Page 228



HODGES
2 Models, 1 Finish. Page 83



HOLBORN
12 Models, 4 Finishes. Page 118-121



HOLBORN
12 Models, 4 Finishes. Page 118-121



HORNBAEK
2 Models, 1 Finish. Page 32



HUNTERSFIELD
6 Models, 1 Finish. Page 109



HYDE PARK
1 Model, 1 Finish. Page 156



HYTHE
1 Model, 1 Finish. Page 225



INGLENOOK OUTDOOR
3 Models, 1 Finish. Page 175



JANNIK
2 Models, 1 Finish. Page 31



JENS
2 Models, 1 Finish. Page 29



KENDAL
1 Model, 1 Finish. Page 223



KENT
1 Model, 1 Finish. Page 227



KERRY
6 Models, 1 Finish. Page 149



KERRY
6 Models, 1 Finish. Page 149

VISUAL INDEX

Wall Lights



KINSALE
6 Models, 1 Finish. Page 150



KINSALE
6 Models, 1 Finish. Page 150



KLAMPENBORG
14 Models, 3 Finishes. Page 33-35



KOLNE
1 Model, 1 Finish. Page 41



LAMBETH PALACE
2 Models, 2 Finishes. Page 157



LARS
1 Model, 1 Finish. Page 28



LEDBURY
3 Models, 1 Finish. Page 229



LIGHTHOUSE
5 Models, 1 Finish. Page 58-59



LIVINGSTON
3 Models, 1 Finish. Page 145



LONDONTOWNE
1 Model, 1 Finish. Page 226



LUVERNE
4 Models, 1 Finish. Page 192



LYNDON
4 Models, 1 Finish. Page 62



MAGNUS
2 Models, 1 Finish. Page 31



MALVERN
1 Model, 1 Finish. Page 41



MANHATTAN
5 Models, 1 Finish. Page 79



MANSION HOUSE
8 Models, 3 Finishes. Page 152



MANSION HOUSE
8 Models, 3 Finishes. Page 153



MARBLEHEAD
6 Models, 2 Finishes. Page 135-136



MATLOCK
1 Model, 1 Finish. Page 225



MEDSTEAD
2 Models, 1 Finish. Page 225



MERRILL
4 Models, 2 Finishes. Page 76



MILES
1 Model, 2 Finishes. Page 27



MINERS
3 Models, 1 Finish. Page 222



MONTAUK
1 Model, 1 Finish. Page 165



NEWBURY
13 Models, 2 Finishes. Page 170-171



NEWBURY
13 Models, 2 Finishes. Page 169



NEWBURY
1 Model, 1 Finish. Page 228



NEW ENGLAND
2 Models, 1 Finish. Page 193



NEWPORT
4 Models, 2 Finishes. Page 94



NORFOLK
8 Models, 1 Finish. Page 198



OLD BAILEY
2 Models, 1 Finish. Page 155



PARISH
9 Models, 1 Finish. Page 215



PARISH MINI
5 Models, 1 Finish. Page 212



PEDIMENT
2 Models, 1 Finish. Page 224



PHILADELPHIA
10 Models, 1 Finish. Page 196-197



PHILADELPHIA
10 Models, 1 Finish. Page 196-197



POLRUAN
1 Model, 1 Finish. Page 224



POOLE
3 Models, 1 Finish. Page 50



PORTO
1 Model, 1 Finish. Page 22



PORTOFINO
1 Model, 1 Finish. Page 22



PROVINCE
1 Model, 1 Finish. Page 224



QUINCY
3 Models, 1 Finish. Page 99



RANDHURST
3 Models, 1 Finish. Page 133



RAVINE
6 Models, 1 Finish. Page 88-89



REDDING STATION
6 Models, 2 Finishes. Page 70-71



REEF
4 Models, 2 Finishes. Page 96



REGENTS PARK
2 Models, 2 Finishes. Page 159



RIVERWOOD
4 Models, 1 Finish. Page 91



ROSCOE
3 Models, 1 Finish. Page 26



ROYAL MARINE
2 Models, 1 Finish. Page 81

VISUAL INDEX

Wall Lights



SAG HARBOR
2 Models, 1 Finish. Page 105



SAG HARBOR
2 Models, 1 Finish. Page 105



SANDOWN
1 Model, 1 Finish. Page 227



SATURNE
1 Model, 1 Finish. Page 23



SHANNON
4 Models, 1 Finish. Page 151



SHELDON
4 Models, 2 Finishes. Page 161



SHEPHERD
5 Models, 1 Finish. Page 138-139



SHIPSTON
1 Model, 1 Finish. Page 227



SIGMUND
2 Models, 1 Finish. Page 30



SOMERTON
2 Models, 2 Finishes. Page 163



SOREL
1 Model, 1 Finish. Page 41



SOUTH HOPE
3 Models, 1 Finish. Page 77



SPRINGFIELD
2 Models, 1 Finish. Page 206



ST JAMES
1 Model, 1 Finish. Page 156



STOW
1 Model, 1 Finish. Page 223



ST LOUIS
2 Models, 1 Finish. Page 193



ST MARTINS
4 Models, 3 Finishes. Page 154



ST PAULS
1 Model, 1 Finish. Page 156



SURI
4 Models, 1 Finish. Page 95



SVEN
1 Model, 1 Finish. Page 43



SVEN
1 Model, 1 Finish. Page 43



SVEN
1 Model, 1 Finish. Page 43



TANGIER
5 Models, 1 Finish. Page 166-167



TAPER
2 Models, 1 Finish. Page 45



TORSTEN
1 Model, 1 Finish. Page 30

Wall Lights



TORSTEN
1 Model, 1 Finish. Page 30



TOURNAI
12 Models, 1 Finish. Page 180-183



TRELIS
4 Models, 1 Finish. Page 191



VANDALIA
3 Models, 1 Finish. Page 85



VENDELA
1 Model, 1 Finish. Page 28



VENETIAN RAIN
5 Models, 1 Finish. Page 173



VICTORIA
2 Models, 2 Finishes. Page 157



WABASH
2 Models, 1 Finish. Page 221



WAKEFIELD
3 Models, 1 Finish. Page 55



WALKER
3 Models, 1 Finish. Page 101



WELLFLEET
1 Model, 1 Finish. Page 226



WESTMINSTER
1 Model, 1 Finish. Page 155



WEXFORD
8 Models, 1 Finish. Page 200



WILLOUGHBY
2 Models, 1 Finish. Page 132



WILMSLOW
5 Models, 1 Finish. Page 216



WINCHCOMBE
1 Model, 1 Finish. Page 227



WINCHESTER
6 Models, 1 Finish. Page 203



YORK
7 Models, 1 Finish. Page 204



ZOLA
1 Model, 1 Finish. Page 23

Sign Lights



SELMA
1 Model, 1 Finish. Page 46



CHISWICK
1 Model, 1 Finish. Page 46

VISUAL INDEX

Pedestals



ASHLAND BAY
14 Models, 2 Finishes. Page 63-67



BALTIMORE
9 Models, 1 Finish. Page 194-195



BAYVIEW
8 Models, 1 Finish. Page 128



BEDFORD
5 Models, 1 Finish. Page 147



CANTERBURY
4 Models, 1 Finish. Page 207



CEDAR POINT
5 Models, 1 Finish. Page 111



CHAPEL
10 Models, 1 Finish. Page 211



CHAPEL MINI
5 Models, 1 Finish. Page 208



CHICAGO
6 Models, 1 Finish. Page 127



CLEVELAND
8 Models, 1 Finish. Page 131



COTSWOLD LANE
11 Models, 1 Finish. Page 178-179



ENGLISH BRIDLE
18 Models, 2 Finishes. Page 185-189



GRAMPIAN
4 Models, 1 Finish. Page 217



GLENBEIGH
5 Models, 1 Finish. Page 148



HALLERON
10 Models, 2 Finishes. Page 123-125



HELSINGOR
10 Models, 2 Finishes. Page 37-39



HEREFORD
5 Models, 1 Finish. Page 218



HORNBAEK
3 Models, 1 Finish. Page 32



HUNTERSFIELD
6 Models, 1 Finish. Page 109



KERRY
6 Models, 1 Finish. Page 149



KINSALE
6 Models, 1 Finish. Page 150



KLAMPENBORG
14 Models, 3 Finishes. Page 34-35



LEDBURY
3 Models, 1 Finish. Page 229



LUVERNE
4 Models, 1 Finish. Page 192



MANHATTAN
5 Models, 1 Finish. Page 79



MINERS

3 Models, 1 Finish. Page 222



NEWBURY

7 Models, 1 Finish. Page 170



NORFOLK

8 Models, 1 Finish. Page 199



PARISH

9 Models, 1 Finish. Page 213



PARISH MINI

5 Models, 1 Finish. Page 212



PHILADELPHIA

10 Models, 1 Finish. Page 197



RAVINE

6 Models, 1 Finish. Page 89



RIVERWOOD

4 Models, 1 Finish. Page 91



SHANNON

4 Models, 1 Finish. Page 151



SURI

4 Models, 1 Finish. Page 95



TANGIER

5 Models, 1 Finish. Page 167



TRELLIS

4 Models, 1 Finish. Page 191



TOURNAI

12 Models, 1 Finish. Page 182



WEXFORD

8 Models, 1 Finish. Page 201



WILMSLOW

5 Models, 1 Finish. Page 216



WINCHESTER

6 Models, 1 Finish. Page 203



YORK

7 Models, 1 Finish. Page 205

VISUAL INDEX

Bollards



HORNSEA
1 Model, 1 Finish. Page 48



NEWBRIGHTON
2 Models, 1 Finish. Page 48



PAIGNTON
2 Models, 2 Finishes. Page 49



PAIGNTON
2 Models, 2 Finishes. Page 49



PARKSTONE
2 Models, 1 Finish. Page 47



POOLE
3 Models, 1 Finish. Page 50



SANDBANKS
2 Models, 1 Finish. Page 51

PIR Lanterns



HELSINGOR
10 Models, 2 Finishes. Page 38, 230



HELSINGOR
10 Models, 2 Finishes. Page 38, 230



HELSINGOR
10 Models, 2 Finishes. Page 38, 230



KLAMPENBORG
14 Models, 3 Finishes. Page 34-35



KLAMPENBORG
14 Models, 3 Finishes. Page 34-35



MEDSTEAD
2 Models, 1 Finish. Page 231



NORFOLK
8 Models, 1 Finish. Page 231



WEXFORD
8 Models, 1 Finish. Page 231



BAYVIEW

8 Models, 1 Finish. Page 128-129



BALTIMORE

9 Models, 1 Finish. Page 194-195



CHAPEL

10 Models, 1 Finish. Page 211



CHAPEL

10 Models, 1 Finish. Page 211



CHAPEL MINI

5 Models, 1 Finish. Page 208



CHICAGO

6 Models, 1 Finish. Page 127



CLEVELAND

8 Models, 1 Finish. Page 131



COTSWOLD LANE

11 Models, 1 Finish. Page 178-179



ENGLISH BRIDLE

9 Models, 1 Finish. Page 185-186



ENGLISH BRIDLE

9 Models, 1 Finish. Page 187-189



GALENA

6 Models, 1 Finish. Page 113



GLENBEIGH

2 Models, 1 Finish. Page 148



HELSINGOR

10 Models, 2 Finishes. Page 37-39



GRAMPIAN

4 Models, 1 Finish. Page 217



KERRY

6 Models, 1 Finish. Page 149



KINSALE

2 Models, 1 Finish. Page 150



KLAMPENBORG

14 Models, 3 Finishes. Page 34-35



LEDBURY

1 Model, 1 Finish. Page 229



NORFOLK

8 Models, 1 Finish. Page 199



PARISH

9 Models, 1 Finish. Page 215



PARISH

9 Models, 1 Finish. Page 213



PARISH MINI

5 Models, 1 Finish. Page 212



PHILADELPHIA

10 Models, 1 Finish. Page 197



SHANNON

4 Models, 1 Finish. Page 151



TOURNAI

12 Models, 1 Finish. Page 180-183

VISUAL INDEX

Lamp Posts & Pillars



WEXFORD

8 Models, 1 Finish. Page 201



WILMSLOW

5 Models, 1 Finish. Page 216

Chain Lanterns & Outdoor Chandeliers



ALLENBURY

2 Models, 1 Finish. Page 57



ASHLAND BAY

14 Models, 2 Finishes. Page 63-67



ASHLAND BAY

14 Models, 2 Finishes. Page 63-67



BALTIMORE

9 Models, 1 Finish. Page 194-195



BAYVIEW

8 Models, 1 Finish. Page 128



BEACON SQUARE

8 Models, 2 Finishes. Page 141-143



BEDFORD

5 Models, 1 Finish. Page 147



BRIDGE POINT

8 Models, 2 Finishes. Page 68-69



CARSON

4 Models, 1 Finish. Page 237



CARSON

4 Models, 1 Finish. Page 237



CASA

3 Models, 1 Finish. Page 107



CANTERBURY

4 Models, 1 Finish. Page 207



CEDAR POINT

5 Models, 1 Finish. Page 111



CHAPEL MINI

5 Models, 1 Finish. Page 208



CHAPEL

10 Models, 1 Finish. Page 209

Chain Lanterns & Outdoor Chandeliers



CHELSEA HARBOR
3 Models, 1 Finish. Page 97



CHICAGO
6 Models, 1 Finish. Page 127



CLEVELAND
8 Models, 1 Finish. Page 131



COPENHAGEN
4 Models, 2 Finishes. Page 36



COTSWOLD LANE
11 Models, 1 Finish. Page 178-179



CRUSADE
3 Models, 1 Finish. Page 144



ENGLISH BRIDLE
9 Models, 1 Finish. Page 185-186



ENGLISH BRIDLE
9 Models, 1 Finish. Page 187-189



GALENA
6 Models, 1 Finish. Page 112



GLENBEIGH
5 Models, 1 Finish. Page 148



GOLDENROD
4 Models, 1 Finish. Page 86



GRAND BANK
2 Models, 1 Finish. Page 240



HALLERON
10 Models, 2 Finishes. Page 123-125



HEREFORD
4 Models, 1 Finish. Page 219



HEREFORD
5 Models, 1 Finish. Page 218



HUNTERSFIELD
6 Models, 1 Finish. Page 108



KERRY
6 Models, 1 Finish. Page 149



KINSALE
6 Models, 1 Finish. Page 150



KLAMPENBORG
14 Models, 3 Finishes. Page 33



LIGHTHOUSE
5 Models, 1 Finish. Page 59



LUVERNE
4 Models, 1 Finish. Page 192



LYNDON
4 Models, 1 Finish. Page 62



LYNDON
4 Models, 1 Finish. Page 62



MANHATTAN
5 Models, 1 Finish. Page 79



MANSHION HOUSE
8 Models, 3 Finishes. Page 152

VISUAL INDEX

Chain Lanterns & Outdoor Chandeliers



MINERS

3 Models, 1 Finish. Page 222



NEWBURY

13 Models, 2 Finishes. Page 169



NEWBURY

13 Models, 2 Finishes. Page 170-171



NORFOLK

8 Models, 1 Finish. Page 198



PARISH MINI

5 Models, 1 Finish. Page 212



PARISH

9 Models, 1 Finish. Page 215



PHILADELPHIA

10 Models, 1 Finish. Page 197



QUINCY

3 Models, 1 Finish. Page 99



RAVINE

6 Models, 1 Finish. Page 89



REDDING STATION

6 Models, 2 Finishes. Page 70-71



RIVERWOOD

4 Models, 1 Finish. Page 91



SHANNON

4 Models, 1 Finish. Page 151



SHELDON

4 Models, 2 Finishes. Page 161



SOUTH HOPE

3 Models, 1 Finish. Page 77



TANGIER

5 Models, 1 Finish. Page 167



TOURNAI

12 Models, 1 Finish. Page 180-183



VANDALIA

3 Models, 1 Finish. Page 85



VENETIAN RAIN

5 Models, 1 Finish. Page 173



WEXFORD

8 Models, 1 Finish. Page 200



WINCHESTER

6 Models, 1 Finish. Page 203



YORK

7 Models, 1 Finish. Page 205



ASHLAND BAY
14 Models, 2 Finishes. Page 63-67



BAYVIEW
8 Models, 1 Finish. Page 129



BEACON SQUARE
8 Models, 2 Finishes. Page 141-143



CHAPEL
10 Models, 1 Finish. Page 209



CHELSEA HARBOR
3 Models, 1 Finish. Page 97



COTSWOLD LANE
11 Models, 1 Finish. Page 177



FAIRFORD
1 Model, 1 Finish. Page 228



FRANCEASI
3 Models, 1 Finish. Page 174



GLENBEIGH
5 Models, 1 Finish. Page 148



HALLERON
10 Models, 2 Finishes. Page 123-125



HEREFORD
5 Models, 1 Finish. Page 218



HEREFORD
4 Models, 1 Finish. Page 219



HOLBORN
12 Models, 4 Finishes. Page 118-121



INGLENOOK OUTDOOR
3 Models, 1 Finish. Page 175



LIGHTHOUSE
5 Models, 1 Finish. Page 59



MARBLEHEAD
6 Models, 2 Finishes. Page 135-136



MERRILL
4 Models, 2 Finishes. Page 76



NEWBURY
13 Models, 2 Finishes. Page 169-171



NEW ENGLAND
2 Models, 1 Finish. Page 193



PARISH
9 Models, 1 Finish. Page 213



SHEPHERD
5 Models, 1 Finish. Page 139



SURI
4 Models, 1 Finish. Page 95



VENETIAN RAIN
5 Models, 1 Finish. Page 173



WINCHESTER
6 Models, 1 Finish. Page 203



YORK
7 Models, 1 Finish. Page 205

MODERN & FUNCTIONAL

The interpretation of Modern lighting can vary. Designs can be based on anything from updated Scandinavian retro looks, to more clean and straight lined styles inspired by modern architecture. Some models incorporate integral LED for low energy consumption and all suit both residential and commercial applications. See our new ranges of functional bollards and sign lights.



SATURNE

SATURNE
Page 25



PARKSTONE

PARKSTONE-BOL-B
Page 81



HK-TAPER-L-TBK (see page 94)

PORTO, PORTOFINO & DALI

Materials: 304 Stainless Steel, Glass
Finish: Grey

COASTAL
COLLECTION

15 YEAR
GUARANTEE

Elstead
LIGHTING



DALI



PORTOFINO



PORTO

Code	Description	Height	Width	Projection	Finish	Max. Wattage	IP Rating
PORTO	1 lt Wall Lantern	188mm	115mm	185mm	Grey	1 x 40W E27	IP44
DALI	1 lt Wall Lantern	260mm	130mm	100mm	Grey	2 x 8W GU10**	IP44
PORTOFINO	1 lt Wall Lantern	197mm	100mm	247mm	Grey	1 x 40W E27	IP44

** Lamps not included.



ZOLA



SATURNE

Code	Description	Height	Width	Projection	Finish	Max. Wattage	IP Rating
SATURNE	1 lt Wall Lantern	221mm	270mm	295mm	Grey	1 x 40W E27	IP44
ZOLA	1 lt Wall Lantern	81mm	151mm	232mm	Grey	1 x 16.5W LED*1	IP44

*1 Supplied with 16.5W integrated LED, 1500 Lumens, 3000k.



QZ-CHASM-L-BKW



QZ-CHASM-L-BKW



QZ-CHASM-M-BKW

Code	Description	Height	Width	Projection	Finish	Max. Wattage	IP Rating
QZ-CHASM-L-BKW	Large LED Up/Down Wall Light	520mm	172mm	130mm	Matte Black (with painted wood effect strap)	2 x 9.5W Integrated LED *1	IP44
QZ-CHASM-M-BKW	Medium LED Up/Down Wall Light	386mm	172mm	130mm	Matte Black (with painted wood effect strap)	2 x 5.5W Integrated LED *2	IP44

*1 Supplied with 2 x 9.5W Integrated LED's of 900Lm each, 3000k. *2 Supplied with 2 x 5.5W Integrated LED's of 500Lm each, 3000k.

ROSCOE

Materials: Weather Resistant Composite, Opal Glass
 Finish: Textured Black

COASTAL
COLLECTION

5 YEAR
GUARANTEE

FEISS
COLLECTION



FE-ROSCOE-S



FE-ROSCOE-M



FE-ROSCOE-L

Code	Description	Height	Width	Projection	Finish	Max. Wattage	IP Rating
FE-ROSCOE-S	1 lt Small Wall Lantern	293mm	161mm	153mm	Textured Black	1 x 60W E27	IP44
FE-ROSCOE-M	1 lt Medium Wall Lantern	342mm	191mm	178mm	Textured Black	1 x 75W E27	IP44
FE-ROSCOE-L	1 lt Large Wall Lantern	461mm	214mm	195mm	Textured Black	1 x 75W E27	IP44



HK-MILES-SI



HK-MILES-BK

Code	Description	Height	Width	Projection	Finish	Max. Wattage	IP Rating
HK-MILES-SI	1 lt LED Wall Lantern	307mm	153mm	158mm	Painted Satin Nickel	1 x 8W GU10*1	IP44
HK-MILES-BK	1 lt LED Wall Lantern	307mm	153mm	158mm	Black	1 x 8W GU10*1	IP44

*1 Supplied with 8W GU10 Lamp. 560Lm, 3000k.

LARS & VENDELA

Materials: Cast Aluminium, Polycarbonate Lens
Finish: Black

3 YEAR
GUARANTEE

Elstead
LIGHTING



LARS




VENDELA



Code	Description	Height	Width	Projection	Finish	Max. Wattage	IP Rating
LARS	LED Wall Light	240mm	130mm	50mm	Black	14W Integrated LED *1	IP65
VENDELA	LED Wall Light	202mm	121mm	95mm	Black	8W Integrated LED *2	IP65

*1 Supplied with: 14W LED 1250Lm, 3000k. *2 Supplied with: 8W LED 680Lm, 3000k.



Switchable colour temperature (CCT)
3000k / 4000k / 5700k



JENS-S-C3



JENS-M-C3

Code	Description	Height	Width	Projection	Finish	Max. Wattage	IP Rating
JENS-S-C3	LED Wall Light	90mm	135mm	31mm	Black	6W Integrated LED *1	IP65
JENS-M-C3	LED Wall Light	90mm	175mm	31mm	Black	10W Integrated LED *2	IP65

*1 Supplied with: 6W LED 680Lm, 3000k - 5700k.

*2 Supplied with: 10W LED 1060Lm, 3000k - 5700k.



TORSTEN-SQ



TORSTEN-TALL



SIGMUND-3W

Light Pivots 360°



Light Pivots 360°

SIGMUND-6W

Code	Description	Height	Width	Projection	Finish	Max. Wattage	IP Rating
SIGMUND-3W	3 lt Wall Light	35mm	210mm	160mm	Graphite	3 x 3W Integrated LED *1	IP65
SIGMUND-6W	6 lt Wall Light	35mm	210mm	250mm	Graphite	6 x 3W Integrated LED *2	IP65
TORSTEN-SQ	1 lt Wall Fitting	165mm	165mm	171mm	Graphite	1 x 60W E27	IP54
TORSTEN-TALL	1 lt Large Wall Light	250mm	200mm	105mm	Graphite	1 x 60W E27	IP54

*1 Supplied with: 3 x 3W Integrated LED, 605Lm, 3000k. *2 Supplied with: 6 x 3W Integrated LED, 1210Lm, 3000k.



MAGNUS-1



MAGNUS-2



JANNIK-LED1



JANNIK-LED2

Code	Description	Height	Width	Projection	Finish	Max. Wattage	IP Rating
MAGNUS-1	1 lt Wall Light	146mm	100mm	128mm	Graphite	1 x 5.7W LED GX53 ^{*1}	IP44
MAGNUS-2	2 lt Wall Light	188mm	100mm	128mm	Graphite	2 x 5.7W LED GX53 ^{*2}	IP44
JANNIK-LED1	2 lt LED Wall Light	150mm	110mm	102mm	Graphite	1 x 3.8W Integrated LED ^{*3}	IP44
JANNIK-LED2	2 lt LED Wall Light	235mm	110mm	102mm	Graphite	2 x 3.8W Integrated LED ^{*4}	IP44

*1 Supplied with: 1 x 5.7W LED GX53, 600Lm, 3000k.

*2 Supplied with: 2 x 5.7W LED GX53, 2 x 600Lm, 3000k.

*3 Supplied with: 1 x 3.8W Integrated LED, 120Lm, 3000k.

*4 Supplied with: 2 x 3.8W Integrated LED, 120Lm each, 3000k.

HORNBAEK

Materials: 304 Stainless Steel
Finish: Black

COASTAL
COLLECTION

15 YEAR
GUARANTEE

Elstead
LIGHTING



HORNBAEK-W1



HORNBAEK-PED



Recommended lamp
LP-LED8W-E27-T30
See page 331

Code	Description	Height	Width	Projection	Finish	Max. Wattage	IP Rating
HORNBAEK-PED	1 lt Pedestal Lantern	307mm	130mm	-	Black	1 x 60W E27	IP44
HORNBAEK-W1	1 lt Wall Lantern	245mm	90mm	150mm	Black	1 x 60W E27	IP44



KLAMPENBORG8



KLAMPENBORG8-BK



KLAMPENBORG



KLAMPENBORG-BK

Code	Description	Height	Width	Min. Drop	Max. Drop	Projection	Finish	Max. Wattage	IP Rating
KLAMPENBORG	1 lt Wall Lantern	255mm	275mm	-	-	420mm	Silver	1 x 60W E27	IP44
KLAMPENBORG-BK	1 lt Wall Lantern	255mm	275mm	-	-	420mm	Black	1 x 60W E27	IP44
KLAMPENBORG8	1 lt Chain Lantern	260mm	275mm	360mm	975mm*	-	Silver	1 x 60W E27	IP44
KLAMPENBORG8-BK	1 lt Chain Lantern	260mm	275mm	360mm	975mm*	-	Black	1 x 60W E27	IP44

*1 Supplied with: 655mm of chain.

KLAMPENBORG

Materials: 304 Stainless Steel, Clear Glass
Finish: Black or White

COASTAL
COLLECTION

15 YEAR
GUARANTEE

Elstead
LIGHTING



KLAMPENBORG-BOL-BK



KLAMPENBORG-WHT



KLAMPENBORG-PIR-BK



KLAMPENBORG-PED-BK



KLAMPENBORG-PED-PIR-BK

Code	Description	Height	Width	Projection	Finish	Max. Wattage	IP Rating
KLAMPENBORG-BOL-BK	1 lt Bollard	1018mm	275mm	-	Black	1 x 60W E27	IP44
KLAMPENBORG-PED-BK	1 lt Pedestal	318mm	275mm	-	Black	1 x 60W E27	IP44
KLAMPENBORG-PIR-BK*	1 lt Wall Lantern with PIR	255mm	275mm	420mm	Black	1 x 60W E27	IP44
KLAMPENBORG-PED-PIR-BK*	1 lt Pedestal with PIR	337mm	275mm	-	Black	1 x 60W E27	IP44
KLAMPENBORG-WHT	1 lt Wall Lantern	255mm	275mm	420mm	White	1 x 60W E27	IP44

*1 PIR Guaranteed for 2 years.



KLAMPENBORG-PIR-WHT



KLAMPENBORG-PIR-SIL



KLAMPENBORG-BOL-SIL



KLAMPENBORG-PED-PIR-SIL



KLAMPENBORG-PED-SIL

Code	Description	Height	Width	Projection	Finish	Max. Wattage	IP Rating
KLAMPENBORG-BOL-SIL	1 lt Bollard	1018mm	275mm	-	Silver	1 x 60W E27	IP44
KLAMPENBORG-PED-SIL	1 lt Pedestal	318mm	275mm	-	Silver	1 x 60W E27	IP44
KLAMPENBORG-PED-PIR-SIL*1	1 lt Pedestal with PIR	337mm	275mm	-	Silver	1 x 60W E27	IP44
KLAMPENBORG-PIR-SIL*1	1 lt Wall Lantern with PIR	255mm	275mm	420mm	Silver	1 x 60W E27	IP44
KLAMPENBORG-PIR-WHT*1	1 lt Wall Lantern with PIR	255mm	275mm	420mm	White	1 x 60W E27	IP44

*1 PIR Guaranteed for 2 years.

COPENHAGEN

Materials: 304 Stainless Steel, Clear Glass
Finish: Silver or Black

COASTAL
COLLECTION

15 YEAR
GUARANTEE

Elstead
LIGHTING



COPENHAGEN8-BK



COPENHAGEN8-SIL



COPENHAGEN-BK



COPENHAGEN

Code	Description	Height	Width	Min. Drop	Max. Drop	Projection	Finish	Max. Wattage	IP Rating
COPENHAGEN	1 lt Wall Lantern	236mm	220mm	-	-	260mm	Silver	1 x 60W E27	IP44
COPENHAGEN8-BK	1 lt Chain Lantern	251mm	220mm	375mm	970mm*1	-	Black	1 x 60W E27	IP44
COPENHAGEN8-SIL	1 lt Chain Lantern	251mm	220mm	375mm	970mm*1	-	Silver	1 x 60W E27	IP44
COPENHAGEN-BK	1 lt Wall Lantern	236mm	220mm	-	-	260mm	Black	1 x 60W E27	IP44

*1 Supplied with: 655mm of chain.



HELSINGOR-BOL-SL



HELSINGOR



HELSINGOR-PIR



HELSINGOR-PED

PIR Technical Information
for round Sensors **HELSINGOR**
(2 Year Guarantee). PIR range: min
5+ mins Detection width: 90°

Please note: The sensor cannot
be manually overridden. The final PIR
setting must be set at dusk, as
the PIR does not operate in daylight.

Code	Description	Height	Width	Projection	Finish	Max. Wattage	IP Rating
HELSINGOR-BOL-SL	1 lt Bollard Lantern	1000mm	218mm	-	Silver	1 x 60W E27	IP44
HELSINGOR-PED	1 lt Pedestal Lantern	305mm	218mm	-	Silver	1 x 60W E27	IP44
HELSINGOR-PIR	1 lt PIR Wall Lantern	236mm	218mm	260mm	Silver	1 x 60W E27	IP44
HELSINGOR	1 lt Wall Lantern	236mm	218mm	260mm	Silver	1 x 60W E27	IP44

HELSINGOR

Materials: 304 Stainless Steel, Clear Glass
Finish: Black



15 YEAR
GUARANTEE



HELSINGOR-PIR-BOL-BK



HELSINGOR-PIR-BK

PIR Technical Information
for round Sensors **HELSINGOR**
(2 Year Guarantee). PIR range: min
5+ mins Detection width: 90°

Please note: The sensor cannot be
manually overridden. The final PIR
setting must be set at dusk, as the
PIR does not operate in daylight.



HELSINGOR-PIR-PED-BK

Code	Description	Height	Width	Projection	Finish	Max. Wattage	IP Rating
HELSINGOR-PIR-BOL-BK	1 lt Bollard Lantern with PIR	1000mm	218mm	-	Black	1 x 60W E27	IP44
HELSINGOR-PIR-BK	1 lt PIR Wall Lantern	236mm	218mm	260mm	Black	1 x 60W E27	IP44
HELSINGOR-PIR-PED-BK	1 lt PIR Pedestal Lantern	305mm	218mm	-	Black	1 x 60W E27	IP44



HELSINGOR-BK



HELSINGOR-PED-BK



HELSINGOR-BOL-BK

Code	Description	Height	Width	Projection	Finish	Max. Wattage	IP Rating
HELSINGOR-BOL-BK	1 lt Bollard Lantern	1000mm	218mm	-	Black	1 x 60W E27	IP44
HELSINGOR-PED-BK	1 lt Pedestal Lantern	305mm	218mm	-	Black	1 x 60W E27	IP44
HELSINGOR-BK	1 lt Wall Lantern	236mm	218mm	260mm	Black	1 x 60W E27	IP44



KL-SOREL2-M-LED

DUNGARVAN, KOLNE, SOREL & MALVERN

Dungarvan Materials: Polymer, Polycarbonate. Kolne Materials: 304 Stainless Steel. Sorel & Malvern Materials: Aluminium
Finish: See table below



Elstead
LIGHTING

KOLNE

3 YEAR
GUARANTEE



KICHLER

KL-SOREL2-M-LED

3 YEAR
GUARANTEE

COASTAL
COLLECTION



Elstead
LIGHTING

DUNGARVAN-BLK

20 YEAR
GUARANTEE



Elstead
LIGHTING

GZH-MALV

3 YEAR
GUARANTEE

Code	Description	Height	Width	Projection	Finish	Max. Wattage	IP Rating
KOLNE	1 lt Wall Lantern	344mm	182mm	233mm	Stainless Steel	1 x 60W E27	IP44
KL-SOREL2-M-LED	1 lt Outdoor Wall Lantern	407mm	166mm	143mm	Architectural Bronze	1 x 8W LED GU10*1	IP44
GZH-MALV	1 lt Wall Lantern	230mm	92mm	129mm	Black	2 x 8W LED GU10*2	IP44
DUNGARVAN-BLK	Up & Down Lantern	300mm	190mm	150mm	Black	2 x 60W E27 *3	IP44

*1 Supplied with: 1 x 8W LED GU10, 560Lm, 3000K. *2 Supplied with 2 x 8W LED GU10, 560Lm each, 3000K. *3 Recommend E27 Golf Ball Lamp.

FREYR & FRIDA

Materials: Cast Aluminium & Polycarbonate
Finish: Graphite

5 YEAR
GUARANTEE

Elstead
LIGHTING



FREYR-R



FREYR-SQ



FRIDA-M



FRIDA-S

Code	Description	Height	Width	Projection	Finish	Max. Wattage	IP Rating
FREYR-R	Round 1 lt Wall Light	165mm	165mm	90mm	Graphite	1 x 6W Integrated LED*1	IP54
FREYR-SQ	Square 1 lt Wall Light	150mm	150mm	72mm	Graphite	1 x 6W Integrated LED*1	IP54
FRIDA-M	1 lt Wall Light	210mm	210mm	175mm	Graphite	1 x 60W E27	IP54
FRIDA-S	1 lt Small Wall Light	160mm	160mm	167mm	Graphite	1 x 60W E27	IP54

*1 Supplied with 6W LED 260Lm, 3000k.



SVEN-1R



SVEN-1W



SVEN-2W


Code	Description	Height	Width	Projection	Finish	Max. Wattage	IP Rating
SVEN-1R	1 lt Wall/Ceiling Lantern	260mm	260mm	102mm	Graphite	1 x 60W E27	IP54
SVEN-1W	2 lt Wall/Ceiling Lantern	300mm	185mm	90mm	Graphite	2 x 60W E27	IP54
SVEN-2W	1 lt Wall Lantern	346mm	191mm	143mm	Graphite	1 x 100W E27	IP65



EGIL-1W



EGIL-2W



ANO-1W



ANO-2W

Code	Description	Height	Width	Projection	Finish	Max. Wattage	IP Rating
ANO-1W	1 lt Wall/Ceiling Lantern	140mm	140mm	52mm	Graphite	1 x 5.7W LED GX53*1	IP54
ANO-2W	1 lt Wall/Ceiling Lantern	140mm	140mm	57mm	Graphite	1 x 5.7W LED GX53*1	IP54
EGIL-1W	1 lt Wall/Ceiling Lantern	140mm	140mm	50mm	Graphite	1 x 5.7W LED GX53*1	IP54
EGIL-2W	1 lt Wall/Ceiling Lantern	140mm	140mm	54mm	Graphite	1 x 5.7W LED GX53*1	IP54

*1 Supplied with GX53 5.7W LED = 600Lm each, 3000k.



HK-TAPER-L-TBK



HK-TAPER-M-TBK

Code	Description	Height	Width	Projection	Finish	Max. Wattage	IP Rating
HK-TAPER-M-TBK	Medium LED Wall Lantern	380mm	178mm	89mm	Textured Black	1 x 8W Integrated LED *1	IP44
HK-TAPER-L-TBK	Large LED Wall Lantern	610mm	229mm	98mm	Textured Black	1 x 10.5W Integrated LED *2	IP44

*1 Supplied with: 8W integrated LED 650Lm, 3000k.

*2 Supplied with: 10.5W integrated LED 860Lm, 3000k.

CHISWICK & SELMA

Chiswick Materials: Brass, Clear Prismatic Glass. Selma Materials: Cast Aluminium, Stainless Steel, Glass
 Chiswick Finish: Antique Brass. Selma Finish: Black



SELMA

3 YEAR
GUARANTEE



CHISWICK-ATB

LIMITED LIFETIME
WARRANTY

Code	Description	Height	Width	Projection	Finish	Max. Wattage	IP Rating
CHISWICK-ATB	1 lt Brass Sign Light	396mm	230mm	538mm	Antique Brass	1 x 60W E27	IP44
SELMA	LED Sign Light	208mm	141mm	717mm	Black	1 x 16W Integrated LED *1	IP66

*1 Supplied with: 16W integrated LED 2240lm, 3000k.



PARKSTONE-BOL-A



PARKSTONE-BOL-B

Code	Description	Height	Width	Depth	Finish	Max. Wattage	IP Rating
PARKSTONE-BOL-A	LED Bollard	700mm	160mm	120mm	Basalt Stone with 316 Stainless Steel	6W Integrated LED*1	IP55
PARKSTONE-BOL-B	LED Bollard	400mm	220mm	160mm	Basalt Stone with 316 Stainless Steel	6W Integrated LED*1	IP55

*1 Supplied with: 6W LED, 650Lm, 3000k.

HORNSEA & NEWBRIGHTON

New Brighton Materials: Brass, Polycarbonate Lens. Hornsea Materials: Teak, 316 Stainless Steel, Polycarbonate Finish: See table below

COASTAL
COLLECTION

10 YEAR
GUARANTEE

Elstead
LIGHTING



Recommended lamp
LP-LED8W-E27-T30
See page 331



HORNSEA-B-SS



NEWBRIGHTON-B-BRASS



NEWBRIGHTON-MB-BRASS

Code	Description	Height	Width	Finish	Max. Wattage	IP Rating
NEWBRIGHTON-B-BRASS	1 lt Bollard	600mm	102mm	Brushed Brass	1 x 40W E27	IP55
NEWBRIGHTON-MB-BRASS	1 lt Bollard	250mm	102mm	Brushed Brass	1 x 40W E27	IP55
HORNSEA-B-SS	1 lt Bollard	700mm	120mm	Teak with 316 Stainless Steel	1 x 40W E27	IP55

NB. All fittings will age if not regularly maintained.



Recommended lamp
LP-LED8W-E27-T30
See page 331



PAIGNTON-B-BRASS



PAIGNTON-MB-BRASS



PAIGNTON-B-SS



PAIGNTON-MB-SS

Code	Description	Height	Width	Finish	Max. Wattage	IP Rating
PAIGNTON-B-BRASS	1 lt Bollard	700mm	102mm	Brushed Brass	1 x 40W E27	IP55
PAIGNTON-MB-BRASS	1 lt Bollard	300mm	102mm	Brushed Brass	1 x 40W E27	IP55
PAIGNTON-B-SS	1 lt Bollard	700mm	102mm	316 Stainless Steel	1 x 40W E27	IP55
PAIGNTON-MB-SS	1 lt Bollard	300mm	102mm	316 Stainless Steel	1 x 40W E27	IP55

NB. All Brass models will age if not regularly maintained.

POOLE

Materials: Teak, 316 Marine Grade Stainless Steel, Opal Glass
 Finish: Teak and 316 Stainless Steel



10 YEAR
GUARANTEE



GZ-POOLE-W



GZ-POOLE-B



GZ-POOLE-MB



Recommended lamp
 LP-LED8W-E27-T30
 See page 331

Code	Description	Height	Width	Projection	Finish	Max. Wattage	IP Rating
GZ-POOLE-W	1 lt Wall Light	280mm	102mm	140mm	Teak and 316 Stainless Steel	1 x 40W E27	IP44
GZ-POOLE-B	1 lt Bollard	670mm	102mm	-	Teak and 316 Stainless Steel	1 x 40W E27	IP55
GZ-POOLE-MB	1 lt Mini Bollard	240mm	102mm	-	Teak and 316 Stainless Steel	1 x 40W E27	IP55

NB. Stainless Steel will discolour if not maintained. Teak will age if not maintained.



GZ-SPIKE-D

Accessories suitable for all bollards
on pages 82-83



GZ-ROOT-A



Recommended lamp
LP-LED8W-E27-T30
See page 331



GZ-SANDBANKS-MB



GZ-SANDBANKS-B

Code	Description	Height	Width	Finish	Max. Wattage	IP Rating
GZ-SANDBANKS-B	1 It Bollard	600mm	102mm	316 Stainless Steel	1 x 40W E27	IP44
GZ-SANDBANKS-MB	1 It Mini Bollard	240mm	102mm	316 Stainless Steel	1 x 40W E27	IP44
GZ-ROOT-A	Steel, Zinc Plated Root	80mm	136mm	N/A	-	-
GZ-SPIKE-D	Steel, Zinc Plated Spike	550mm	136mm	N/A	-	-

NB. Stainless Steel will discolour if not maintained.

TRANSITIONAL

Transitional describes designs that derive from classic styles but have been conceived with a contemporary edge. Transitional lanterns are less ornate than their classic counterparts, but aren't as streamlined or minimalist as modern styles. They combine the best of both worlds for a clean, comfortable look wherever they are placed.



MERRILL
FE-MERRILL1-S-BLK
Page 76



NEWPORT
FE-NEWPORT-M-PBS
Page 94



KL-BARRAS2-M-BK (see page 73)



QZ-WAKEFIELD-M-TBK



QZ-WAKEFIELD-S-TBK



QZ-WAKEFIELD-M-TBK



QZ-WAKEFIELD-L-TBK

Code	Description	Height	Width	Projection	Finish	Max. Wattage	IP Rating
QZ-WAKEFIELD-S-TBK	1 lt Small Wall Lantern	280mm	171mm	197mm	Earth Black	1 x 60W E27	IP44
QZ-WAKEFIELD-M-TBK	1 lt Medium Wall Lantern	357mm	222mm	248mm	Earth Black	1 x 60W E27	IP44
QZ-WAKEFIELD-L-TBK	3 lt Large Wall Lantern	433mm	273mm	299mm	Earth Black	3 x 40W E14	IP44



KL-ALLENBURY2-M-BKT



KL-ALLENBURY2-M-BKT

Pendant can remove rods
to use as semi-flush



KL-ALLENBURY-P-M-BKT

Code	Description	Height	Width	Min. Drop	Max. Drop	Projection	Finish	Max. Wattage	IP Rating
KL-ALLENBURY2-M-BKT	1 lt Medium Wall Lantern	331mm	305mm	-	-	441mm	Textured Black	1 x 40W E27	IP44
KL-ALLENBURY-P-M-BKT	1 lt Outdoor Pendant	369mm	305mm	469mm	1335mm*	-	Textured Black	1 x 40W E27	IP44

*1 Supplied with: 1 x 50mm, 2 x 153mm and 2 x 305mm rods.

LIGHTHOUSE

Materials: Aluminium, Clear Seeded Glass
Finish: Textured Black

3 YEAR
GUARANTEE

FEISS
COLLECTION



FE-LIGHTHOUSE2-M-BLK

Code	Description	Height	Width	Projection	Finish	Max. Wattage	IP Rating
FE-LIGHTHOUSE2-M-BLK	1 Lt Medium Wall Lantern	352mm	181mm	229mm	Textured Black	1 x 60W E27	IP44



FE-LIGHTHOUSE-7-BLK



FE-LIGHTHOUSE-F-BLK



FE-LIGHTHOUSE8-S-BLK



FE-LIGHTHOUSE2-S-BLK

Code	Description	Height	Width	Min. Drop	Max. Drop	Projection	Finish	Max. Wattage	IP Rating
FE-LIGHTHOUSE-F-BLK	2 Lt Flush Mount	146mm	254mm	-	-	--	Textured Black	2 x 40W E27	IP44
FE-LIGHTHOUSE2-S-BLK	1 Lt Small Wall Lantern	292mm	117mm	-	-	159mm	Textured Black	1 x 60W E27	IP44
FE-LIGHTHOUSE8-S-BLK	1 Lt Chain Lantern	241mm	121mm	325mm	1884mm*	--	Textured Black	1 x 60W E27	IP44
FE-LIGHTHOUSE-7-BLK	1 Lt Half Lantern	289mm	178mm	-	-	114mm	Textured Black	1 x 60W E27	IP44

*1 Supplied with: 1524mm of chain.



KL-DELISON-M-RZ



KL-DELISON-S-RZ



KL-DELISON-M-RZ

Code	Description	Height	Width	Projection	Finish	Max. Wattage	IP Rating
KL-DELISON-S-RZ	1 lt Small Wall Lantern	290mm	165mm	202mm	Rubbed Bronze	1 x 60W E27	IP44
KL-DELISON-M-RZ	1 lt Medium Wall Lantern	357mm	203mm	254mm	Rubbed Bronze	1 x 60W E27	IP44

LYNDON

Materials: Cast Aluminium, Seeded Glass
Finish: Architectural Bronze

3 YEAR
GUARANTEE

KICHLER



KL-LYNDON2-M-AZ



KL-LYNDON8-S-AZ



KL-LYNDON2-S-AZ



KL-LYNDON-5P-AZ

Code	Description	Height	Width	Min. Drop	Max. Drop	Projection	Finish	Max. Wattage	IP Rating
KL-LYNDON2-S-AZ	1 Lt Small Wall Lantern	288mm	128mm	-	-	191mm	Architectural Bronze	1 x 75W E27	IP44
KL-LYNDON8-S-AZ	1 Lt Small Chain Lantern	246mm	128mm	280mm	1280mm ¹	-	Architectural Bronze	1 x 75W E27	IP44
KL-LYNDON2-M-AZ	1 Lt Medium Wall Lantern	381mm	152mm	-	-	203mm	Architectural Bronze	1 x 100W E27	IP44
KL-LYNDON-5P-AZ	5 Lt Outdoor Chandelier	249mm	611mm	305mm	1219mm ²	-	Architectural Bronze	5 x 75W E27	IP44

¹ Supplied with: 1000mm of chain.

² Supplied with: 2 x 152mm and 2 x 305mm rods.



KL-ASHLANDBAY2-S



KL-ASHLANDBAY-F



KL-ASHLANDBAY-5P

Code	Description	Height	Width	Min. Drop	Max. Drop	Projection	Finish	Max. Wattage	IP Rating
KL-ASHLANDBAY-F	2 Lt Outdoor Ceiling Flush	152mm	305mm	-	-	-	Weathered Zinc	1 x 60W E27	IP44
KL-ASHLANDBAY2-S	1 Lt Small Wall Lantern	278mm	154mm	-	-	173mm	Weathered Zinc	1 x 60W E27	IP44
KL-ASHLANDBAY-5P	5 Lt Outdoor Chandelier	508mm	625mm	624mm	1473mm*	-	Weathered Zinc	5 x 60W E27	IP44

*1 Supplied with: 2 x 152mm and 2 x 305mm rods.



KL-ASHLANDBAY2-L



KL-ASHLANDBAY8-S



KL-ASHLANDBAY2-L



KL-ASHLANDBAY2-M



KL-ASHLANDBAY3-M

Code	Description	Height	Width	Min. Drop	Max. Drop	Projection	Finish	Max. Wattage	IP Rating
KL-ASHLANDBAY8-S	1 lt Small Chain Lantern	327mm	154mm	432mm	2306mm*	-	Weathered Zinc	1 x 60W E27	IP44
KL-ASHLANDBAY2-M	1 lt Medium Wall Lantern	346mm	193mm	-	-	213mm	Weathered Zinc	1 x 60W E27	IP44
KL-ASHLANDBAY3-M	1 lt Medium Pedestal Lantern	471mm	193mm	-	-	-	Weathered Zinc	1 x 60W E27	IP44
KL-ASHLANDBAY2-L	1 lt Large Wall Lantern	404mm	224mm	-	-	244mm	Weathered Zinc	1 x 60W E27	IP44

*1 Supplied with: 1829mm of chain.

ASHLAND BAY

Materials: Aluminium, Seeded Glass
Finish: Burnished Bronze

3 YEAR
GUARANTEE

KICHLER



KL-ASHLANDBAY2-S-BU



KL-ASHLANDBAY-F-BU



KL-ASHLANDBAY-5P-BU

Code	Description	Height	Width	Min. Drop	Max. Drop	Projection	Finish	Max. Wattage	IP Rating
KL-ASHLANDBAY-F-BU	2 Lt Flush	152mm	305mm	-	-	-	Burnished Bronze	1 x 60W E27	IP44
KL-ASHLANDBAY2-S-BU	1 Lt Small Wall Lantern	278mm	154mm	-	-	173mm	Burnished Bronze	1 x 60W E27	IP44
KL-ASHLANDBAY-5P-BU	5 Lt Outdoor Chandelier	508mm	625mm	624mm	1473mm*	-	Burnished Bronze	5 x 60W E27	IP44

*1 Supplied with: 3 x 152mm and 2 x 305mm rods.



KL-ASHLANDBAY8-S-BU



KL-ASHLANDBAY2-L-BU



KL-ASHLANDBAY2-M-BU



KL-ASHLANDBAY3-M-BU

Code	Description	Height	Width	Min. Drop	Max. Drop	Projection	Finish	Max. Wattage	IP Rating
KL-ASHLANDBAY8-S-BU	1 Lt Small Chain Lantern	327mm	154mm	432mm	2306mm*	-	Burnished Bronze	1 x 60W E27	IP44
KL-ASHLANDBAY2-M-BU	1 Lt Medium Wall Lantern	346mm	193mm	-	-	213mm	Burnished Bronze	1 x 60W E27	IP44
KL-ASHLANDBAY3-M-BU	1 Lt Medium Pedestal Lantern	471mm	193mm	-	-	-	Burnished Bronze	1 x 60W E27	IP44
KL-ASHLANDBAY2-L-BU	1 Lt Large Wall Lantern	404mm	224mm	-	-	244mm	Burnished Bronze	1 x 60W E27	IP44

*1 Supplied with: 1829mm of chain.

BRIDGE POINT

Materials: Aluminium, Clear Seeded Glass
Finish: Weathered Zinc

3 YEAR
GUARANTEE

KICHLER



KL-BRIDGEPOINT-L



KL-BRIDGEPOINT8S



KL-BRIDGEPOINT-S



KL-BRIDGEPOINT-M

Code	Description	Height	Width	Min. Drop	Max. Drop	Projection	Finish	Max. Wattage	IP Rating
KL-BRIDGEPOINT-S	1 Lt Small Wall Lantern	334mm	178mm	-	-	207mm	Weathered Zinc	1 x 60W E27	IP44
KL-BRIDGEPOINT-M	1 Lt Medium Wall Lantern	405mm	228mm	-	-	258mm	Weathered Zinc	1 x 60W E27	IP44
KL-BRIDGEPOINT-L	1 Lt Large Wall Lantern	510mm	280mm	-	-	310mm	Weathered Zinc	1 x 60W E27	IP44
KL-BRIDGEPOINT8S	1 Lt Small Chain Lantern	272mm	178mm	372mm	2237mm*1	-	Weathered Zinc	1 x 60W E27	IP44

*1 Supplied with: 1829mm of chain.



KL-BRIDGEPOINT8S-NBR



KL-BRIDGEPOINT-L-NBR



KL-BRIDGEPOINT-S-NBR



KL-BRIDGEPOINT-M-NBR

Code	Description	Height	Width	Min. Drop	Max. Drop	Projection	Finish	Max. Wattage	IP Rating
KL-BRIDGEPOINT-S-NBR	1 Lt Small Wall Lantern	334mm	178mm	-	-	207mm	Natural Brass	1 x 60W E27	IP44
KL-BRIDGEPOINT-M-NBR	1 Lt Medium Wall Lantern	405mm	228mm	-	-	258mm	Natural Brass	1 x 60W E27	IP44
KL-BRIDGEPOINT-L-NBR	1 Lt Large Wall Lantern	510mm	280mm	-	-	310mm	Natural Brass	1 x 60W E27	IP44
KL-BRIDGEPOINT8S-NBR	1 Lt Small Chain Lantern	272mm	178mm	372mm	2237mm ^{*1}	-	Natural Brass	1 x 60W E27	IP44

*1 Supplied with: 1829mm of chain.

REDDING STATION

Materials: Aluminium, Glass
Finish: Restoration Bronze

3 YEAR
GUARANTEE

FEISS
COLLECTION



FE-REDDING8-M-RB



FE-REDDING2-M-RB



FE-REDDING2-S-RB

Code	Description	Height	Width	Min. Drop	Max. Drop	Projection	Finish	Max. Wattage	IP Rating
FE-REDDING2-S-RB	1 lt Small Wall Lantern	246mm	229mm	-	-	264mm	Restoration Bronze	1 x 100W E27	IP44
FE-REDDING2-M-RB	1 lt Medium Wall Lantern	318mm	305mm	-	-	341mm	Restoration Bronze	1 x 100W E27	IP44
FE-REDDING8-M-RB	1 lt Medium Chain Lantern	276mm	305mm	403mm	1500mm ^{*1}	-	Restoration Bronze	1 x 100W E27	IP44

*1 Supplied with: 1200mm of chain.



FE-REDDING2-M-PDB



FE-REDDING2-S-PDB



FE-REDDING8-M-PDB

Code	Description	Height	Width	Min. Drop	Max. Drop	Projection	Finish	Max. Wattage	IP Rating
FE-REDDING2-S-PDB	1 ft Small Wall Lantern	246mm	229mm	-	-	264mm	Painted Distressed Bronze	1 x 100W E27	IP44
FE-REDDING2-M-PDB	1 ft Medium Wall Lantern	318mm	305mm	-	-	341mm	Painted Distressed Bronze	1 x 100W E27	IP44
FE-REDDING8-M-PDB	1 ft Medium Chain Lantern	276mm	305mm	403mm	1500mm	-	Painted Distressed Bronze	1 x 100W E27	IP44

*1 Supplied with: 1200mm of chain.

BROMLEY

Materials: Cast Aluminium, Clear Glass
Finish: Oil Rubbed Bronze

3 YEAR
GUARANTEE

HINKLEY



HK-BROMLEY2-S



HK-BROMLEY2-L



HK-BROMLEY2-M

Code	Description	Height	Width	Projection	Finish	Max. Wattage	IP Rating
HK-BROMLEY2-S	1 lt Small Wall Lantern	299mm	203mm	233mm	Oil Rubbed Bronze	1 x 60W E27	IP44
HK-BROMLEY2-M	2 lt Medium Wall Lantern	388mm	203mm	233mm	Oil Rubbed Bronze	2 x 60W E14	IP44
HK-BROMLEY2-L	3 lt Large Wall Lantern	631mm	254mm	298mm	Oil Rubbed Bronze	3 x 60W E14	IP44



KL-BARRAS2-S-BK



KL-BARRAS2-M-BK



Code	Description	Height	Width	Projection	Finish	Max. Wattage	IP Rating
KL-BARRAS2-S-BK	1 lt Small Wall Lantern	290mm	137mm	157mm	Black	1 x 40W E27	IP44
KL-BARRAS2-M-BK	1 lt Medium Wall Lantern	406mm	179mm	203mm	Black	1 x 40W E27	IP44

BYRON

Materials: Cast Aluminium, Clear Bevelled Glass
 Finish: Imperial Bronze with Copper Reflector

3 YEAR
 GUARANTEE

QUOIZEL
 LIGHTING



QZ-BYRON-S



QZ-BYRON-L



QZ-BYRON-M

Code	Description	Height	Width	Projection	Finish	Max. Wattage	IP Rating
QZ-BYRON-S	1 Lt Small Wall Lantern	305mm	165mm	152mm	Imperial Bronze with Copper Reflector	1 x 60W E27	IP44
QZ-BYRON-M	1 Lt Medium Wall Lantern	368mm	203mm	178mm	Imperial Bronze with Copper Reflector	1 x 60W E27	IP44
QZ-BYRON-L	1 Lt Large Wall Lantern	457mm	254mm	216mm	Imperial Bronze with Copper Reflector	1 x 60W E27	IP44



QZ-BYRON-L-GR



QZ-BYRON-S-GR



QZ-BYRON-M-GR

Code	Description	Height	Width	Projection	Finish	Max. Wattage	IP Rating
QZ-BYRON-S-GR	1 lt Small Wall Lantern	305mm	165mm	152mm	Graphite with Pewter Reflector	1 x 60W E27	IP44
QZ-BYRON-M-GR	1 lt Medium Wall Lantern	368mm	203mm	178mm	Graphite with Pewter Reflector	1 x 60W E27	IP44
QZ-BYRON-L-GR	1 lt Large Wall Lantern	457mm	254mm	216mm	Graphite with Pewter Reflector	1 x 60W E27	IP44

MERRILL

Materials: Aluminium, Clear Seeded Glass or Aluminium, Cream Etched Glass
 Finish: Black or Heritage Bronze

3 YEAR
GUARANTEE

FEISS
COLLECTION



FE-MERRILL-F



FE-MERRILL-F-BLK



FE-MERRILL1-S



FE-MERRILL1-S-BLK

Code	Description	Height	Width	Projection	Finish	Max. Wattage	IP Rating
FE-MERRILL-F	2 ft Flush	162mm	330mm	-	Heritage Bronze	2 x 60W E27	IP44
FE-MERRILL1-S	1 ft Small Wall Lantern	388mm	194mm	241mm	Heritage Bronze	1 x 60W E27	IP44
FE-MERRILL1-S-BLK	1 ft Small Wall Lantern	388mm	194mm	241mm	Black	1 x 60W E27	IP44
FE-MERRILL-F-BLK	2 ft Flush	162mm	330mm	-	Black	2 x 60W E27	IP44



KL-SOUTH-HOPE-S



KL-SOUTH-HOPE8-S



KL-SOUTH-HOPE-M

Code	Description	Height	Width	Min. Drop	Max. Drop	Projection	Finish	Max. Wattage	IP Rating
KL-SOUTH-HOPE8-S	1 Lt Small Chain Lantern	300mm	140mm	370mm	2100mm*1	-	Rubbed Bronze	1 x 60W E14	IP44
KL-SOUTH-HOPE-M	1 Lt Medium Wall Lantern	451mm	178mm	-	-	196mm	Rubbed Bronze	1 x 60W E27	IP44
KL-SOUTH-HOPE-S	1 Lt Small Wall Lantern	300mm	140mm	-	-	158mm	Rubbed Bronze	1 x 60W E14	IP44

*1 Supplied with: 1800mm of chain.

BAINBRIDGE

Materials: Cast Aluminium, Clear Bevelled Glass
Finish: Oil Rubbed Bronze

3 YEAR
GUARANTEE

HINKLEY



HK-BAINBRIDGE-S-OZ



HK-BAINBRIDGE-M-OZ

Code	Description	Height	Width	Projection	Finish	Max. Wattage	IP Rating
HK-BAINBRIDGE-S-OZ	1 lt Small Wall Lantern	362mm	136mm	180mm	Oil Rubbed Bronze	1 x 60W E27	IP44
HK-BAINBRIDGE-M-OZ	1 lt Medium Wall Lantern	488mm	170mm	215mm	Oil Rubbed Bronze	1 x 60W E27	IP44



HK-MANHATTAN2-S



HK-MANHATTAN2-L



HK-MANHATTAN8-S



HK-MANHATTAN2-M



HK-MANHATTAN3-M

Code	Description	Height	Width	Min. Drop	Max. Drop	Projection	Finish	Max. Wattage	IP Rating
HK-MANHATTAN2-S	1 lt Small Wall Lantern	298mm	184mm	-	-	203mm	Oil Rubbed Bronze	1 x 100W E27	IP44
HK-MANHATTAN2-M	1 lt Medium Wall Lantern	381mm	235mm	-	-	260mm	Oil Rubbed Bronze	1 x 100W E27	IP44
HK-MANHATTAN2-L	1 lt Large Wall Lantern	470mm	286mm	-	-	318mm	Oil Rubbed Bronze	1 x 100W E27	IP44
HK-MANHATTAN3-M	1 lt Pedestal	490mm	235mm	-	-	-	Oil Rubbed Bronze	1 x 100W E27	IP44
HK-MANHATTAN8-S	1 lt Chain Lantern	305mm	184mm	355mm	1340mm*1	-	Oil Rubbed Bronze	1 x 100W E27	IP23

*1 Supplied with: 1000mm of chain.





KL-ROYAL-MARINE2-M



KL-ROYAL-MARINE2-S

Code	Description	Height	Width	Projection	Finish	Max. Wattage	IP Rating
KL-ROYAL-MARINE2-M	1 lt Medium Wall Lantern	462mm	241mm	304mm	Distressed Black	1 x 60W E27	IP44
KL-ROYAL-MARINE2-S	1 lt Small Wall Lantern	337mm	178mm	230mm	Distressed Black	1 x 60W E27	IP44



FE-HODGES-L



FE-HODGES-L



FE-HODGES-S

Code	Description	Height	Width	Projection	Finish	Max. Wattage	IP Rating
FE-HODGES-S	1 lt Small Wall Lantern	297mm	196mm	180mm	Ash Black	1 x 60W E27	IP44
FE-HODGES-L	1 lt Large Wall Lantern	413mm	272mm	194mm	Ash Black	1 x 60W E27	IP44



KL-VANDALIA8-M



KL-VANDALIA8-M



KL-VANDALIA2-S



KL-VANDALIA8-L

Code	Description	Height	Width	Min. Drop	Max. Drop	Projection	Finish	Max. Wattage	IP Rating
KL-VANDALIA2-S	1 Lt Wall Lantern	307mm	229mm	-	-	250mm	Textured Black	1 x 60W E27	IP44
KL-VANDALIA8-M	1 Lt Medium Chain Lantern	392mm	279mm	494mm	2315mm*1	-	Textured Black	1 x 60W E27	IP44
KL-VANDALIA8-L	3 Lt Large Chain Lantern	482mm	356mm	583mm	2442mm*1	-	Textured Black	3 x 40W E14	IP44

*1 Supplied with: 1829mm of chain.

GOLDENROD

Materials: Steel, Bevelled Glass
Finish: Western Bronze

2 YEAR
GUARANTEE

QUOIZEL
LIGHTING



QZ-GOLDENROD2-M



QZ-GOLDENROD2-L



QZ-GOLDENROD8-M



QZ-GOLDENROD2-S

Code	Description	Height	Width	Min. Drop	Max. Drop	Projection	Finish	Max. Wattage	IP Rating
QZ-GOLDENROD2-S	1 Lt Small Wall Lantern	327mm	155mm	-	-	169mm	Western Bronze	1 x 100W E27	IP44
QZ-GOLDENROD2-M	1 Lt Medium Wall Lantern	421mm	206mm	-	-	220mm	Western Bronze	1 x 100W E27	IP44
QZ-GOLDENROD2-L	1 Lt Large Wall Lantern	510mm	256mm	-	-	270mm	Western Bronze	1 x 100W E27	IP44
QZ-GOLDENROD8-M	1 Lt Medium Chain Lantern	421mm	206mm	513mm	2988mm*	-	Western Bronze	1 x 100W E27	IP44

*1 Supplied with: 2438mm of chain.



FE-GLENVIEW-M



FE-GLENVIEW-S

Code	Description	Height	Width	Projection	Finish	Max. Wattage	IP Rating
FE-GLENVIEW-S	1 Lt Small Wall Lantern	261mm	165mm	185mm	Antique Bronze	1 x 60W E27	IP44
FE-GLENVIEW-M	1 Lt Medium Wall Lantern	307mm	197mm	215mm	Antique Bronze	1 x 60W E27	IP44

RAVINE

Materials: Steel, Clear Bevelled Glass
Finish: Western Bronze

3 YEAR
GUARANTEE

QUOIZEL
LIGHTING



QZ-RAVINE2-L

Code	Description	Height	Width	Projection	Finish	Max. Wattage	IP Rating
QZ-RAVINE2-L	Large Wall Lantern	510mm	254mm	290mm	Western Bronze	1 x 60W E27	IP44



QZ-RAVINE8-M



QZ-RAVINE8-L



QZ-RAVINE2-M



QZ-RAVINE2-S



QZ-RAVINE3-M

Code	Description	Height	Width	Min. Drop	Max. Drop	Projection	Finish	Max. Wattage	IP Rating
QZ-RAVINE2-S	Small Wall Lantern	318mm	153mm	-	-	182mm	Western Bronze	1 x 60W E27	IP44
QZ-RAVINE2-M	Medium Wall Lantern	412mm	203mm	-	-	235mm	Western Bronze	1 x 60W E27	IP44
QZ-RAVINE3-M	Medium Pedestal	519mm	203mm	-	-	-	Western Bronze	1 x 60W E27	IP44
QZ-RAVINE8-M	Medium Chain Lantern	413mm	203mm	505mm	2979mm*1	-	Western Bronze	1 x 60W E27	IP23
QZ-RAVINE8-L	Large Chain Lantern	514mm	254mm	605mm	3080mm*1	-	Western Bronze	1 x 60W E27	IP23

*1 Supplied with: 2438mm of chain.



KL-RIVERWOOD2-M



KL-RIVERWOOD8-M



KL-RIVERWOOD2-M



KL-RIVERWOOD2-S



KL-RIVERWOOD3-M

Code	Description	Height	Width	Min. Drop	Max. Drop	Projection	Finish	Max. Wattage	IP Rating
KL-RIVERWOOD2-M	Medium Wall Lantern	362mm	203mm	-	-	225mm	Weathered Zinc	1 x 100W E27	IP44
KL-RIVERWOOD2-S	Small Wall Lantern	317mm	172mm	-	-	194mm	Weathered Zinc	1 x 60W E27	IP44
KL-RIVERWOOD3-M	8" Pedestal Lantern	440mm	203mm	-	-	-	Weathered Zinc	1 x 100W E27	IP44
KL-RIVERWOOD8-M	8" Chain Lantern	301mm	203mm	400mm	1980mm*	-	Weathered Zinc	1 x 100W E27	IP44

*1 Supplied with: 1620mm of chain.



FE-BOYNTON2-M



FE-BOYNTON2-S



FE-BOYNTON2-M

Code	Description	Height	Width	Projection	Finish	Max. Wattage	IP Rating
FE-BOYNTON2-S	1 lt Small Wall Lantern	273mm	229mm	271mm	Painted Brushed Steel	1 x 60W E27	IP44
FE-BOYNTON2-M	1 lt Medium Wall Lantern	328mm	267mm	311mm	Painted Brushed Steel	1 x 60W E27	IP44

NEWPORT

Materials: Weather Resistant Composite, Clear Seeded Glass or Opal Glass
 Finish: Painted Brushed Steel or Antique Bronze

COASTAL
COLLECTION

5 YEAR
GUARANTEE

FEISS
COLLECTION



FE-NEWPORT-S-PBS



FE-NEWPORT-S-ANBZ



FE-NEWPORT-M-PBS



FE-NEWPORT-M-ANBZ

Code	Description	Height	Width	Projection	Finish	Max. Wattage	IP Rating
FE-NEWPORT-S-PBS	1 lt Wall Lantern	229mm	159mm	193mm	Painted Brushed Steel	1 x 60W E27	IP44
FE-NEWPORT-M-PBS	1 lt Wall Lantern	329mm	191mm	226mm	Painted Brushed Steel	1 x 60W E27	IP44
FE-NEWPORT-S-ANBZ	1 lt Wall Lantern	229mm	159mm	193mm	Antique Bronze	1 x 60W E27	IP44
FE-NEWPORT-M-ANBZ	1 lt Wall Lantern	329mm	191mm	226mm	Antique Bronze	1 x 60W E27	IP44



KL-SURI-L



KL-SURI-M



KL-SURI-S



KL-SURI-F
Shown as pedestal



KL-SURI-F
Shown as porch

Code	Description	Height	Width	Projection	Finish	Max. Wattage	IP Rating
KL-SURI-F	1 lt Porch/Pedestal Lantern	278mm	140mm	-	Textured Black	1 x 40W E27	IP44
KL-SURI-S	1 lt Wall Lantern	286mm	140mm	170mm	Textured Black	1 x 40W E27	IP44
KL-SURI-M	1 lt Wall Lantern	393mm	198mm	229mm	Textured Black	1 x 60W E27	IP44
KL-SURI-L	1 lt Wall Lantern	444mm	228mm	260mm	Textured Black	1 x 60W E27	IP44

REEF

Materials: Cast Aluminium, Etched Glass
Finish: Hematite or Victorian Bronze

3 YEAR
GUARANTEE

HINKLEY



HK-REEF-SM-VZ



HK-REEF-SM-HE



HK-REEF-MINI-HE



HK-REEF-MINI-VZ

Code	Description	Height	Width	Projection	Finish	Max. Wattage	IP Rating
HK-REEF-MINI-HE	1 Lt Mini Lantern	203mm	140mm	165mm	Hematite	1 x 60W E27	IP44
HK-REEF-MINI-VZ	1 Lt Mini Lantern	203mm	140mm	165mm	Victorian Bronze	1 x 60W E27	IP44
HK-REEF-SM-HE	1 Lt Small Lantern	273mm	197mm	222mm	Hematite	1 x 60W E27	IP44
HK-REEF-SM-VZ	1 Lt Small Lantern	273mm	197mm	222mm	Victorian Bronze	1 x 60W E27	IP44



FE-CHELSEAHBR-F



FE-CHELSEAHBR8



FE-CHELSEAHBR2

Code	Description	Height	Width	Min. Drop	Max. Drop	Projection	Finish	Max. Wattage	IP Rating
FE-CHELSEAHBR-F	2 lt Flush	149mm	279mm	-	-	-	Storm Cloud	2 x 60W E27	IP44
FE-CHELSEAHBR2	1 lt Wall Lantern	411mm	121mm	-	-	179mm	Storm Cloud	1 x 60W E27	IP44
FE-CHELSEAHBR8	1 lt Chain Lantern	520mm	146mm	590mm	2114mm*	-	Storm Cloud	1 x 100W E27	IP23

*1 Supplied with: 1524mm of chain.



HK-QUINCY-M



HK-QUINCY8-M



HK-QUINCY-S



HK-QUINCY-M

Code	Description	Height	Width	Min. Drop	Max. Drop	Projection	Finish	Max. Wattage	IP Rating
HK-QUINCY-S	1 Lt Small Wall Lantern	343mm	171mm	-	-	210mm	Oil Rubbed Bronze	1 x 100W E27	IP44
HK-QUINCY-M	1 Lt Medium Wall Lantern	425mm	235mm	-	-	273mm	Oil Rubbed Bronze	1 x 100W E27	IP44
HK-QUINCY8-M	1 Lt Medium Chain Lantern	394mm	235mm	490mm	1420mm*	-	Oil Rubbed Bronze	1 x 100W E27	IP23

*1 Supplied with: 1000mm of chain.



HK-WALKER2-L



HK-WALKER2-M



HK-WALKER2-L



HK-WALKER2-S

Code	Description	Height	Width	Projection	Finish	Max. Wattage	IP Rating
HK-WALKER2-S	1 lt Small Wall Lantern	241mm	190mm	209mm	Buckeye Bronze with Heritage Brass	1 x 60W E27	IP44
HK-WALKER2-M	1 lt Medium Wall Lantern	312mm	216mm	233mm	Buckeye Bronze with Heritage Brass	1 x 60W E27	IP44
HK-WALKER2-L	2 lt Large Wall Lantern	381mm	236mm	261mm	Buckeye Bronze with Heritage Brass	2 x 60W E14	IP44

TRADITIONAL

The lanterns in this collection are for a more traditional period property that requires designs with detail and character. Look out for the large scale models as well as the more petite traditional lanterns, scaled for the perfect country cottage or hospitality settings.



HALLERON

KL-HALLERON-2M-BU
Page 125



HOLBORN

HOLBORN-F-BB
Page 118



West
Cottage



HK-SAG-HARBOR-S-BU



HK-SAG-HARBOR-M-BK



HK-SAG-HARBOR-S-BK



HK-SAG-HARBOR-S-BU



HK-SAG-HARBOR-M-BU

Code	Description	Height	Width	Projection	Finish	Max. Wattage	IP Rating
HK-SAG-HARBOR-S-BK	1 lt Small Wall Lantern	413mm	140mm	190mm	Black	1 x 60W E27	IP44
HK-SAG-HARBOR-M-BK	2 lt Medium Wall Lantern	419mm	228mm	140mm	Black	2 x 40W E14	IP44
HK-SAG-HARBOR-S-BU	1 lt Small Wall Lantern	413mm	140mm	190mm	Painted Burnished Bronze	1 x 60W E27	IP44
HK-SAG-HARBOR-M-BU	2 lt Medium Wall Lantern	419mm	228mm	140mm	Painted Burnished Bronze	2 x 40W E14	IP44

FITZGERALD

Materials: Aluminium, Clear Seeded Glass
 Finish: Textured Black with Burnished Bronze

3 YEAR
 GUARANTEE

HINKLEY



HK-FITZGERALD2-S



HK-FITZGERALD2-M



HK-FITZGERALD2-L

Code	Description	Height	Width	Projection	Finish	Max. Wattage	IP Rating
HK-FITZGERALD2-S	1 lt Small Wall Lantern	344mm	190mm	192mm	Textured Black with Burnished Bronze	1 x 60W E27	IP44
HK-FITZGERALD2-M	2 lt Medium Wall Lantern	470mm	190mm	192mm	Textured Black with Burnished Bronze	2 x 40W E14	IP44
HK-FITZGERALD2-L	3 lt Large Wall Lantern	610mm	234mm	236mm	Textured Black with Burnished Bronze	3 x 40W E14	IP44



HK-CASA8



HK-CASA-S



HK-CASA-M

Code	Description	Height	Width	Min. Drop	Max. Drop	Projection	Finish	Max. Wattage	IP Rating
HK-CASA-S	1 lt Wall Lantern	330mm	176mm	-	-	201mm	Olde Black	1 x 60W E27	IP44
HK-CASA-M	2 lt Wall Lantern	541mm	248mm	-	-	236mm	Olde Black	2 x 40W E14	IP44
HK-CASA8	3 lt Chain Lantern	598mm	301mm	662mm	2157mm*	-	Olde Black	3 x 40W E14	IP44

*1 Supplied with: 1524mm of chain.

HUNTERSFIELD

Materials: Aluminium, Clear Seeded Glass
Finish: Black

3 YEAR
GUARANTEE

HINKLEY



HK-HUNTERSFIELD8-L-BK



HK-HUNTERSFIELD8-S-BK

Code	Description	Height	Width	Min. Drop	Max. Drop	Finish	Max. Wattage	IP Rating
HK-HUNTERSFIELD8-S-BK	1 lt Small Chain Lantern	269mm	178mm	374mm	1920mm*	Black	1 x 60W E27	IP44
HK-HUNTERSFIELD8-L-BK	3 lt Large Chain Lantern	454mm	279mm	559mm	2105mm*	Black	3 x 40W E14	IP44

*1 Supplied with: 1524mm of chain.



HK-HUNTERSFIELD2-S-BK



HK-HUNTERSFIELD2-M-BK



HK-HUNTERSFIELD3-M-BK



HK-HUNTERSFIELD2-L-BK

Code	Description	Height	Width	Projection	Finish	Max. Wattage	IP Rating
HK-HUNTERSFIELD2-S-BK	1 lt Small Wall Lantern	351mm	178mm	218mm	Black	1 x 60W E27	IP44
HK-HUNTERSFIELD2-M-BK	2 lt Medium Wall Lantern	479mm	229mm	274mm	Black	2 x 40W E14	IP44
HK-HUNTERSFIELD3-M-BK	2 lt Medium Pedestal Lantern	444mm	229mm	-	Black	2 x 40W E14	IP44
HK-HUNTERSFIELD2-L-BK	3 lt Large Wall Lantern	585mm	279mm	335mm	Black	3 x 40W E14	IP44

CEDAR POINT

Materials: Cast Aluminium, Clear Seeded Glass
Finish: Black

3 YEAR
GUARANTEE

QUOIZEL
LIGHTING



QZ-CEDAR-POINT-L-BK

Code	Description	Height	Width	Projection	Finish	Max. Wattage	IP Rating
QZ-CEDAR-POINT-L-BK	1 ft Large Wall Lantern	418mm	248mm	286mm	Black	1 x 60W E27	IP44



QZ-CEDAR-POINT8-M-BK



QZ-CEDAR-POINT-S-BK



QZ-CEDAR-POINT-M-BK



QZ-CEDAR-POINT3-M-BK

Code	Description	Height	Width	Min. Drop	Max. Drop	Projection	Finish	Max. Wattage	IP Rating
QZ-CEDAR-POINT-S-BK	1 lt Small Wall Lantern	248mm	146mm	-	-	182mm	Black	1 x 60W E27	IP44
QZ-CEDAR-POINT-M-BK	1 lt Medium Wall Lantern	326mm	197mm	-	-	229mm	Black	1 x 60W E27	IP44
QZ-CEDAR-POINT3-M-BK	1 lt Medium Pedestal	445mm	197mm	-	-	197mm	Black	1 x 60W E27	IP44
QZ-CEDAR-POINT8-M-BK	1 lt Medium Chain Lantern	338mm	197mm	454mm	2024mm*1	197mm	Black	1 x 60W E27	IP44

*1 Supplied with: 1524mm of chain.

GALENA

Materials: Stainless Steel, Seeded Glass
Finish: Sable

3 YEAR
GUARANTEE

FEISS
COLLECTION



FE-GALENA8-XL-SBL



FE-GALENA7-SBL



FE-GALENA2-S-SBL

Code	Description	Height	Width	Min. Drop	Max. Drop	Projection	Finish	Max. Wattage	IP Rating
FE-GALENA8-XL-SBL	4 lt Chain Lantern	584mm	338mm	662mm	2221mm*	-	Sable	4 x 40W E14	IP44
FE-GALENA7-SBL	2 lt Half Lantern	432mm	241mm	-	-	162mm	Sable	2 x 40W E14	IP44
FE-GALENA2-S-SBL	1 lt Small Wall Lantern	286mm	152mm	-	-	175mm	Sable	1 x 60W E27	IP44

*1 Supplied with: 1524mm of chain.



FE-GALENA2-M-SBL



FE-GALENA2-L-SBL



FE-GALENA5-XL-SBL

This image is
not to scale.

Code	Description	Height	Width	Projection	Finish	Max. Wattage	IP Rating
FE-GALENA2-M-SBL	1 lt Medium Wall Lantern	406mm	203mm	235mm	Sable	1 x 60W E27	IP44
FE-GALENA2-L-SBL	3 lt Large Wall Lantern	489mm	241mm	273mm	Sable	3 x 40W E14	IP44
FE-GALENA5-XL-SBL	4 lt Single Head Lamp Post*1	3000mm	338mm	-	Sable	4 x 40W E14	IP44

*1 Aluminium used on post.



KL-CARLSON-M-RZ



KL-CARLSON-S-RZ



KL-CARLSON-M-RZ

Code	Description	Height	Width	Projection	Finish	Max. Wattage	IP Rating
KL-CARLSON-S-RZ	1 lt Wall Lantern	279mm	157mm	108mm	Rubbed Bronze	1 x 60W E27	IP44
KL-CARLSON-M-RZ	2 lt Wall Lantern	372mm	208mm	143mm	Rubbed Bronze	2 x 40W E14	IP44

FREEPORT

Materials: Weather Resistant Composite, Clear Seeded Glass
Finish: Textured White

COASTAL
COLLECTION

5 YEAR
GUARANTEE

HINKLEY



HK-FREEPORT2-S-TWH



HK-FREEPORT2-M-TWH



HK-FREEPORT2-L-TWH

Code	Description	Height	Width	Projection	Finish	Max. Wattage	IP Rating
HK-FREEPORT2-S-TWH	1 lt Small Wall Lantern	238mm	155mm	185mm	Textured White	1 x 40W E27	IP44
HK-FREEPORT2-M-TWH	1 lt Medium Wall Lantern	301mm	207mm	232mm	Textured White	1 x 40W E27	IP44
HK-FREEPORT2-L-TWH	1 lt Large Wall Lantern	389mm	257mm	288mm	Textured White	1 x 60W E27	IP44



HK-FREEPORT2-S-TBK



HK-FREEPORT2-M-TBK



HK-FREEPORT2-L-TBK

Code	Description	Height	Width	Projection	Finish	Max. Wattage	IP Rating
HK-FREEPORT2-S-TBK	1 lt Small Wall Lantern	238mm	155mm	185mm	Textured Black	1 x 40W E27	IP44
HK-FREEPORT2-M-TBK	1 lt Medium Wall Lantern	301mm	207mm	232mm	Textured Black	1 x 40W E27	IP44
HK-FREEPORT2-L-TBK	1 lt Large Wall Lantern	389mm	257mm	288mm	Textured Black	1 x 60W E27	IP44

HOLBORN

Materials: Solid Brass, Bevelled Clear Glass
Finish: Brushed Brass



LIMITED LIFETIME WARRANTY



B

Handmade in Solid Brass



HOLBORN-F-BB



HL7-M-BB



HL7-S-BB

Code	Description	Height	Width	Projection	Finish	Max. Wattage	IP Rating
HL7-M-BB	2 lt Medium Half Lantern	310mm	255mm	110mm	Brushed Brass	2 x 40W E14	IP44
HL7-S-BB	1 lt Small Half Lantern	310mm	130mm	110mm	Brushed Brass	1 x 40W E14	IP44
HOLBORN-F-BB	2 lt Flush	165mm	300mm	-	Brushed Brass	2 x 60W E27	IP44



HOLBORN-F-DB

B

Handmade in
Solid Brass



HL7-M-DB



HL7-S-DB

Code	Description	Height	Width	Projection	Finish	Max. Wattage	IP Rating
HL7-M-DB	2 ft Half Lantern Medium	310mm	255mm	110mm	Dark Bronze	2 x 40W E14	IP44
HL7-S-DB	1 ft Half Lantern Small	310mm	130mm	110mm	Dark Bronze	1 x 40W E14	IP44
HOLBORN-F-DB	2 ft Flush	165mm	300mm	-	Dark Bronze	2 x 60W E27	IP44

HOLBORN

Materials: Solid Brass, Bevelled Clear Glass
Finish: Polished Chrome

COASTAL
COLLECTION

LIMITED LIFETIME
WARRANTY

Elstead
LIGHTING

B

Handmade in
Solid Brass



HOLBORN-F-PC



HL7-M-PC



HL7-S-PC

Code	Description	Height	Width	Projection	Finish	Max. Wattage	IP Rating
HL7-M-PC	2 lt Half Lantern Medium	310mm	255mm	110mm	Polished Chrome	2 x 40W E14	IP44
HL7-S-PC	1 lt Half Lantern Small	310mm	130mm	110mm	Polished Chrome	1 x 40W E14	IP44
HOLBORN-F-PC	2 lt Flush	165mm	300mm	-	Polished Chrome	2 x 60W E27	IP44



HOLBORN-F-VDG

B

Handmade in
Solid Brass



HL7-M-VDG



HL7-S-VDG

Code	Description	Height	Width	Projection	Finish	Max. Wattage	IP Rating
HL7-M-VDG	2 ft Medium Half Lantern	310mm	255mm	110mm	Verdigris	2 x 40W E14	IP44
HL7-S-VDG	1 ft Small Half Lantern	310mm	130mm	110mm	Verdigris	1 x 40W E14	IP44
HOLBORN-F-VDG	2 ft Flush	165mm	300mm	-	Verdigris	2 x 60W E27	IP44



KL-HALLERON-8M



KL-HALLERON-3M



KL-HALLERON-2M



KL-HALLERON-8M

Code	Description	Height	Width	Min. Drop	Max. Drop	Projection	Finish	Max. Wattage	IP Rating
KL-HALLERON-2M	3 lt Wall Lantern	578mm	305mm	-	-	375mm	Londonderry	3 x 40W E14	IP44
KL-HALLERON-3M	3 lt Pedestal Lantern	696mm	305mm	-	-	-	Londonderry	3 x 40W E14	IP44
KL-HALLERON-8M	3 lt Chain Lantern	476mm	305mm	565mm	2362mm*1	-	Londonderry	3 x 40W E14	IP44

*1 Supplied with: 1829mm of chain.

HALLERON

Materials: Aluminium, Clear Seeded Glass
Finish: Burnished Bronze or Londonderry

3 YEAR
GUARANTEE

KICHLER



KL-HALLERON-F



KL-HALLERON-F-BU



KL-HALLERON-2S



KL-HALLERON-2S-BU

Code	Description	Height	Width	Projection	Finish	Max. Wattage	IP Rating
KL-HALLERON-F	3 lt Ceiling Flush	229mm	305mm	-	Londonderry	3 x 40W E14	IP44
KL-HALLERON-F-BU	3 lt Flush	229mm	305mm	-	Burnished Bronze	3 x 40W E14	IP44
KL-HALLERON-2S	2 lt Wall Lantern	489mm	254mm	318mm	Londonderry	2 x 40W E14	IP44
KL-HALLERON-2S-BU	2 lt Small Wall Lantern	489mm	254mm	318mm	Burnished Bronze	2 x 40W E14	IP44



KL-HALLERON-3M-BU



KL-HALLERON-2M-BU



KL-HALLERON-8M-BU

Code	Description	Height	Width	Min. Drop	Max. Drop	Projection	Finish	Max. Wattage	IP Rating
KL-HALLERON-2M-BU	3 ft Medium Wall Lantern	578mm	305mm	-	-	375mm	Burnished Bronze	3 x 40W E14	IP44
KL-HALLERON-3M-BU	3 ft Medium Pedestal Lantern	696mm	305mm	-	-	-	Burnished Bronze	3 x 40W E14	IP44
KL-HALLERON-8M-BU	3 ft Medium Chain Lantern	476mm	305mm	565mm	2362mm*	-	Burnished Bronze	3 x 40W E14	IP44

*1 Supplied with: 1829mm of chain.

CHICAGO

Materials: Cast Aluminium, Clear Seeded Glass
Finish: Textured Black

3 YEAR
GUARANTEE

Elstead
LIGHTING



CC2-M-BK

Code	Description	Height	Width	Projection	Finish	Max. Wattage	IP Rating
CC2-M-BK	1 lt Medium Wall Lantern	560mm	280mm	340mm	Textured Black	1 x 60W E27	IP44



CC2-S-BK



CC8-S-BK



CC3-S-BK



CC4-S-BK



CC5-M-BK

This image is
not to scale.

Code	Description	Height	Width	Min. Drop	Max. Drop	Projection	Finish	Max. Wattage	IP Rating
CC3-S-BK	1 lt Small Pedestal Lantern	510mm	235mm	-	-	-	Textured Black	1 x 60W E27	IP44
CC4-S-BK	1 lt Small Pillar Lantern	1150mm	235mm	-	-	-	Textured Black	1 x 60W E27	IP44
CC2-S-BK	1 lt Small Wall Lantern	470mm	235mm	-	-	280mm	Textured Black	1 x 60W E27	IP44
CC5-M-BK	1 lt Single Head Lamp Post	2465mm	280mm	-	-	-	Textured Black	1 x 60W E27	IP44
CC8-S-BK	1lt Small Chain Lantern	435mm	235mm	510mm	1510mm*1	-	Textured Black	1 x 60W E27	IP44

*1 Supplied with: 1460mm of chain.

BAYVIEW

Materials: Cast Aluminium, Clear Bevelled Glass
Finish: Black

3 YEAR
GUARANTEE

Elstead
LIGHTING



BAYVIEW-4M-BK



BAYVIEW-2M-BK



BAYVIEW-3M-BK



BAYVIEW-8M-BK

Code	Description	Height	Width	Min. Drop	Max. Drop	Projection	Finish	Max. Wattage	IP Rating
BAYVIEW-2M-BK	1 lt Medium Wall Lantern	334mm	180mm	-	-	225mm	Black	1 x 60W E27	IP44
BAYVIEW-3M-BK	1 lt Medium Pedestal Lantern	393mm	180mm	-	-	-	Black	1 x 60W E27	IP44
BAYVIEW-4M-BK	1 lt Medium Pillar Lantern	1041mm	180mm	-	-	-	Black	1 x 60W E27	IP44
BAYVIEW-8M-BK	1 lt Medium Chain Lantern	336mm	180mm	428mm	1412mm*1	-	Black	1 x 60W E27	IP44

*1 Supplied with: 1082mm of chain.




BAYVIEW-2S-BK



BAYVIEW-PORCH-BK



BAYVIEW-2L-BK



This image is
not to scale.

BAYVIEW-5L-BK

Code	Description	Height	Width	Projection	Finish	Max. Wattage	IP Rating
BAYVIEW-2L-BK	1 lt Large Wall Lantern	422mm	228mm	276mm	Black	1 x 60W E27	IP44
BAYVIEW-2S-BK	1 lt Small Wall Lantern	274mm	142mm	179mm	Black	1 x 60W E27	IP44
BAYVIEW-PORCH-BK	1 lt Porch Lantern	224mm	142mm	-	Black	1 x 60W E27	IP44
BAYVIEW-5L-BK	1 lt Large Lamp Post	2164mm	228mm	-	Black	1 x 60W E27	IP44

CLEVELAND

Materials: Cast Aluminium, Clear Seeded Glass
Finish: Weathered Bronze

3 YEAR
GUARANTEE

Elstead
LIGHTING



CL1-M



CL2-M



CL1-S



CL2-S

Code	Description	Height	Width	Projection	Finish	Max. Wattage	IP Rating
CL1-S	1 lt Small Wall Lantern	415mm	185mm	238mm	Weathered Bronze	1 x 60W E27	IP44
CL2-S	1 lt Small Wall Lantern	415mm	185mm	238mm	Weathered Bronze	1 x 60W E27	IP44
CL1-M	1 lt Medium Wall Lantern	543mm	243mm	302mm	Weathered Bronze	1 x 60W E27	IP44
CL2-M	1 lt Medium Wall Lantern	543mm	243mm	302mm	Weathered Bronze	1 x 60W E27	IP44



CL8-S



CL3-S



CL4-S



CL5-M

This image is
not to scale.

Code	Description	Height	Width	Min. Drop	Max. Drop	Finish	Max. Wattage	IP Rating
CL3-S	1 lt Small Pedestal Lantern	466mm	185mm	-	-	Weathered Bronze	1 x 60W E27	IP44
CL4-S	1 lt Small Pillar Lantern	1094mm	185mm	-	-	Weathered Bronze	1 x 60W E27	IP44
CL5-M	1 lt Single Head Lamp Post	2325mm	243mm	-	-	Weathered Bronze	1 x 60W E27	IP44
CL8-S	1 lt Small Chain Lantern	384mm	185mm	452mm	1412mm ^{*1}	Weathered Bronze	1 x 60W E27	IP44

*1 Supplied with: 1028mm of chain.

WILLOUGHBY

Materials: Weather Resistant Composite, Clear Seeded Glass
Finish: Oil Rubbed Bronze

COASTAL
COLLECTION

5 YEAR
GUARANTEE

HINKLEY



HK-WILLOUGHBY-S-OZ



HK-WILLOUGHBY-M-OZ

Code	Description	Height	Width	Projection	Finish	Max. Wattage	IP Rating
HK-WILLOUGHBY-S-OZ	1 Lt Small Wall Lantern	355mm	213mm	219mm	Oil Rubbed Bronze	1 x 60W E27	IP44
HK-WILLOUGHBY-M-OZ	2 Lt Medium Wall Lantern	432mm	213mm	219mm	Oil Rubbed Bronze	2 x 40W E14	IP44



FE-RANDHURST-S-CO



FE-RANDHURST-M-CO



FE-RANDHURST-L-CO

Code	Description	Height	Width	Projection	Finish	Max. Wattage	IP Rating
FE-RANDHURST-S-CO	1 lt Small Wall Lantern	345mm	150mm	149mm	Copper Oxide	1 x 60W E27	IP44
FE-RANDHURST-M-CO	1 lt Medium Wall Lantern	413mm	187mm	186mm	Copper Oxide	1 x 60W E27	IP44
FE-RANDHURST-L-CO	3 lt Large Wall Lantern	510mm	225mm	219mm	Copper Oxide	3 x 40W E14	IP44



QZ-MARBLEHEAD2-S



QZ-MARBLEHEAD-F



QZ-MARBLEHEAD2-S



QZ-MARBLEHEAD2-M

Code	Description	Height	Width	Projection	Finish	Max. Wattage	IP Rating
QZ-MARBLEHEAD-F	2 ft Flush	127mm	330mm	-	Palladian Bronze	2 x 60W E27	IP44
QZ-MARBLEHEAD2-S	1 ft Small Wall Lantern	281mm	178mm	205mm	Palladian Bronze	1 x 60W E27	IP44
QZ-MARBLEHEAD2-M	1 ft Medium Wall Lantern	367mm	229mm	257mm	Palladian Bronze	1 x 60W E27	IP44

MARBLEHEAD

Materials: Weather Resistant Composite, Clear Seeded Glass
Finish: White

COASTAL
COLLECTION

5 YEAR
GUARANTEE

QUOIZEL
LIGHTING



QZ-MARBLEHEAD-F-WHT



QZ-MARBLEHEAD-M-WHT



QZ-MARBLEHEAD-S-WHT

Code	Description	Height	Width	Projection	Finish	Max. Wattage	IP Rating
QZ-MARBLEHEAD-F-WHT	2 ft Flush	127mm	330mm	-	White	2 x 60W E27	IP44
QZ-MARBLEHEAD-M-WHT	1 ft Wall Lantern	342mm	220mm	257mm	White	1 x 60W E27	IP44
QZ-MARBLEHEAD-S-WHT	1 ft Wall Lantern	263mm	169mm	205mm	White	1 x 60W E27	IP44



KL-ADMIRALS-COVE-S



KL-ADMIRALS-COVE-M



KL-ADMIRALS-COVE-L

Code	Description	Height	Width	Projection	Finish	Max. Wattage	IP Rating
KL-ADMIRALS-COVE-S	1 lt Wall Lantern	377mm	156mm	208mm	Textured Black	1 x 60W E27	IP44
KL-ADMIRALS-COVE-M	1 lt Wall Lantern	478mm	208mm	270mm	Textured Black	1 x 60W E27	IP44
KL-ADMIRALS-COVE-L	1 lt Wall Lantern	595mm	260mm	331mm	Textured Black	1 x 60W E27	IP44

SHEPHERD

Materials: Weather Resistant Composite, Etched & Seeded Glass
Finish: Dark Weathered Zinc

COASTAL
COLLECTION

5 YEAR
GUARANTEE

FEISS
COLLECTION



FE-SHEPHERD-2XL

Code	Description	Height	Width	Projection	Finish	Max. Wattage	IP Rating
FE-SHEPHERD-2XL	1 lt Extra Large Wall Lantern	891mm	292mm	328mm	Dark Weathered Zinc	1 x 75W E27	IP44



FE-SHEPHERD-F



FE-SHEPHERD-2S



FE-SHEPHERD-2M



FE-SHEPHERD-2L

Code	Description	Height	Width	Projection	Finish	Max. Wattage	IP Rating
FE-SHEPHERD-F	2 Lt Flush Mount	145mm	330mm	-	Dark Weathered Zinc	2 x 75W E27	IP44
FE-SHEPHERD-2S	1 Lt Small Wall Lantern	419mm	178mm	184mm	Dark Weathered Zinc	1 x 75W E27	IP44
FE-SHEPHERD-2M	1 Lt Medium Wall Lantern	487mm	190mm	184mm	Dark Weathered Zinc	1 x 75W E27	IP44
FE-SHEPHERD-2L	1 Lt Large Wall Lantern	650mm	216mm	245mm	Dark Weathered Zinc	1 x 75W E27	IP44



KL-BEACON-SQUARE-M-OZ



KL-BEACON-SQUARE-F-OZ



KL-BEACON-SQUARE8-OZ



KL-BEACON-SQUARE-M-OZ



KL-BEACON-SQUARE-S-OZ

Code	Description	Height	Width	Min. Drop	Max. Drop	Projection	Finish	Max. Wattage	IP Rating
KL-BEACON-SQUARE-F-OZ	2 lt Flush	132mm	305mm	-	-	-	Olde Bronze	2 x 60W E27	IP44
KL-BEACON-SQUARE-S-OZ	1 lt Wall Lantern	302mm	165mm	-	-	190mm	Olde Bronze	1 x 60W E27	IP44
KL-BEACON-SQUARE-M-OZ	1 lt Wall Lantern	359mm	203mm	-	-	228mm	Olde Bronze	1 x 60W E27	IP44
KL-BEACON-SQUARE8-OZ	1 lt Chain Lantern	299mm	165mm	377mm	1336mm*1	-	Olde Bronze	1 x 60W E27	IP44

*1 Supplied with: 1000mm of chain.



KL-BEACON-SQUARE-M-WHT



KL-BEACON-SQUARE-F-WHT



KL-BEACON-SQUARE8-WHT



KL-BEACON-SQUARE-M-WHT



KL-BEACON-SQUARE-S-WHT

Code	Description	Height	Width	Min. Drop	Max. Drop	Projection	Finish	Max. Wattage	IP Rating
KL-BEACON-SQUARE-F-WHT	2 lt Flush	132mm	305mm	-	-	-	White	2 x 60W E27	IP44
KL-BEACON-SQUARE-M-WHT	1 lt Wall Lantern	359mm	203mm	-	-	228mm	White	1 x 60W E27	IP44
KL-BEACON-SQUARE-S-WHT	1 lt Wall Lantern	302mm	165mm	-	-	190mm	White	1 x 60W E27	IP44
KL-BEACON-SQUARE8-WHT	1 lt Chain Lantern	299mm	165mm	377mm	1336mm*	-	White	1 x 60W E27	IP44

*1 Supplied with: 1000mm of chain.

CRUSADE

Materials: Weather Resistant Composite, Clear Seeded Glass
 Finish: Earth Black

COASTAL
COLLECTION

5 YEAR
GUARANTEE

QUOIZEL
LIGHTING



QZ-CRUSADE-M-BLK



QZ-CRUSADE8-BLK



QZ-CRUSADE-S-BLK

Code	Description	Height	Width	Min. Drop	Max. Drop	Projection	Finish	Max. Wattage	IP Rating
QZ-CRUSADE-S-BLK	1 lt Small Wall Lantern	279mm	153mm	-	-	200mm	Earth Black	1 x 60W E27	IP44
QZ-CRUSADE-M-BLK	1 lt Medium Wall Lantern	366mm	202mm	-	-	245mm	Earth Black	1 x 60W E27	IP44
QZ-CRUSADE8-BLK	1 lt Medium Chain Lantern	325mm	202mm	414mm	2890mm*1	-	Earth Black	1 x 60W E27	IP44

*1 Supplied with: 2438mm of chain.



QZ-LIVINGSTON2-S



QZ-LIVINGSTON2-M



QZ-LIVINGSTON2-L

Code	Description	Height	Width	Projection	Finish	Max. Wattage	IP Rating
QZ-LIVINGSTON2-S	1 ft Small Wall Lantern	283mm	143mm	139mm	Imperial Bronze	1 x 60W E27	IP44
QZ-LIVINGSTON2-M	2 ft Medium Wall Lantern	356mm	180mm	169mm	Imperial Bronze	2 x 40W E14	IP44
QZ-LIVINGSTON2-L	3 ft Large Wall Lantern	420mm	208mm	193mm	Imperial Bronze	3 x 40W E14	IP44

BEDFORD

Materials: Weather Resistant Composite, Seeded Glass
Finish: Mystic Black

COASTAL
COLLECTION

5 YEAR
GUARANTEE

QUOIZEL
LIGHTING



QZ-BEDFORD2-L

Code	Description	Height	Width	Projection	Finish	Max. Wattage	IP Rating
QZ-BEDFORD2-L	1 lt Large Wall Lantern	461mm	254mm	279mm	Mystic Black	1 x 100W E27	IP44



QZ-BEDFORD8-S



QZ-BEDFORD2-S



QZ-BEDFORD2-M



QZ-BEDFORD3-M

Code	Description	Height	Width	Min. Drop	Max. Drop	Projection	Finish	Max. Wattage	IP Rating
QZ-BEDFORD2-S	1 Lt Small Wall Lantern	322mm	178mm	-	-	203mm	Mystic Black	1 x 60W E27	IP44
QZ-BEDFORD8-S	1 Lt Small Chain Lantern	314mm	178mm	479mm	2451mm*	-	Mystic Black	1 x 60W E27	IP44
QZ-BEDFORD2-M	1 Lt Medium Wall Lantern	391mm	216mm	-	-	241mm	Mystic Black	1 x 100W E27	IP44
QZ-BEDFORD3-M	1 Lt Medium Pedestal Lantern	470mm	216mm	-	-	-	Mystic Black	1 x 100W E27	IP44

*1 Supplied with: 1981mm of chain.

GLENBEIGH

Materials: Weather Resistant Polymer, Polycarbonate
Finish: Black



20 YEAR
GUARANTEE



GLENBEIGH-POST



GLENBEIGH-PILLAR



GLENBEIGH-CHAIN



GLENBEIGH-WALL
(Can be mounted up or down)



GLENBEIGH-PED-PO
(Can be fitted as a Pedestal
or Porch ceiling fixture)



Code	Description	Height	Width	Min. Drop	Max. Drop	Projection	Finish	Max. Wattage	IP Rating
GLENBEIGH-CHAIN	1 lt Chain Lantern	420mm	270mm	535mm	730mm*	-	Black	1 x 60W E27	IP44
GLENBEIGH-PED-PO	1 lt Pedestal/Porch Lantern	390mm	270mm	-	-	-	Black	1 x 60W E27	IP44
GLENBEIGH-PILLAR	1 lt Pillar Lantern	1060mm	270mm	-	-	-	Black	1 x 60W E27	IP44
GLENBEIGH-POST	1 lt Lamp Post	1810mm	270mm	-	-	-	Black	1 x 60W E27	IP44
GLENBEIGH-WALL	1 lt Wall Lantern	440mm	270mm	-	-	320mm	Black	1 x 60W E27	IP44

*1 Supplied with: 310mm of chain.



KERRY-CHAIN



KERRY-WALL
(Can be mounted up or down)



These images
are not to
scale.



KERRY-FLUSH



KERRY-PED-POR
(Can be fitted as a
Pedestal or Porch ceiling fixture)



KERRY-PILLAR



KERRY-POST

Code	Description	Height	Width	Min. Drop	Max. Drop	Projection	Finish	Max. Wattage	IP Rating
KERRY-CHAIN	1 lt Chain Lantern	510mm	205mm	625mm	730mm ^{*1}	-	Black	1 x 60W E27	IP44
KERRY-FLUSH	1 lt Flush Mount	440mm	205mm	-	-	140mm	Black	1 x 60W E27	IP44
KERRY-PED-POR	1 lt Pedestal/Porch	440mm	205mm	-	-	-	Black	1 x 60W E27	IP44
KERRY-PILLAR	1 lt Pillar Lantern	1160mm	255mm	-	-	255mm	Black	1 x 60W E27	IP44
KERRY-POST	1 lt Lamp Post	1910mm	255mm	-	-	255mm	Black	1 x 60W E27	IP44
KERRY-WALL	1 lt Wall Lantern	520mm	205mm	-	-	280mm	Black	1 x 60W E27	IP44

*1 Supplied with: 310mm of chain.

KINSALE

Materials: Weather Resistant Polymer, Polycarbonate
Finish: Black



20 YEAR
GUARANTEE



KINSALE-CHAIN



KINSALE-WALL
(Can be mounted as up or down light)



KINSALE-FLUSH



KINSALE-PED-POR
(Can be mounted as a pedestal or porch fixture)



KINSALE-PILLAR

These images are not to scale.



KINSALE-POST

Code	Description	Height	Width	Min. Drop	Max. Drop	Projection	Finish	Max. Wattage	IP Rating
KINSALE-CHAIN	1 lt Chain Lantern	520mm	230mm	635mm	730mm*1	-	Black	1 x 60W E27	IP44
KINSALE-FLUSH	1 lt Flush Lantern	440mm	250mm	-	-	127mm	Black	1 x 60W E27	IP44
KINSALE-PED-POR	1 lt Pedestal/Porch Lantern	510mm	230mm	-	-	-	Black	1 x 60W E27	IP44
KINSALE-PILLAR	1 lt Pillar Lantern	1180mm	255mm	-	-	255mm	Black	1 x 60W E27	IP44
KINSALE-POST	1 lt Lamp Post	1930mm	255mm	-	-	255mm	Black	1 x 60W E27	IP44
KINSALE-WALL	1 lt Wall Lantern	460mm	230mm	-	-	270mm	Black	1 x 60W E27	IP44

*1 Supplied with: 310mm of chain.



SHANNON-PILLAR



SHANNON-PED



SHANNON-CHAIN



SHANNON-DOWN



DUNGARVAN-BLK

Code	Description	Height	Width	Min. Drop	Max. Drop	Projection	Finish	Max. Wattage	IP Rating
DUNGARVAN-BLK	Up & Down Lantern	300mm	190mm	-	-	150mm	Black	2 x 60W E27*2	IP44
SHANNON-CHAIN	1 lt Chain Lantern	390mm	250mm	530mm	730mm*1	-	Black	1 x 60W E27	IP44
SHANNON-DOWN	1 lt Down Wall Lantern	410mm	250mm	-	-	320mm	Black	1 x 60W E27	IP44
SHANNON-PED	1 lt Pedestal	500mm	250mm	-	-	-	Black	1 x 60W E27	IP44
SHANNON-PILLAR	1 lt Pillar	1180mm	250mm	-	-	-	Black	1 x 60W E27	IP44

*1 Supplied with: 310mm of chain. *2 Recommend E27 Golf ball lamp for Dungarvan.

MANSION HOUSE

Materials: Solid Brass, Clear Glass
Finish: Aged Brass or Polished Nickel

COASTAL
COLLECTION

LIMITED LIFETIME
WARRANTY

Elstead
LIGHTING

B

Handmade in
Solid Brass



MANSION-HOUSE8-BR



MANSION-HOUSE8-PN



MANSION-HOUSE-WB1-BR



MANSION-HOUSE-WB1-PN

Code	Description	Height	Width	Min. Drop	Max. Drop	Projection	Finish	Max. Wattage	IP Rating
MANSION-HOUSE8-BR	3 lt Chain Lantern	480mm	220mm	570mm	940mm*1	-	Aged Brass	3 x 60W E14	IP44
MANSION-HOUSE8-PN	3 lt Chain Lantern	480mm	220mm	570mm	940mm*1	-	Polished Nickel	3 x 60W E14	IP44
MANSION-HOUSE-WB1-BR	3 lt Wall Lantern	478mm	220mm	-	-	346mm	Aged Brass	3 x 60W E14	IP44
MANSION-HOUSE-WB1-PN	3 lt Wall Lantern	478mm	220mm	-	-	346mm	Polished Nickel	3 x 60W E14	IP44

*1 Supplied with: 450mm of chain. NB. Brass Patinas over time.



MANSION-HOUSE-L-BR

B

Handmade in
Solid Brass



MANSION-HOUSE-PN



MANSION-HOUSE-BR



MANSION-HOUSE-V

Code	Description	Height	Width	Projection	Finish	Max. Wattage	IP Rating
MANSION-HOUSE-BR	1 lt Wall Lantern	375mm	220mm	120mm	Aged Brass	1 x 60W E27	IP44
MANSION-HOUSE-L-BR	1 lt Large Wall Lantern	489mm	296mm	145mm	Aged Brass	2 x 60W E27	IP44
MANSION-HOUSE-PN	1 lt Wall Lantern	375mm	220mm	120mm	Polished Nickel	1 x 60W E27	IP44
MANSION-HOUSE-V	1 lt Wall Lantern	375mm	220mm	120mm	Verdigris	1 x 60W E27	IP44

ST MARTINS

Materials: Solid Brass, Clear Glass
Finish: Aged Brass, Polished Nickel or Verdigris



LIMITED LIFETIME WARRANTY



B

Handmade in Solid Brass



ST-MARTINS-BR



ST-MARTINS-L-BR



ST-MARTINS-PN



ST-MARTINS-V

Code	Description	Height	Width	Projection	Finish	Max. Wattage	IP Rating
ST-MARTINS-BR	1 lt Wall Lantern	305mm	225mm	80mm	Aged Brass	1 x 60W E27	IP44
ST-MARTINS-L-BR	2 lt Large Wall Lantern	414mm	302mm	100mm	Aged Brass	2 x 60W E27	IP44
ST-MARTINS-PN	1 lt Wall Lantern	305mm	225mm	80mm	Polished Nickel	1 x 60W E27	IP44
ST-MARTINS-V	1 lt Wall Lantern	305mm	225mm	80mm	Verdigris	1 x 60W E27	IP44

NB. Brass Patinas over time.



WESTMINSTER-BR

B

Handmade in
Solid Brass



OLD-BAILEY-BR



OLD-BAILEY-L-BR

Code	Description	Height	Width	Projection	Finish	Max. Wattage	IP Rating
OLD-BAILEY-BR	1 lt Wall Lantern	280mm	210mm	110mm	Aged Brass	1 x 60W E27	IP44
OLD-BAILEY-L-BR	2 lt Large Wall Lantern	375mm	260mm	150mm	Aged Brass	2 x 60W E27	IP44
WESTMINSTER-BR	1 lt Wall Lantern	375mm	260mm	120mm	Aged Brass	1 x 60W E27	IP44

NB. Brass Pains over time.

ST JAMES, ST PAULS & HYDE PARK

Materials: Solid Brass, Glass
Finish: Aged Brass



B

Handmade in
Solid Brass

LIMITED LIFETIME
WARRANTY



ST-JAMES-BRASS



ST-PAULS-BRASS



HYDE-PARK-BR

Code	Description	Height	Width	Projection	Finish	Max. Wattage	IP Rating
ST-JAMES-BRASS	1 lt Wall Lantern	285mm	200mm	115mm	Aged Brass	1 x 60W E27	IP44
ST-PAULS-BRASS	1 lt Brass Wall Lantern	320mm	205mm	115mm	Aged Brass	1 x 60W E27	IP44
HYDE-PARK-BR	1 lt Wall Lantern	465mm	210mm	120mm	Aged Brass	1 x 60W E27	IP44

NB. Brass Patinas over time.



VICTORIA-VERDI

B

Handmade in
Solid Brass

LIMITED LIFETIME
WARRANTY



VICTORIA-BR



LAMBETH-PALACE



LAMBETH-PALACE-V

Code	Description	Height	Width	Projection	Finish	Max. Wattage	IP Rating
LAMBETH-PALACE	1 lt Wall Lantern	270mm	180mm	130mm	Aged Brass	1 x 60W E27	IP44
LAMBETH-PALACE-V	1 lt Wall Lantern	270mm	180mm	130mm	Verdigris	1 x 60W E27	IP44
VICTORIA-BR	1 lt Wall Lantern	260mm	175mm	100mm	Aged Brass	1 x 60W E27	IP44
VICTORIA-VERDI	1 lt Wall Lantern	260mm	175mm	100mm	Verdigris	1 x 60W E27	IP44

NB. Brass Pains over time.





DOWNING-STREET

B

Handmade in
Solid Brass

LIMITED LIFETIME
WARRANTY



DOWNING-STREET-V



REGENTS-PARK-BR



REGENTS-PARK-V

Code	Description	Height	Width	Projection	Finish	Max. Wattage	IP Rating
DOWNING-STREET	Wall Lantern	600mm	175mm	130mm	Aged Brass	1 x 60W E27	IP44
DOWNING-STREET-V	Wall Lantern	600mm	175mm	130mm	Verdigris	1 x 60W E27	IP44
REGENTS-PARK-BR	1 lt Wall Lantern	350mm	185mm	100mm	Aged Brass	1 x 60W E27	IP44
REGENTS-PARK-V	1 lt Wall Lantern	350mm	185mm	100mm	Verdigris	1 x 60W E27	IP44

NB. Brass Patinas over time.



SHELDON-BR

B

Handmade in
Solid Brass



SHELDON-CH-V



SHELDON-CH-BR



SHELDON-V



SHELDON-BR



SHEL-SOM-CAGE-VD



SHEL-SOM-CAGE-BR

Cage accessories available for all Sheldon fittings.

Code	Description	Height	Width	Min. Drop	Max. Drop	Projection	Finish	Max. Wattage	IP Rating
SHELDON-BR	1 lt Wall Lantern	240mm	295mm	-	-	390mm	Aged Brass	1 x 60W E27	IP44
SHELDON-CH-BR	1 lt Chain Lantern	255mm	295mm	330mm	950mm*	-	Aged Brass	1 x 60W E27	IP44
SHELDON-V	1 lt Wall Lantern	240mm	295mm	-	-	390mm	Verdigris	1 x 60W E27	IP44
SHELDON-CH-V	1 lt Chain Lantern	255mm	295mm	330mm	950mm*	-	Verdigris	1 x 60W E27	IP44

*1 Supplied with: 590mm of chain. NB. Brass Patinas over time.



SOMERTON-V

B

Handmade in
Solid Brass



SOMERTON-BR



SOMERTON-V



SHEL-SOM-CAGE-BR

SHEL-SOM-CAGE-VD

Cage accessories available for Somerton fittings.

Code	Description	Height	Width	Projection	Finish	Max. Wattage	IP Rating
SOMERTON-BR	1 lt Wall Lantern	250mm	240mm	370mm	Aged Brass	1 x 60W E27	IP44
SOMERTON-V	1 lt Wall Lantern	250mm	240mm	370mm	Verdigris	1 x 60W E27	IP44

NB. Brass Patinas over time.



B

Handmade in Solid Brass



HK-BINGHAM-S



HK-MONTAUK-M



HK-BINGHAM-L



HK-BINGHAM-M

Code	Description	Height	Width	Projection	Finish	Max. Wattage	IP Rating
HK-BINGHAM-S	1 lt Small Wall Lantern	318mm	121mm	165mm	Sienna	1 x 60W E14	IP44
HK-BINGHAM-M	3 lt Medium Wall Lantern	406mm	152mm	203mm	Sienna	2 x 60W E14	IP44
HK-BINGHAM-L	3 lt Large Wall Lantern	533mm	203mm	260mm	Sienna	3 x 60W E14	IP44
HK-MONTAUK-M	2 lt Small Wall Lantern	439mm	178mm	235mm	Sienna	2 x 60W E14	IP44

TANGIER

Materials: Cast Aluminium, Seeded Glass
Finish: Olde Bronze

3 YEAR
GUARANTEE

KICHLER



KL-TANGIER2-L

Code	Description	Height	Width	Projection	Finish	Max. Wattage	IP Rating
KL-TANGIER2-L	1 lt Large Wall Lantern	432mm	242mm	267mm	Olde Bronze	1 x 60W E27	IP44



KL-TANGIER8-M



KL-TANGIER2-M



KL-TANGIER2-S



KL-TANGIER3-M

Code	Description	Height	Width	Min. Drop	Max. Drop	Projection	Finish	Max. Wattage	IP Rating
KL-TANGIER2-S	1 Lt Small Wall Lantern	265mm	146mm	-	-	169mm	Olde Bronze	1 x 60W E27	IP44
KL-TANGIER2-M	1 Lt Medium Wall Lantern	341mm	191mm	-	-	217mm	Olde Bronze	1 x 60W E27	IP44
KL-TANGIER8-M	1 Lt Medium Chain Lantern	365mm	191mm	447mm	2040mm*1	-	Olde Bronze	1 x 60W E27	IP44
KL-TANGIER3-M	1 Lt Medium Pedestal	457mm	191mm	-	-	-	Olde Bronze	1 x 60W E27	IP44

*1 Supplied with: 1620mm of chain.

BAY SHORE

Materials: Solid Brass, Clear Bevelled Glass
Finish: Polished Brass

5 YEAR
GUARANTEE

KICHLER

B

Handmade in
Solid Brass



KL-BAY-SHORE2-S



KL-BAY-SHORE1-M

Code	Description	Height	Width	Projection	Finish	Max. Wattage	IP Rating
KL-BAY-SHORE2-S	1 Lt Small Outdoor Wall Light	263mm	147mm	170mm	Polished Brass	1 x 60W E27	IP44
KL-BAY-SHORE1-M	1 Lt Medium Outdoor Wall Light	393mm	178mm	197mm	Polished Brass	1 x 60W E27	IP44



QZ-NEWBURY8-L-AC



QZ-NEWBURY8-M-AC



QZ-NEWBURY-F-AC



QZ-NEWBURY2-S-AC



QZ-NEWBURY2-M-AC



QZ-NEWBURY2-L-AC

Code	Description	Height	Width	Min. Drop	Max. Drop	Projection	Finish	Max. Wattage	IP Rating
QZ-NEWBURY-F-AC	3 lt Flush	190mm	365mm	-	-	-	Lacquered Aged Copper	3 x 60W E14	IP44
QZ-NEWBURY2-S-AC	1 lt Small Wall Lantern	311mm	177mm	-	-	169mm	Lacquered Aged Copper	1 x 60W E27	IP44
QZ-NEWBURY2-M-AC	1 lt Medium Wall Lantern	356mm	203mm	-	-	198mm	Lacquered Aged Copper	1 x 60W E27	IP44
QZ-NEWBURY8-M-AC	1 lt Medium Chain Lantern	334mm	208mm	410mm	1570mm*	-	Lacquered Aged Copper	1 x 60W E27	IP23
QZ-NEWBURY2-L-AC	2 lt Large Wall Lantern	531mm	264mm	-	-	254mm	Lacquered Aged Copper	2 x 60W E14	IP44
QZ-NEWBURY8-L-AC	2 lt Large Chain Lantern	497mm	264mm	508mm	1708mm*	-	Lacquered Aged Copper	2 x 60W E14	IP23

*1 Supplied with: 1200mm of chain.

NEWBURY

Materials: Brass, Clear Bevelled Glass
Finish: Lacquered Polished Brass

QUOIZEL
LIGHTING



QZ-NEWBURY-F-PB



QZ-NEWBURY8-L-PB



QZ-NEWBURY3-L-PB

Code	Description	Height	Width	Min. Drop	Max. Drop	Finish	Max. Wattage	IP Rating
QZ-NEWBURY-F-PB	3 lt Flush	190mm	365mm	-	-	Lacquered Polished Brass	3 x 60W E14	IP44
QZ-NEWBURY3-L-PB	2 lt Pedestal	570mm	264mm	-	-	Lacquered Polished Brass	2 x 60W E14	IP44
QZ-NEWBURY8-L-PB	2 lt Large Chain Lantern	497mm	264mm	508mm	1708mm*	Lacquered Polished Brass	2 x 60W E14	IP23

*1 Supplied with: 1200mm of chain.



QZ-NEWBURY2-S-PB



QZ-NEWBURY8-M-PB



QZ-NEWBURY2-M-PB



QZ-NEWBURY2-L-PB

Code	Description	Height	Width	Min. Drop	Max. Drop	Projection	Finish	Max. Wattage	IP Rating
QZ-NEWBURY2-S-PB	1 lt Small Wall Lantern	311mm	177mm	-	-	169mm	Lacquered Polished Brass	1 x 60W E27	IP44
QZ-NEWBURY2-M-PB	1 lt Medium Wall Lantern	356mm	203mm	-	-	198mm	Lacquered Polished Brass	1 x 60W E27	IP44
QZ-NEWBURY8-M-PB	1 lt Medium Chain Lantern	334mm	203mm	410mm	1570mm*	-	Lacquered Polished Brass	1 x 60W E27	IP23
QZ-NEWBURY2-L-PB	2 lt Large Wall Lantern	531mm	264mm	-	-	254mm	Lacquered Polished Brass	2 x 40W E14	IP44

*1 Supplied with: 1200mm of chain.



KL-VENETIAN2-L



KL-VENETIAN-F



KL-VENETIAN2-L



KL-VENETIAN2-M



KL-VENETIAN8-M



KL-VENETIAN7-S

Code	Description	Height	Width	Min. Drop	Max. Drop	Projection	Finish	Max. Wattage	IP Rating
KL-VENETIAN-F	2 lt Flush Mount	140mm	235mm	-	-	-	Brushed Bronze	2 x 60W E14	IP44
KL-VENETIAN7-S	1 lt Half Wall Lantern	298mm	171mm	-	-	95mm	Brushed Bronze	1 x 60W E14	IP44
KL-VENETIAN2-M	2 lt Medium Wall Lantern	641mm	184mm	-	-	267mm	Brushed Bronze	2 x 60W E14	IP44
KL-VENETIAN8-M	2 lt Chain Lantern	629mm	184mm	700mm	1900mm*	-	Brushed Bronze	2 x 60W E14	IP23
KL-VENETIAN2-L	3 lt Large Wall Lantern	787mm	235mm	-	-	343mm	Brushed Bronze	3 x 60W E14	IP44

*1 Supplied with: 1200mm of chain.

FRANCEASI

Materials: Cast Aluminium, Amber Glass
Finish: Olde Bronze

3 YEAR
GUARANTEE

KICHLER



KL-FRANCEASI-M



KL-FRANCEASI-F



KL-FRANCEASI-S

Code	Description	Height	Width	Projection	Finish	Max. Wattage	IP Rating
KL-FRANCEASI-F	2 lt Flush Mount	165mm	279mm	-	Olde Bronze	2 x 60W E27	IP44
KL-FRANCEASI-S	1 lt Small Wall Lantern	368mm	140mm	184mm	Olde Bronze	1 x 60W E27	IP44
KL-FRANCEASI-M	1 lt Medium Wall Lantern	457mm	178mm	229mm	Olde Bronze	1 x 60W E27	IP44



QZ-INGLENOOK-F



QZ-INGLENOOK2-M



QZ-INGLENOOK2-S

Code	Description	Height	Width	Projection	Finish	Max. Wattage	IP Rating
QZ-INGLENOOK-F	2 lt Outdoor Flush Mount	154mm	261mm	-	Valiant Bronze	2 x 60W E27	IP44
QZ-INGLENOOK2-S	1 lt Outdoor Small Wall Lantern	287mm	178mm	226mm	Valiant Bronze	1 x 60W E27	IP44
QZ-INGLENOOK2-M	1 lt Outdoor Medium Wall Lantern	314mm	215mm	261mm	Valiant Bronze	1 x 60W E27	IP44



FE-COTSLN2-M-BK



FE-COTSLN-F-BK



FE-COTSLN7-BK



FE-COTSLN2-S-BK

Code	Description	Height	Width	Projection	Finish	Max. Wattage	IP Rating
FE-COTSLN2-S-BK	1 ft Small Wall Lantern	292mm	165mm	197mm	Black	1 x 60W E27	IP44
FE-COTSLN7-BK	2 ft Half Wall Lantern	406mm	241mm	152mm	Black	2 x 60W E14	IP44
FE-COTSLN-F-BK	2 ft Flush Ceiling	168mm	292mm	-	Black	2 x 60W E27	IP44

COTSWOLD LANE

Materials: Cast Aluminium, Clear Glass
Finish: Black

3 YEAR
GUARANTEE

FEISS
COLLECTION



FE-COTSLN8-M-BK



FE-COTSLN2-M-BK



FE-COTSLN3-M-BK



FE-COTSLN4-M-BK

Code	Description	Height	Width	Min. Drop	Max. Drop	Projection	Finish	Max. Wattage	IP Rating
FE-COTSLN2-M-BK	2 lt Medium Wall Lantern	521mm	229mm	-	-	295mm	Black	2 x 60W	E14 IP44
FE-COTSLN3-M-BK	2 lt Medium Pedestal	544mm	229mm	-	-	-	Black	2 x 60W	E14 IP44
FE-COTSLN4-M-BK	2 lt Medium Pillar	1100mm	229mm	-	-	-	Black	2 x 60W	E14 IP44
FE-COTSLN8-M-BK	2 lt Medium Chain Lantern	464mm	229mm	488mm	1550mm*1	-	Black	2 x 60W	E14 IP23

*1 Supplied with: 1000mm of chain.



FE-COTSLN2-L-BK



FE-COTSLN8-L-BK



FE-COTSLN3-L-BK



This image is
not to scale.

FE-COTSLN5-L-BK

Code	Description	Height	Width	Min. Drop	Max. Drop	Projection	Finish	Max. Wattage	IP Rating
FE-COTSLN2-L-BK	3 Lt Large Wall Lantern	762mm	305mm	-	-	413mm	Black	3 x 60W E14	IP44
FE-COTSLN3-L-BK	3 Lt Large Pedestal	780mm	305mm	-	-	-	Black	3 x 60W E14	IP44
FE-COTSLN5-L-BK	3 Lt Large Post	2570mm	305mm	-	-	-	Black	3 x 60W E14	IP44
FE-COTSLN8-L-BK	3 Lt Large Chain Lantern	673mm	305mm	697mm	2000mm*1	-	Black	3 x 60W E14	IP23

*1 Supplied with: 1200mm of chain.

TOURNAI

Materials: Cast Aluminium, Seeded Glass
Finish: Londonderry

3 YEAR
GUARANTEE

KICHLER

Extra large fittings:
please check dimensions
carefully when ordering.



KL-TOURNAI8G-XL



KL-TOURNAI1G-XL

Code	Description	Height	Width	Min. Drop	Max. Drop	Projection	Finish	Max. Wattage	IP Rating
KL-TOURNAI1G-XL	4 lt Outdoor Wall 4 lt	1168mm	432mm	-	-	635mm	Londonderry	4 x 60W E27	IP44
KL-TOURNAI8G-XL	4 lt Grand Extra Large Chain Lantern	850mm	432mm	900mm	4000mm*	-	Londonderry	4 x 60W E27	IP44

*1 Supplied with: 3000mm of chain.



KL-TOURNAI1G-L



KL-TOURNAI8-XL

This image is not to scale.



KL-TOURNAI2-XL



KL-TOURNAI-5XL

Extra large fittings:
please check dimensions
carefully when ordering.

Code	Description	Height	Width	Min. Drop	Max. Drop	Projection	Finish	Max. Wattage	IP Rating
KL-TOURNAI1G-L	4 lt Grand Wall Lantern	959mm	356mm	-	-	527mm	Londonderry	4 x 60W E14	IP44
KL-TOURNAI-5XL	3 lt Extra Large Lamp post	2950mm	305mm	-	-	-	Londonderry	3 x 60W E14	IP44
KL-TOURNAI2-XL	3 lt Extra Large Wall Lantern	737mm	305mm	-	-	451mm	Londonderry	3 x 60W E14	IP44
KL-TOURNAI8-XL	3 lt Extra Large Chain Lantern	630mm	305mm	680mm	3000mm*	-	Londonderry	3 x 60W E14	IP44

*1 Supplied with: 2000mm of chain.

TOURNAI

Materials: Cast Aluminium, Seeded Glass
Finish: Londonderry

3 YEAR
GUARANTEE

KICHLER



KL-TOURNAI3-L



KL-TOURNAI2-L

Code	Description	Height	Width	Projection	Finish	Max. Wattage	IP Rating
KL-TOURNAI2-L	2 lt Large Wall Lantern	610mm	254mm	375mm	Londonderry	2 x 60W E14	IP44
KL-TOURNAI3-L	2 lt Large Pedestal	670mm	254mm	-	Londonderry	2 x 60W E14	IP44



KL-TOURNAI2-M



KL-TOURNAI8-M



KL-TOURNAI2-S



KL-TOURNAI4-M

Code	Description	Height	Width	Min. Drop	Max. Drop	Projection	Finish	Max. Wattage	IP Rating
KL-TOURNAI2-S	1 lt Small Wall Lantern	267mm	152mm	-	-	197mm	Londonderry	1 x 60W E27	IP44
KL-TOURNAI2-M	1 lt Medium Wall Lantern	457mm	191mm	-	-	286mm	Londonderry	1 x 60W E27	IP44
KL-TOURNAI4-M	1 lt Medium Pillar	1100mm	191mm	-	-	-	Londonderry	1 x 60W E27	IP44
KL-TOURNAI8-M	1 lt Medium Chain Lantern	400mm	191mm	450mm	1400mm*1	-	Londonderry	1 x 60W E27	IP44

*1 Supplied with: 1000mm of chain.



FE-EB2-L-BLK



FE-EB2-L-BLK



FE-EB3-L-BLK



FE-EB8-L-BLK



FE-EB5-L-BLK

This image is
not to scale.

Code	Description	Height	Width	Min. Drop	Max. Drop	Projection	Finish	Max. Wattage	IP Rating
FE-EB2-L-BLK	3 lt Large Wall Lantern	622mm	267mm	-	-	325mm	Black	3 x 60W E14	IP44
FE-EB3-L-BLK	3 lt Large Pedestal	638mm	267mm	-	-	-	Black	3 x 60W E14	IP44
FE-EB5-L-BLK	3 lt Large Lamp Post	2426mm	267mm	-	-	-	Black	3 x 60W E14	IP44
FE-EB8-L-BLK	3 lt Large Chain Lantern	620mm	267mm	680mm	2205mm*	-	Black	3 x 60W E14	IP44

*1 Supplied with: 1524mm of chain.

ENGLISH BRIDLE

Materials: Cast Aluminium, Seeded Glass
Finish: Black

3 YEAR
GUARANTEE

FEISS
COLLECTION



FE-EB4-M-BLK



FE-EB2-M-BLK



FE-EB8-M-BLK



FE-EB3-M-BLK



FE-EB2-S-BLK

Code	Description	Height	Width	Min. Drop	Max. Drop	Projection	Finish	Max. Wattage	IP Rating
FE-EB2-S-BLK	1 lt Small Wall Lantern	321mm	167mm	-	-	191mm	Black	1 x 60W E27	IP44
FE-EB2-M-BLK	3 lt Medium Wall Lantern	502mm	216mm	-	-	267mm	Black	3 x 60W E14	IP44
FE-EB3-M-BLK	3 lt Medium Pedestal	553mm	216mm	-	-	-	Black	3 x 60W E14	IP44
FE-EB4-M-BLK	3 lt Medium Pillar	1180mm	216mm	-	-	-	Black	3 x 60W E14	IP44
FE-EB8-M-BLK	3 lt Medium Chain Lantern	470mm	216mm	580mm	2105mm*	-	Black	3 x 60W E14	IP44

*1 Supplied with: 1524mm of chain.



FE-EB8-M-BRB



FE-EB2-M-BRB



FE-EB4-M-BRB



FE-EB2-S-BRB



FE-EB3-M-BRB

Code	Description	Height	Width	Min. Drop	Max. Drop	Projection	Finish	Max. Wattage	IP Rating
FE-EB2-S-BRB	1 lt Small Wall Lantern	321mm	167mm	-	-	191mm	British Bronze	1 x 60W E27	IP44
FE-EB2-M-BRB	3 lt Medium Wall Lantern	502mm	216mm	-	-	267mm	British Bronze	3 x 60W E14	IP44
FE-EB3-M-BRB	3 lt Medium Pedestal	553mm	216mm	-	-	-	British Bronze	3 x 60W E14	IP44
FE-EB4-M-BRB	3 lt Medium Pillar	1180mm	216mm	-	-	-	British Bronze	3 x 60W E14	IP44
FE-EB8-M-BRB	3 lt Medium Chain Lantern	470mm	216mm	580mm	2105mm*	-	British Bronze	3 x 60W E14	IP44

*1 Supplied with: 1524mm of chain.



FE-EB2-L-BRB



FE-EB8-L-BRB



FE-EB2-L-BRB



FE-EB3-L-BRB



FE-EB5-L-BRB

This image is
not to scale.

Code	Description	Height	Width	Min. Drop	Max. Drop	Projection	Finish	Max. Wattage	IP Rating
FE-EB2-L-BRB	3 lt Large Wall Lantern	622mm	267mm	-	-	325mm	British Bronze	3 x 60W E14	IP44
FE-EB3-L-BRB	3 lt Large Pedestal	638mm	267mm	-	-	-	British Bronze	3 x 60W E14	IP44
FE-EB5-L-BRB	3 lt Large Lamp Post	2426mm	267mm	-	-	-	British Bronze	3 x 60W E14	IP44
FE-EB8-L-BRB	3 lt Large Chain Lantern	620mm	267mm	680mm	2205mm*	-	British Bronze	3 x 60W E14	IP44

*1 Supplied with: 1524mm of chain.



HK-TRELLIS2-L



HK-TRELLIS2-S



HK-TRELLIS2-M



HK-TRELLIS3-L



HK-TRELLIS2-L

Code	Description	Height	Width	Projection	Finish	Max. Wattage	IP Rating
HK-TRELLIS2-S	1 lt Small Wall Lantern	387mm	178mm	286mm	Regency Bronze	1 x 60W E27	IP44
HK-TRELLIS2-M	3 lt Medium Wall Lantern	502mm	229mm	368mm	Regency Bronze	3 x 60W E14	IP44
HK-TRELLIS2-L	4 lt Large Wall Lantern	565mm	279mm	419mm	Regency Bronze	4 x 60W E14	IP44
HK-TRELLIS3-L	3 lt Pedestal	584mm	279mm	-	Regency Bronze	3 x 60W E14	IP44

LUVERNE

Materials: Cast Aluminium, Ribbed Glass
Finish: Rubbed Bronze

3 YEAR
GUARANTEE

KICHLER



KL-LUVERNE2-S



KL-LUVERNE8-M



KL-LUVERNE3-M



KL-LUVERNE2-M

Code	Description	Height	Width	Min. Drop	Max. Drop	Projection	Finish	Max. Wattage	IP Rating
KL-LUVERNE2-S	1 Lt Small Wall Lantern	337mm	178mm	-	-	197mm	Rubbed Bronze	1 x 60W E27	IP44
KL-LUVERNE2-M	1 Lt Medium Wall Lantern	457mm	229mm	-	-	279mm	Rubbed Bronze	1 x 60W E27	IP44
KL-LUVERNE3-M	1 Lt Pedestal	500mm	229mm	-	-	-	Rubbed Bronze	1 x 60W E27	IP44
KL-LUVERNE8-M	1 Lt Chain Lantern	440mm	229mm	552mm	1680mm*	-	Rubbed Bronze	1 x 60W E27	IP23

*1 Supplied with: 1200mm of chain.



STL2-M-WB



STL2-S-WB



NE8-M



NE1-S

Code	Description	Height	Width	Projection	Finish	Max. Wattage	IP Rating
STL2-S-WB	1 Lt Small Wall Lantern	325mm	170mm	215mm	Weathered Bronze	1 x 60W E27	IP44
STL2-M-WB	1 Lt Medium Wall Lantern	400mm	185mm	230mm	Weathered Bronze	1 x 60W E27	IP44
NE1-S	1 Lt Wall Lantern Small	350mm	165mm	195mm	Weathered Bronze	1 x 60W E27	IP44
NE8-M	2 Lt Flush	200mm	360mm	-	Weathered Bronze	2 x 60W E27	IP44

BALTIMORE

Materials: Cast Aluminium, Mottled Glass
Finish: Weathered Bronze

3 YEAR
GUARANTEE

Elstead
LIGHTING



BT1-M



BT8-M



BT7-M



BT3-M



BT4-M

Code	Description	Height	Width	Min. Drop	Max. Drop	Projection	Finish	Max. Wattage	IP Rating
BT1-M	1 lt Medium Wall Lantern	550mm	225mm	-	-	220mm	Weathered Bronze	1 x 60W E27	IP44
BT3-M	1 lt Medium Pedestal Lantern	560mm	225mm	-	-	-	Weathered Bronze	1 x 60W E27	IP44
BT4-M	1 lt Pillar	1170mm	225mm	-	-	-	Weathered Bronze	1 x 60W E27	IP44
BT7-M	1 lt Medium Half Lantern	432mm	217mm	-	-	122mm	Weathered Bronze	1 x 60W E27	IP44
BT8-M	1 lt Medium Chain Lantern	500mm	225mm	575mm	2120mm*1	-	Weathered Bronze	1 x 60W E27	IP44

*1 Supplied with: 630mm of chain.



BT1-L



BT8-L



BT3-L



BT5-L

This image is
not to scale.

Code	Description	Height	Width	Min. Drop	Max. Drop	Projection	Finish	Max. Wattage	IP Rating
BT1-L	1 lt Large Wall Lantern	690mm	300mm	-	-	350mm	Weathered Bronze	1 x 60W E27	IP44
BT3-L	1 lt Large Pedestal Lantern	680mm	300mm	-	-	-	Weathered Bronze	1 x 60W E27	IP44
BT5-L	1 lt Large Lamp Post	2390mm	300mm	-	-	-	Weathered Bronze	1 x 60W E27	IP44
BT8-L	1 lt Large Chain Lantern	575mm	300mm	650mm	2255mm*	-	Weathered Bronze	1 x 60W E27	IP44

*1 Supplied with: 630mm of chain.

PHILADELPHIA

Materials: Cast Aluminium, Champagne Tinted Glass
Finish: Old Bronze

3 YEAR
GUARANTEE

Elstead
LIGHTING



PH1-L-OB



PH2-L-OB



PH1-M-OB



PH2-M-OB

Code	Description	Height	Width	Projection	Finish	Max. Wattage	IP Rating
PH1-L-OB	3 lt Large Wall Lantern	640mm	260mm	310mm	Old Bronze	3 x 60W E14	IP44
PH2-L-OB	3 lt Large Down Wall Lantern	640mm	260mm	310mm	Old Bronze	3 x 60W E14	IP44
PH1-M-OB	1 lt Medium Wall Lantern	525mm	190mm	265mm	Old Bronze	1 x 60W E27	IP44
PH2-M-OB	1 lt Medium Down Wall Lantern	525mm	190mm	265mm	Old Bronze	1 x 60W E27	IP44



PH1-S-OB



PH2-S-OB

Post images
not to scale.



PH3-M-OB



PH8-M-OB



PH4-M-OB



PH5-L-OB

Code	Description	Height	Width	Min. Drop	Max. Drop	Projection	Finish	Max. Wattage	IP Rating
PH1-S-OB	1 lt Small Wall Lantern	430mm	170mm	-	-	240mm	Old Bronze	1 x 60W E27	IP44
PH2-S-OB	1 lt Small Down Wall Lantern	430mm	170mm	-	-	240mm	Old Bronze	1 x 60W E27	IP44
PH3-M-OB	1 lt Medium Pedestal	540mm	190mm	-	-	-	Old Bronze	1 x 60W E27	IP44
PH4-M-OB	1 lt Medium Pillar	1165mm	190mm	-	-	-	Old Bronze	1 x 60W E27	IP44
PH8-M-OB	1 lt Chain Lantern	380mm	190mm	540mm	1540mm*	-	Old Bronze	1 x 60W E27	IP44
PH5-L-OB	3 lt Large Lamp Post	2370mm	265mm	-	-	-	Old Bronze	3 x 60W E14	IP44

*1 Supplied with: 1590mm of chain.

NORFOLK

Materials: Cast Aluminium, Leaded Glass
Finish: Black

5 YEAR
GUARANTEE

Elstead
LIGHTING



NR1-BLK



NR2-BLK



NR9-BLK



NR1-PIR-BLACK
(PIR Detector)

PIR Technical Information for Square Sensors:

(2 Year Guarantee).
150 watt switching capacity
PIR range: min 1m to 8m max
Time adjustment: 5 sec to 7 mins
Detection width: 1200



C-BKT5-BLACK

Corner brackets available.
See details in table below

Code	Description	Height	Width	Min. Drop	Max. Drop	Projection	Finish	Max. Wattage	IP Rating
NR1-BLK *2	1 lt Up Wall Lantern	450mm	184mm	-	-	260mm	Black	1 x 60W E27	IP44
NR1-PIR-BLACK*2	1 lt Up Wall Lantern with PIR	470mm	184mm	-	-	295mm	Black	1 x 60W E27	IP44
NR2-BLK*2	1 lt Down Wall Lantern	450mm	184mm	-	-	255mm	Black	1 x 60W E27	IP44
NR9-BLK	1 lt Chain Lantern	395mm	184mm	515mm	600mm*1	-	Black	1 x 60W E27	IP44

*1 Supplied with: 490mm of chain. *2 For corner bracket order: C-BKT5-BLACK.



NR7-2-BLK



These
images are
not to scale.



NR3-BLK

NR4-BLK

NR8-BLK

Code	Description	Height	Width	Projection	Finish	Max. Wattage	IP Rating
NR3-BLK	1 lt Pedestal Lantern	440mm	184mm	-	Black	1 x 60W E27	IP44
NR4-BLK	1 lt Pillar Lantern	1090mm	184mm	-	Black	1 x 60W E27	IP44
NR7-2-BLK	1 lt Half Lantern	359mm	257mm	125mm	Black	1 x 60W E27	IP44
NR8-BLK	3 lt Lamp Post	2270mm	600mm	-	Black	3 x 60W E27	IP44



WX1



C-BKT5-BLACK



WX9



WX2

PIR Technical Information for
Square Sensors:

(2 Year Guarantee).
150 watt switching capacity
PIR range: min 1m to 8m max
Time adjustment: 5 sec to 7 mins
Detection width: 1200



WX1-PIR

Code	Description	Height	Width	Min. Drop	Max. Drop	Projection	Finish	Max. Wattage	IP Rating
WX1-PIR ^{*2}	1 Lt Wall Lantern with PIR	532mm	159mm	-	-	278mm	Black/Silver	1 x 60W E27	IP44
WX1 ^{*2}	1 Lt Up Wall Lantern	535mm	159mm	-	-	285mm	Black/Silver	1 x 60W E27	IP44
WX2 ^{*2}	1 Lt Down Wall Lantern	370mm	159mm	-	-	286mm	Black/Silver	1 x 60W E27	IP23
WX9	1 Lt Chain Lantern	340mm	159mm	460mm	900mm ^{*1}	-	Black/Silver	1 x 60W E27	IP23

^{*1} Supplied with: 490mm of chain. ^{*2} For corner bracket order C-BKT5-BLACK.




WX7



WX3



WX4



This image is
not to scale.

WX8

Code	Description	Height	Width	Projection	Finish	Max. Wattage	IP Rating
WX3	1 lt Pedestal Lantern	523mm	159mm	-	Black/Silver	1 x 60W E27	IP44
WX7	2 lt Half Lantern	338mm	221mm	86mm	Black/Silver	2 x 60W E27	IP23
WX4	1 lt Pillar Lantern	1235mm	159mm	-	Black/Silver	1 x 60W E27	IP44
WX8	2 lt Lamp Post	2285mm	570mm	-	Black/Silver	2 x 60W E27	IP44



SHEPHERD W

BL17-BLACK



BL18-BLACK



BL18A-BLACK



BL18B-BLACK



C-BKT2-BLACK

Corner brackets available.
See details in table below



C-BKT5-BLACK



BL17-BLACK



BL25-BLACK



BL19-BLACK

Code	Description	Height	Width	Min. Drop	Max. Drop	Projection	Finish	Max. Wattage	IP Rating
BL17-BLACK* ²	1 lt Wall Up Lantern	385mm	185mm	-	-	246mm	Black	1 x 60W E27	IP44
BL18-BLACK* ²	1 lt Wall Down Lantern	335mm	185mm	-	-	237mm	Black	1 x 60W E27	IP23
BL18A-BLACK	1 lt Porch Lantern	280mm	185mm	-	-	-	Black	1 x 60W E27	IP23
BL18B-BLACK	1 lt Chain Lantern	285mm	185mm	400mm	525mm* ¹	-	Black	1 x 60W E27	IP23
BL19-BLACK* ³	1 lt Wall Down Lantern	400mm	185mm	-	-	310mm	Black	1 x 60W E27	IP23
BL25-BLACK	1 lt Pedestal Lantern	410mm	185mm	-	-	-	Black	1 x 60W E27	IP44

*¹ Supplied with: 490mm of chain. *² For corner bracket order C-BKT2-BLACK. *³ For corner bracket order C-BKT5-BLACK.



BL2-BLACK



BL15-BLACK



BL5-BLACK



C-BKT5-BLACK

Corner brackets available.
See details in table below

Code	Description	Height	Width	Projection	Finish	Max. Wattage	IP Rating
BL2-BLACK*	1 lt Wall Down Lantern	310mm	185mm	225mm	Black	1 x 60W E27	IP23
BL5-BLACK*	1 lt Wall Up Lantern	435mm	185mm	230mm	Black	1 x 60W E27	IP23
BL15-BLACK	1 lt Flush Lantern	280mm	210mm	140mm	Black	1 x 60W E27	IP23

*1 For corner bracket order: C-BKT5-BLACK.



BL6B-BLACK



BL6A-BLACK



BL7-BLACK



BL6C-BLACK

Code	Description	Height	Width	Min. Drop	Max. Drop	Projection	Finish	Max. Wattage	IP Rating
BL6C-BLACK	1 lt Flush Porch Lantern	205mm	185mm	-	-	185mm	Black	1 x 60W B22	IP20
BL6A-BLACK	1 lt Porch Lantern	245mm	185mm	-	-	-	Black	1 x 60W E27	IP23
BL6B-BLACK	1 lt Porch Chain Lantern	285mm	185mm	400mm	500mm*	-	Black	1 x 60W E27	IP23
BL7-BLACK	1 lt Pedestal Lantern	315mm	185mm	-	-	-	Black	1 x 60W E27	IP23

*1 Supplied with: 490mm of chain.

SPRINGFIELD

Materials: Cast Aluminium, Seeded Glass
Finish: Distressed Black

3 YEAR
GUARANTEE

KICHLER



KL-SPRINGFIELD-M



KL-SPRINGFIELD-S

Code	Description	Height	Width	Projection	Finish	Max. Wattage	IP Rating
KL-SPRINGFIELD-S	1 lt Small Wall Lantern	343mm	153mm	177mm	Distressed Black	1 x 60W E27	IP44
KL-SPRINGFIELD-M	1 lt Medium Wall Lantern	450mm	191mm	221mm	Distressed Black	1 x 60W E27	IP44



BL46M-BLACK



C-BKT5-BLACK



BL48M-BLACK

Corner brackets
available - see
details in table.



BL50M-BLACK



C-BKT2-BLACK



BL52M-BLACK

Code	Description	Height	Width	Min. Drop	Max. Drop	Projection	Finish	Max. Wattage	IP Rating
BL46M-BLACK ^{*2}	1 lt Wall Up Lantern	440mm	215mm	-	-	250mm	Black	1 x 60W E27	IP43
BL48M-BLACK	1 lt Chain Lantern	300mm	215mm	414mm	895mm ^{*1}	-	Black	1 x 60W E27	IP43
BL50M-BLACK	1 lt Pedestal Lantern	380mm	215mm	-	-	-	Black	1 x 60W E27	IP43
BL52M-BLACK ^{*3}	1 lt Wall Down Lantern	405mm	215mm	-	-	330mm	Black	1 x 60W E27	IP43

^{*1} Supplied with: 490mm of chain. ^{*2} For corner bracket order: C-BKT5-BLACK. ^{*3} For corner bracket order: C-BKT2-BLACK.

CHAPEL MINI

Materials: Cast Aluminium, Clear Glass
Finish: Black

10 YEAR
GUARANTEE



Elstead
LIGHTING



CPM2-BLACK



C-BKT5-BLACK

Corner brackets available.
See details in table below



CPM9-BLACK



CPM5-BLACK



CPM1-BLACK



CPM4-BLACK

Code	Description	Height	Width	Min. Drop	Max. Drop	Projection	Finish	Max. Wattage	IP Rating
CPM1-BLACK*	1 Lt Mini Up Wall Lantern	380mm	170mm	-	-	240mm	Black	1 x 60W E27	IP44
CPM2-BLACK*	1 Lt Mini Down Wall Lantern	380mm	170mm	-	-	240mm	Black	1 x 60W E27	IP44
CPM4-BLACK	1 Lt Mini Pedestal Lantern	440mm	170mm	-	-	-	Black	1 x 60W E27	IP44
CPM5-BLACK	1 Lt Mini Pillar Lantern	940mm	170mm	-	-	-	Black	1 x 60W E27	IP44
CPM9-BLACK	1 Lt Mini Chain Lantern	345mm	170mm	495mm	965mm*	-	Black	1 x 60W E27	IP44

*1 For corner bracket order: C-BKT5-BLACK. *2 Supplied with: 490mm of chain.



CP1-BLACK



CP2-BLACK



CP12-BLACK
(Polycarbonate Lens)



CP7-2-BLACK



C-BKT5-BLACK

Corner brackets available.
See details in table below



CP9-BLACK

Code	Description	Height	Width	Min. Drop	Max. Drop	Projection	Finish	Max. Wattage	IP Rating
CP1-BLACK*	1 lt Up Wall Lantern	480mm	205mm	-	-	297mm	Black	1 x 60W E27	IP44
CP2-BLACK*	1 lt Down Wall Lantern	440mm	205mm	-	-	297mm	Black	1 x 60W E27	IP44
CP7-2-BLACK	1 lt Half Lantern	410mm	220mm	-	-	140mm	Black	1 x 60W E27	IP44
CP9-BLACK	1 lt Chain Lantern	420mm	205mm	570mm	1040mm* ²	-	Black	1 x 60W E27	IP44
CP12-BLACK	1 lt Flush Lantern	165mm	300mm	-	-	-	Black	1 x 60W E27	IP44

*1 For corner bracket order: C-BKT5-BLACK. *² Supplied with: 490mm of chain.



CP7-BLACK



CP7-BLACK
(Not to scale)



CP4-BLACK

CP5-BLACK

CP6-BLACK

CP8-BLACK

Code	Description	Height	Width	Projection	Finish	Max. Wattage	IP Rating
CP7-BLACK	1 Lt Half Lantern	380mm	190mm	120mm	Black	1 x 60W E27	IP44
CP4-BLACK	1 Lt Pedestal Lantern	500mm	205mm	-	Black	1 x 60W E27	IP44
CP8-BLACK	2 Lt Twin Post	2270mm	600mm	-	Black	2 x 60W E27	IP44
CP5-BLACK	1 Lt Pillar Lantern	1000mm	205mm	-	Black	1 x 60W E27	IP44
CP6-BLACK	1 Lt Lamp Post	2000mm	205mm	-	Black	1 x 60W E27	IP44

PARISH MINI

Materials: Cast Aluminium, Clear Glass
Finish: Black

10 YEAR
GUARANTEE



Elstead
LIGHTING



PRM2-BLACK



PRM9-BLACK



C-BKT5-BLACK



PRM5-BLACK



PRM1-BLACK



PRM4-BLACK

Corner brackets available.
See details in table below

Code	Description	Height	Width	Min. Drop	Max. Drop	Projection	Finish	Max. Wattage	IP Rating
PRM1-BLACK*2	Mini 1 lt Up Wall Lantern	390mm	180mm	-	-	250mm	Black	1 x 60W E27	IP44
PRM2-BLACK*2	Mini 1 lt Down Wall Lantern	390mm	180mm	-	-	250mm	Black	1 x 60W E27	IP44
PRM4-BLACK	Mini 1 lt Pedestal Lantern	450mm	180mm	-	-	-	Black	1 x 60W E27	IP44
PRM5-BLACK	Mini 1 lt Pillar	950mm	180mm	-	-	-	Black	1 x 60W E27	IP44
PRM9-BLACK	Mini 1 lt Chain Lantern	345mm	180mm	495mm	965mm*1	-	Black	1 x 60W E27	IP44

*1 Supplied with: 490mm of chain. *2 For corner bracket order: C-BKT5-BLACK.



PR12-BLACK

This image is
not to scale.



PR6-BLACK



PR5-BLACK



PR7-BLACK



PR4-BLACK

Code	Description	Height	Width	Projection	Finish	Max. Wattage	IP Rating
PR4-BLACK	1 lt Pedestal Lantern	540mm	230mm	-	Black	1 x 60W E27	IP44
PR5-BLACK	1 lt Pillar Lantern	1040mm	230mm	-	Black	1 x 60W E27	IP44
PR6-BLACK	1 lt Lamp Post	2000mm	230mm	-	Black	1 x 60W E27	IP44
PR7-BLACK	1 lt Half Lantern	420mm	200mm	137mm	Black	1 x 60W E27	IP44
PR12-BLACK	1 lt Ceiling Flush Lantern	165mm	300mm	-	Black	1 x 60W E27	IP44



PR1-BLACK



This image is
not to scale.

PR8-BLACK



PR9-BLACK



PR2-BLACK



C-BKT5-BLACK

Corner brackets
available - see details
in table below.



PR1-BLACK

Code	Description	Height	Width	Min. Drop	Max. Drop	Projection	Finish	Max. Wattage	IP Rating
PR1-BLACK*2	1 lt Up Wall Lantern	520mm	230mm	-	-	300mm	Black	1 x 60W E27	IP44
PR2-BLACK*2	1 lt Down Wall Lantern	480mm	230mm	-	-	300mm	Black	1 x 60W E27	IP44
PR8-BLACK	2 lt Twin Lamp Post	2280mm	650mm	-	-	-	Black	2 x 60W E27	IP44
PR9-BLACK	1 lt Chain Lantern	420mm	230mm	570mm	1040mm*1	-	Black	1 x 60W E27	IP44

*1 Supplied with: 490mm of chain. *2 For corner bracket order: C-BKT5-BLACK.

WILMSLOW

Materials: Cast Aluminium, Steel, Clear Glass
Finish: Black

3 YEAR
GUARANTEE



Elstead
LIGHTING



WSLP1-BLACK



WSLP2-BLACK



WSLL1-BLACK



WSLB1-BLACK



Corner brackets
available - see
details in table
below.



WSLN1-BLACK



Code	Description	Height	Width	Projection	Finish	Max. Wattage	IP Rating
WSLB1-BLACK*	1 lt Wall Lantern	1145mm	385mm	675mm	Black	1 x 100W E27	IP23
WSLL1-BLACK	1 lt Lantern Head Only	825mm	385mm	-	Black	1 x 100W E27	IP23
WSLN1-BLACK	1 lt Pedestal Lantern	1060mm	385mm	-	Black	1 x 100W E27	IP23
WSLP1-BLACK	1 lt Lamp Post	3300mm	585mm	-	Black	1 x 100W E27	IP23
WSLP2-BLACK	1 lt Lamp Post	3125mm	385mm	-	Black	1 x 100W E27	IP23


*1 For corner bracket order: C-BKT4-BLACK.



GB1-BLACK



GL1-BLACK



This image is
not to scale.



Corner brackets
available - see details
in table below.



GN1-BLACK

GP1-BLACK

Code	Description	Height	Width	Projection	Finish	Max. Wattage	IP Rating
GB1-BLACK*	1 lt Wall Lantern	820mm	290mm	490mm	Black	1 x 100W E27	IP44
GL1-BLACK	1 lt Lamp Head Only	680mm	290mm	-	Black	1 x 100W E27	IP44
GN1-BLACK	1 lt Pedestal Lantern	790mm	290mm	-	Black	1 x 100W E27	IP44
GP1-BLACK	1 lt Lamp Post	2780mm	290mm	-	Black	1 x 100W E27	IP44

*1 For corner bracket order: C-BKT4-BLACK.

HEREFORD

Materials: Cast Aluminium, Clear Glass
Finish: Black



BL8-BLACK



BL13B-BLACK



BL10-BLACK



BL12-BLACK



C-BKT5-BLACK

Corner brackets available.
See details in table below



BL13A-BLACK

Code	Description	Height	Width	Min. Drop	Max. Drop	Projection	Finish	Max. Wattage	IP Rating
BL8-BLACK*2	Wall Down Lantern	310mm	150mm	-	-	210mm	Black	1 x 60W E27	IP23
BL10-BLACK*2	1 Lt Wall Lantern	420mm	150mm	-	-	215mm	Black	1 x 60W E27	IP23
BL12-BLACK	1 Lt Pedestal Lantern	340mm	150mm	-	-	215mm	Black	1 x 60W E27	IP23
BL13A-BLACK	1 Lt Lantern	260mm	150mm	-	-	-	Black	1 x 60W E27	IP23
BL13B-BLACK	1 Lt Chain Lantern	285mm	150mm	405mm	785mm*1	-	Black	1 x 60W E27	IP23

*1 Supplied with: 490mm of chain. *2 For corner bracket order: C-BKT5-BLACK.



BL21A-BLACK



BL21-BLACK-E27



BL21-G-BLACK



BL21B-BLACK



C-BKT5-BLACK

Corner brackets available.
See details in table below

Code	Description	Height	Width	Min. Drop	Max. Drop	Projection	Finish	Max. Wattage	IP Rating
BL21A-BLACK	1 Lt Porch Lantern	235mm	150mm	-	-	-	Black	1 x 60W E27	IP43
BL21B-BLACK	1 Lt Chain Lantern	260mm	150mm	365mm	835mm*1	-	Black	1 x 60W E27	IP43
BL21-BLACK-E27	1 Lt Wall Down Lantern*2	294mm	150mm	-	-	221mm	Black	1 x 60W E27	IP43
BL21-G-BLACK	1 Lt Grande Wall Down Lantern*2	345mm	200mm	-	-	240mm	Black	1 x 60W E27	IP43

*1 Supplied with: 490mm of chain. *2 For corner bracket order: C-BKT5-BLACK.



KL-ARGYLE2-M

3 YEAR
GUARANTEE

ARGYLE & WABASH

Materials: Cast Aluminium, Glass
Finish: See table below



KL-ARGYLE2-S

KICHLER



KL-ARGYLE2-M



HK-WABASH2-S

HINKLEY



HK-WABASH2-M

Code	Description	Height	Width	Projection	Finish	Max. Wattage	IP Rating
KL-ARGYLE2-M	1 lt Medium Outdoor Wall Light	322mm	204mm	234mm	Weathered Zinc	1 x 60W E27	IP44
KL-ARGYLE2-S	1 lt Small Outdoor Wall Light	261mm	166mm	194mm	Weathered Zinc	1 x 60W E27	IP44
HK-WABASH2-S	1 lt Small Wall Lantern	265mm	157mm	195mm	Mocha	1 x 60W E27	IP44
HK-WABASH2-M	2 lt Medium Wall Lantern	349mm	207mm	258mm	Mocha	2 x 40W E14	IP44

MINERS

Materials: Steel, Clear Seeded Glass
Finish: Old Bronze

2 YEAR
GUARANTEE

Elstead
LIGHTING



MINERS-CHN



MINERS-WALL



MINERS-PED

Code	Description	Height	Width	Min. Drop	Max. Drop	Projection	Finish	Max. Wattage	IP Rating
MINERS-CHN	1 lt Chain Lantern	370mm	200mm	455mm	1560mm*	-	Old Bronze	1 x 60W E27	IP44
MINERS-PED	1 lt Pedestal Lantern	370mm	200mm	-	-	-	Old Bronze	1 x 60W E27	IP44
MINERS-WALL	1 lt Wall Lantern	425mm	200mm	-	-	148mm	Old Bronze	1 x 60W E27	IP44

*1 Supplied with: 1250mm of chain.



BALMORAL



KENDAL



STOW



Code	Description	Height	Width	Projection	Finish	Max. Wattage	IP Rating
STOW	1 lt Wall Lantern	450mm	112mm	110mm	Old Bronze	1 x 60W E14	IP44
BALMORAL	3 lt Wall Lantern	615mm	277mm	170mm	Old Bronze	3 x 60W E14	IP44
KENDAL	2 lt Wall Lantern	460mm	230mm	110mm	Old Bronze	2 x 60W E14	IP44

TRADITIONAL LANTERNS

Pediment: Stainless Steel, Glass. Polruan: Steel, Glass Province: Cast Aluminium, Glass
Finish: See table below



3 YEAR
GUARANTEE FE-PEDIMENT-M

FEISS
COLLECTION



2 YEAR
GUARANTEE FE-PEDIMENT-S



QUOIZEL
LIGHTING

3 YEAR
GUARANTEE QZ-PROVINCE2-S



Elstead
LIGHTING

2 YEAR
GUARANTEE POLRUAN

Code	Description	Height	Width	Projection	Finish	Max. Wattage	IP Rating
FE-PEDIMENT-M	2 lt Medium Wall Lantern	460mm	178mm	155mm	Dark Aged Copper	2 x 60W E14	IP44
FE-PEDIMENT-S	2 lt Small Wall Lantern	318mm	170mm	155mm	Dark Aged Copper	2 x 60W E14	IP44
QZ-PROVINCE2-S	1 lt Small Wall Lantern	382mm	171mm	197mm	Mystic Black	1 x 60W E27	IP44
POLRUAN	1 lt Wall Lantern	340mm	179mm	204mm	Mud Black	1 x 60W E27	IP44



2 YEAR
GUARANTEE HYTHE



2 YEAR
GUARANTEE MATLOCK



5 YEAR
GUARANTEE MD7-BLACK (Medstead)

**PIR Technical Information
for Square Sensors:**

(2 Year Guarantee). 150 watt
switching capacity PIR range:
min 1m to 8m max. Time
adjustment: 5 sec to 7 mins.
Detection width: 120°



5 YEAR
GUARANTEE MD7-PIR-BLACK (Medstead)

Code	Description	Height	Width	Projection	Finish	Max. Wattage	IP Rating
HYTHE	1 lt Wall Lantern	390mm	120mm	190mm	Old Bronze	1 x 60W E14	IP44
MATLOCK	1 lt Wall Lantern	320mm	125mm	110mm	Old Bronze	1 x 60W E14	IP44
MD7-BLACK	1 lt Half Lantern	445mm	260mm	140mm	Black	1 x 100W E27	IP44
MD7-PIR-BLACK	1 lt Half Lantern with PIR	495mm	260mm	140mm	Black	1 x 60W E27	IP44

TRADITIONAL LANTERNS

Materials: Weather Resistant Composite
Finish: See table below

COASTAL
COLLECTION

5 YEAR
GUARANTEE

FEISS
COLLECTION



FE-LONDONTOWNE



FE-WELLFLEET-S

Code	Description	Height	Width	Projection	Finish	Max. Wattage	IP Rating
FE-LONDONTOWNE	1 ft Wall Lantern	297mm	171mm	206mm	Weathered Chestnut	1 x 60W E27	IP44
FE-WELLFLEET-S	1 ft Small Wall Lantern	321mm	160mm	186mm	Aged Bronze	1 x 60W E27	IP44



GZH-BF2 (Burford)



GZH-WC2 (Winchcombe)



GZH-SHIP2 (Shipston)



KENT



GZH-SDN2 (Sandown)

Code	Description	Height	Width	Projection	Finish	Max. Wattage	IP Rating
GZH-WC2	1 lt Wall Lantern	262mm	150mm	190mm	Black/Silver	1 x 60W E27	IP44
GZH-SHIP2	1 lt Wall Lantern	268mm	215mm	242mm	Black	1 x 60W E27	IP44
GZH-BF2	1 lt Wall Lantern	253mm	168mm	199mm	Black	1 x 60W E27	IP44
GZH-SDN2	1 lt Wall Lantern	255mm	177mm	230mm	Black	1 x 60W E27	IP44
KENT	1 lt Wall Lantern	328mm	165mm	230mm	Black	1 x 60W E27	IP44

TRADITIONAL LANTERNS

Materials: Cast Aluminium
Finish: See table below

3 YEAR
GUARANTEE

Elstead
LIGHTING



GZH-CHW2 (Chedworth)



GZH-HN1 (Highnam)



GZH-FF12 (Fairford)



GZH-CKL7 (Cricklade)



GZH-NB7 (Newbury)

Code	Description	Height	Width	Projection	Finish	Max. Wattage	IP Rating
GZH-NB7	1 lt Half Lantern	330mm	172mm	122mm	Black	1 x 60W E27	IP44
GZH-FF12	1 lt Flush Lantern	160mm	260mm	-	Old Bronze	2 x 40W E27	IP44
GZH-CKL7	1 lt Half Lantern	350mm	198mm	112mm	Black/Gold	1 x 60W E27	IP44
GZH-HN1	1 lt Wall Lantern	260mm	135mm	150mm	Weathered Bronze	1 x 60W E27	IP44
GZH-CHW2	1 lt Wall Lantern	260mm	120mm	160mm	Old Bronze	1 x 60W E27	IP44



GZH-LB1



GZH-LB3



GZH-LB5

This image is
not to scale.

Code	Description	Height	Width	Projection	Finish	Max. Wattage	IP Rating
GZH-LB1	1 lt Wall Lantern	427mm	173mm	220mm	Black	1 x 60W E27	IP44
GZH-LB3	1 lt Pedestal Lantern	475mm	173mm	-	Black	1 x 60W E27	IP44
GZH-LB5	1 lt Lamp Post	1924mm	225mm	-	Black	1 x 60W E27	IP44

SECURITY & PIR LANTERNS

Materials: See range pages for details
Finish: See table below

COASTAL
COLLECTION

15 YEAR
GUARANTEE

Elstead
LIGHTING



HELSINGOR-PIR-BOL-BK



HELSINGOR-PIR-BK



KLAMPENBORG-PIR-BK



HELSINGOR-PIR-PED-BK



KLAMPENBORG-PED-PIR-BK

PIR Technical Information for Round Sensors:

(2 Year Guarantee).

PIR range: min 5+

Detection width: 90°

Please Note: The sensor cannot be manually overridden. The final PIR setting must be set at dusk, as the PIR does not operate in daylight.

Code	Description	Height	Width	Projection	Finish	Max. Wattage	IP Rating
HELSINGOR-PIR-BOL-BK	1 lt Bollard Lantern with PIR	1000mm	218mm	-	Black	1 x 60W E27	IP44
HELSINGOR-PIR-BK	1 lt PIR Wall Lantern	236mm	218mm	260mm	Black	1 x 60W E27	IP44
HELSINGOR-PIR-PED-BK	1 lt PIR Pedestal Lantern	305mm	218mm	-	Black	1 x 60W E27	IP44
KLAMPENBORG-PIR-BK	1 lt Wall Lantern with PIR	255mm	275mm	420mm	Black	1 x 60W E27	IP44
KLAMPENBORG-PED-PIR-BK	1 lt Pedestal with PIR	337mm	275mm	-	Black	1 x 60W E27	IP44



KLAMPENBORG-PIR-WHT

15 YEAR
GUARANTEE



KLAMPENBORG-PED-PIR-SIL

15 YEAR
GUARANTEE



KLAMPENBORG-PIR-SIL

15 YEAR
GUARANTEE

PIR Technical Information for Square Sensors:

(2 Year Guarantee).

150 watt switching capacity

PIR range: min 1m to 8m max

Time adjustment: 5 sec to 7 mins

Detection width: 120°



3 YEAR
GUARANTEE

WX1-PIR (Wexford)



5 YEAR
GUARANTEE

NR1-PIR-BLACK (Norfolk)



5 YEAR
GUARANTEE

MD7-PIR-BLACK (Medstead)

Code	Description	Height	Width	Projection	Finish	Max. Wattage	IP Rating
KLAMPENBORG-PIR-WHT	1 lt Wall Lantern with PIR	255mm	275mm	420mm	White	1 x 60W E27	IP44
KLAMPENBORG-PED-PIR-SIL	1 lt Pedestal with PIR	337mm	275mm	-	Silver	1 x 60W E27	IP44
KLAMPENBORG-PIR-SIL	1 lt Wall Lantern with PIR	255mm	275mm	420mm	Silver	1 x 60W E27	IP44
WX1-PIR	1 lt Wall Lantern with PIR	532mm	159mm	278mm	Black/Silver	1 x 60W E27	IP44
NR1-PIR-BLACK	1 lt Up Wall Lantern with PIR	470mm	184mm	295mm	Black	1 x 60W E27	IP44
MD7-PIR-BLACK	1 lt Half Lantern with PIR	495mm	260mm	140mm	Black	1 x 60W E27	IP44

OUTDOOR LIVING

It has become a popular trend to extend home living areas into gardens, patios and verandas. Elstead have a number of more decorative IP44-based solutions that help to bring the inside outdoors. Either by using chandeliers or nesting multiple pendants over tables or seating areas, great style can be brought to these outdoor leisure areas.



HALLERON
KL-HALLERON-8M-BU
Page 239



CARSON
HK-CARSON-3P
Page 237



KL-HALLERON-8M (see page 239)

ASHLAND BAY

Materials: Aluminium, Seeded Glass
Finish: Burnished Bronze

3 YEAR
GUARANTEE

KICHLER



KL-ASHLANDBAY8-S



KL-ASHLANDBAY2-S



KL-ASHLANDBAY-5P

See the full Ashland Bay
Collection on page 63.

Code	Description	Height	Width	Min. Drop	Max. Drop	Projection	Finish	Max. Wattage	IP Rating
KL-ASHLANDBAY2-S	1 Lt Small Wall Lantern	278mm	154mm	-	-	173mm	Weathered Zinc	1 x 60W E27	IP44
KL-ASHLANDBAY8-S	1 Lt Small Chain Lantern	327mm	154mm	432mm	2306mm ^{*2}	-	Weathered Zinc	1 x 60W E27	IP44
KL-ASHLANDBAY-5P	5 Lt Outdoor Chandelier	508mm	625mm	624mm	1473mm ^{*1}	-	Weathered Zinc	5 x 60W E27	IP44

^{*1} Supplied with: 2 x 152mm and 2 x 305mm rods. ^{*2} Supplied with: 1829mm of chain.



KL-ASHLANDBAY8-S-BU



KL-ASHLANDBAY2-S-BU



KL-ASHLANDBAY-5P-BU

See the full Ashland Bay
Collection on page 66.

Code	Description	Height	Width	Min. Drop	Max. Drop	Projection	Finish	Max. Wattage	IP Rating
KL-ASHLANDBAY2-S-BU	1 Lt Small Wall Lantern	278mm	154mm	-	-	173mm	Burnished Bronze	1 x 60W E27	IP44
KL-ASHLANDBAY8-S-BU	1 Lt Small Chain Lantern	327mm	154mm	432mm	2306mm*2	-	Burnished Bronze	1 x 60W E27	IP44
KL-ASHLANDBAY-5P-BU	5 Lt Outdoor Chandelier	508mm	625mm	624mm	1473mm*1	-	Burnished Bronze	5 x 60W E27	IP44

*1 Supplied with: 2 x 152mm and 2 x 305mm rods. *2 Supplied with: 1829mm of chain.



HK-CARSON-5P & HK-CARSON1



HK-CARSON-5P



HK-CARSON-3P



HK-CARSON1



HK-CARSON-P

Code	Description	Height	Width	Min. Drop	Max. Drop	Projection	Finish	Max. Wattage	IP Rating
HK-CARSON1	1 Lt Small Wall Lantern	267mm	255mm	-	-	310mm	Vintage Iron	1 x 60W E27	IP44
HK-CARSON-3P	3 Lt Outdoor Chandelier	476mm	470mm	703mm	1316mm*1	-	Vintage Iron	3 x 40W E14	IP44
HK-CARSON-5P	5 Lt Outdoor Chandelier	690mm	673mm	832mm	1596mm*1	-	Vintage Iron	5 x 40W E14	IP44
HK-CARSON-P	1 Lt Outdoor Pendant	275mm	255mm	433mm	1193mm*1	-	Vintage Iron	1 x 40W E27	IP44

*1 Supplied with: 1 x 152mm and 2 x 305mm rods.



KL-VANDALIA8-M

See the full Vandalia
Collection on page 85.

See the full Halleron
Collection on page 122-125.



KL-VANDALIA8-L



KL-VANDALIA8-M



KL-HALLERON-8M



KL-HALLERON-8M-BU

Code	Description	Height	Width	Min. Drop	Max. Drop	Finish	Max. Wattage	IP Rating
KL-HALLERON-8M	3 lt Chain Lantern	476mm	305mm	565mm	2362mm*1	Londonderry	3 x 40W E14	IP44
KL-HALLERON-8M-BU	3 lt Medium Chain Lantern	476mm	305mm	565mm	2362mm*1	Burnished Bronze	3 x 40W E14	IP44
KL-VANDALIA8-L	3 lt Large Chain Lantern	482mm	356mm	583mm	2442mm*1	Textured Black	3 x 40W E14	IP44
KL-VANDALIA8-M	1 lt Medium Chain Lantern	392mm	279mm	494mm	2315mm*1	Textured Black	1 x 60W E27	IP44

*1 Supplied with: 1829mm of chain.

GRAND BANK

Materials: Aluminium, Clear Seeded Glass
 Finish: Distressed Antique Grey & Brushed Aluminium

3 YEAR
 GUARANTEE

KICHLER



KL-GRAND-BANK1-DAG
 (Can be fitted in the up or down configuration)



KL-GRAND-BANK-P-DAG

Code	Description	Height	Width	Min. Drop	Max. Drop	Projection	Finish	Max. Wattage	IP Rating
KL-GRAND-BANK1-DAG	1 lt Outdoor Wall Light	261mm	206mm	-	-	238mm	Distressed Antique Grey & Brushed Aluminium	1 x 40W E14	IP44
KL-GRAND-BANK-P-DAG	1 lt Outdoor Pendant	405mm	305mm	500mm	2033mm*	-	Distressed Antique Grey & Brushed Aluminium	1 x 60W E27	IP44

* Supplied with: 1524mm of chain.

See the full Lyndon
Collection on page 62.



KL-LYNDON8-S-AZ



KL-LYNDON2-S-AZ



KL-LYNDON-5P-AZ

Code	Description	Height	Width	Min. Drop	Max. Drop	Projection	Finish	Max. Wattage	IP Rating
KL-LYNDON2-S-AZ	1 lt Small Wall Lantern	288mm	128mm	-	-	191mm	Architectural Bronze	1 x 75W E27	IP44
KL-LYNDON-5P-AZ	5 lt Outdoor Chandelier	249mm	611mm	305mm	1219mm*1	-	Architectural Bronze	5 x 75W E27	IP44
KL-LYNDON8-S-AZ	1 lt Small Chain Lantern	246mm	128mm	280mm	1280mm*2	-	Architectural Bronze	1 x 75W E27	IP44

*1 Supplied with: 1000mm of chain. *2 Supplied with: 2 x 152mm and 2 x 305mm rods.

OUTDOOR CEILING FANS

Our exterior ceiling fans bring style and airflow to your favourite al fresco entertaining spaces. Each fan offers premium finishes and hardware designed to withstand the elements for years of worry-free performance.



ERIS

KLF-ERIS-60-WN
PAGE 254



AHRENDALE 60

KLF-AHRENDALE-60-AVI
PAGE 249



KLF-AHRENDALE-60-AVI (See page 249)












KLF-KEVLAR-60-WHT

This exterior fan collection turns ceiling fans into outdoor focal points. There are many unique modern and traditional styles and some very interesting finishes, blending technology and superior air performance with aesthetic style and design.

Lehr	80"/203cm	Page 247
Ahrendale	60"/152cm	Page 249
Kevlar 60	60"/152cm	Page 251
Eris	60"/152cm	Page 254
Lehr II	54"/137cm	Page 257
Lyndon Patio	52"/132cm	Page 259
Kevlar 42	42"/107cm	Page 261
Sola	34"/86cm	Page 264

For comprehensive user guidance on fan choice, see full ceiling fan catalogue.

SYMBOL GUIDE

 <p>AC This ceiling fan uses an AC (alternating current) motor.</p>	 <p>LED This ceiling fan comes fitted with an LED light source with low energy consumption.</p>
 <p>DC This ceiling fan uses a DC (direct current) motor, meaning it uses less electricity.</p>	  <p>This is the bladespan of the ceiling fan - its widest diameter. We provide the measurement in both centimetres and inches for ease of use.</p>
 <p>IP23 This ceiling fan has an IP rating of 23, meaning it is protected against limited exposure to water spray.</p>	 <p>This ceiling fan can withstand fair outdoor conditions and should be used in sheltered areas.</p>
 <p>IP44 This ceiling fan has an IP rating of 44, meaning it is protected against splashing water from any angle.</p>	 <p>This ceiling fan can withstand wet outdoor conditions.</p>

DOWNROD EXTENSIONS

All semi-flush ceiling fans come complete with one short downrod between 4 - 7" long (102 - 176mm). You can check the downrod section on each product page to find out what the length is for your chosen fan. This rod can be replaced with our downrod extension accessories, and custom lengths can be supplied by special order.



Satin White Painted

Length	Product Code
12" (30cm)	CLF-DOWNROD30-SWP
18" (45cm)	CLF-DOWNROD45-SWP



Satin Black Painted

Length	Product Code
12" (30cm)	CLF-DOWNROD30-SBP
18" (45cm)	CLF-DOWNROD45-SBP



Old Bronze Painted

Length	Product Code
12" (30cm)	CLF-DOWNROD30-OBP
18" (45cm)	CLF-DOWNROD45-OBP



Satin Nickel Painted

Length	Product Code
12" (30cm)	CLF-DOWNROD30-SNP
18" (45cm)	CLF-DOWNROD45-SNP



LEHR 80" / 203cm bladespan

This modern 80 inch Lehr ceiling fan brings you air with flair. The 7 long blades gently curve into the cylindrical housing creating the perfect contemporary touch for your home. This Antique Satin Silver fan is perfect for larger rooms and spaces. It is made of a composite material that is corrosion-resistant to withstand harsh outdoor elements such as extreme heat, saltwater spray, intense cold and constant UV exposure.









KLF-LEHR-80-AS

INCLUDED FEATURES

Downrods 1 x 203mm
Mounting Options Standard, Angled

FAN FEATURES

Mounting Slope/Pitch 18°
Location Rating IP44 (Wet)
Hanging Weight 10kg
Body Material ABS
Warranty Limited Lifetime

BLADE SPECS

Blades (7) included

Pitch	12°
Material	ABS

INCLUDED CONTROLS




REMOTE CONTROL

- 6 forward speeds, reverse & motor off
- requires 2 x 1.5V AAA batteries

MOTOR FEATURES


Motor Size/Type 165L, DC
Amps 0.23 on High
RPM (High/Low) 73/35

BLADE FINISH



HANGING MEASUREMENTS

Min. Fixture Drop (from ceiling)	A: 51cm
Min. Blade Drop (from ceiling)	B: 34cm
Housing (width)	C: 26cm
Ceiling Canopy (width)	D: 17cm



AIR PERFORMANCE

AIRFLOW Cubic ft. per minute on high	8897
POWER USAGE Watts on High (excludes lights)	32.2
AIRFLOW EFFICIENCY Cubic ft. per minute per Watt	237



AHRENDALE

60" / 152cm
bladespan

This 60 inch ceiling fan has the Anvil Iron Finish and an anvil mesh shade to add a timeworn charm over seating areas, in game rooms or anywhere you want a touch of industrial-inspired style.












KLF-AHRENDALE-60-AVI

INCLUDED FEATURES

- Downrods** 1 x 114mm
- Mounting Options** Standard, Angled
- Light Type** 1 x 10W LED, Integrated, Replaceable Module, Dimmable, 3000K, 80 CRI
- Light Output** 1116 lm
- Light Glass** Etched Cased Opal

FAN FEATURES

- Mounting Slope/Pitch** 30°
- Location Rating** IP44 (Wet)
- Hanging Weight** 14.35kg
- Body Material** Steel
- Warranty** Limited Lifetime

BLADE SPECS

Blades (5) included	
Pitch	12°
Material	ABS

INCLUDED CONTROLS



REMOTE CONTROL

- 3 forward speeds, reverse & motor off
- lights on/off with full-range dimming
- requires a 12V 23A Alkaline battery

MOTOR FEATURES

- Motor Size/Type** 188mm x 20mm, AC
- Amps** 0.28 on High
- RPM (High/Low)** 163/67

BLADE FINISH




Distressed Antique Gray (side 1)



Distressed Antique Gray (side 2)

HANGING MEASUREMENTS

Min. Fixture Drop (from ceiling)	A: 42cm
Min. Blade Drop (from ceiling)	B: 25cm
Housing (width)	C: 30cm
Ceiling Canopy (width)	D: 17cm



AIR PERFORMANCE

AIRFLOW Cubic ft. per minute on high	6520
POWER USAGE Watts on High (excludes lights)	64.3
AIRFLOW EFFICIENCY Cubic ft. per minute per Watt	101



KEVLAR

60" / 152cm
bladespan

The 60 inch Kevlar ceiling fan is IP44 rated and is an ideal choice for larger outdoor porches and patios. Smart detailing on the motor housing increases the stylish appeal. It is made of a composite material that is corrosion-resistant to withstand harsh outdoor elements such as extreme heat, saltwater spray, intense cold and constant UV exposure.









KLF-KEVLAR-60-WHT

INCLUDED FEATURES

Downrods 1 x 114mm
Mounting Options Standard, Angled, Flush

FAN FEATURES

Mounting Slope/Pitch 18°
Location Rating IP44 (Wet)
Hanging Weight 11.9kg
Body Material Aluminum
Warranty Limited Lifetime

BLADE SPECS

Blades (5) included

Pitch	14°
Material	ABS

INCLUDED CONTROLS

PULL CHAIN


- 3 Speeds
- 3 Forward & Reverse
- Manual Reverse



MOTOR FEATURES


Motor Size/Type 188mm x 25mm, AC
Amps 0.32 on High
RPM (High/Low) 139/59

BLADE FINISH



HANGING MEASUREMENTS

Min. Fixture Drop (from ceiling)	A: 35cm
Min. Blade Drop (from ceiling)	B: 29cm
Housing (width)	C: 33cm
Ceiling Canopy (width)	D: 17cm



AIR PERFORMANCE

AIRFLOW Cubic ft. per minute on high	6609
POWER USAGE Watts on High (excludes lights)	75.2
AIRFLOW EFFICIENCY Cubic ft. per minute per Watt	82



ERIS

60" / 152cm
bladespan

Designed to nestle cleanly against the ceiling while still delivering a generous amount of airflow, Eris marries performance with style. Use inside or out – the sleek design, wet rating and 1,100-lumen dimmable light output bring room-filling light to a variety of gathering spaces, including open-air patios or decks.



This fan is IP44 rated for outdoors, but can be used indoors too.

152
cm

60
inch

AC

LED

IP44



KLF-ERIS-60-WN

INCLUDED FEATURES

- Downrods** Not Available
- Mounting Options** Flush
- Light Type** 1 x 10W LED, Integrated, Replaceable Module, Dimmable, 3000K, 80 CRI
- Light Output** 1116 lm
- Light Glass** Etched Cased Opal

FAN FEATURES

- Location Rating** IP44 (Wet)
- Hanging Weight** 11.69kg
- Body Material** ABS
- Warranty** Limited Lifetime

BLADE SPECS

Blades (3) included	
Pitch	25°
Material	ABS

INCLUDED CONTROLS



REMOTE CONTROL

- 3 forward speeds, reverse & motor off
- lights on/off with full-range dimming
- requires a 12V 23A Alkaline battery

MOTOR FEATURES

- Motor Size/Type** 188mm x 20mm, AC
- Amps** 0.289 on High
- RPM (High/Low)** 127/55

BLADE FINISH




Walnut
(side 1)



Walnut
(side 2)

HANGING MEASUREMENTS

Min. Fixture Drop (from ceiling)	A: 29cm
Min. Blade Drop (from ceiling)	B: 23cm
Housing (width)	C: 25cm
Ceiling Canopy (width)	D: 20cm



AIR PERFORMANCE

AIRFLOW Cubic ft. per minute on high	4043
POWER USAGE Watts on High (excludes lights)	66.4
AIRFLOW EFFICIENCY Cubic ft. per minute per Watt	61



KLF-ERIS-60-BN

INCLUDED FEATURES

- Downrods** Not Available
- Mounting Options** Flush
- Light Type** 1 x 10W LED, Integrated, Replaceable Module, Dimmable, 3000K, 80 CRI
- Light Output** 1116 lm
- Light Glass** Etched Cased Opal

FAN FEATURES

- Location Rating** IP44 (Wet)
- Hanging Weight** 11.69kg
- Body Material** ABS
- Warranty** Limited Lifetime

BLADE SPECS

Blades (3) included	
Pitch	25°
Material	ABS

INCLUDED CONTROLS



REMOTE CONTROL

- 3 forward speeds, reverse & motor off
- lights on/off with full-range dimming
- requires a 12V 23A Alkaline battery

MOTOR FEATURES


- Motor Size/Type** 188mm x 20mm, AC
- Amps** 0.289 on High
- RPM (High/Low)** 127/55

BLADE FINISH



HANGING MEASUREMENTS

Min. Fixture Drop (from ceiling)	A: 29cm
Min. Blade Drop (from ceiling)	B: 23cm
Housing (width)	C: 25cm
Ceiling Canopy (width)	D: 20cm



AIR PERFORMANCE

AIRFLOW Cubic ft. per minute on high	4043
POWER USAGE Watts on High (excludes lights)	66.4
AIRFLOW EFFICIENCY Cubic ft. per minute per Watt	61



LEHR II

54" / 137cm
bladespan

The Lehr™ II, in Antique Satin Silver is a smaller 54-inch model, making it practical for residential applications. The Lehr™ II is made of a composite material that is corrosion-resistant to withstand harsh outdoor elements such as extreme heat, saltwater spray, intense cold and constant UV exposure.









KLF-LEHR2-54-AS

INCLUDED FEATURES

Downrods 1 x 203mm
Mounting Options Standard, Angled

FAN FEATURES

Mounting Slope/Pitch 18°
Location Rating IP44 (Wet)
Hanging Weight 6.9kg
Body Material ABS
Warranty Limited Lifetime

BLADE SPECS

Blades (7) included	
Pitch	12°
Material	ABS

INCLUDED CONTROLS




REMOTE CONTROL

- 6 forward speeds, reverse & motor off
- requires 2 x 1.5V AAA batteries

MOTOR FEATURES


Motor Size/Type 125, DC
Amps 0.2 on High
RPM (High/Low) 107/45

BLADE FINISH



HANGING MEASUREMENTS

Min. Fixture Drop (from ceiling)	A: 51cm
Min. Blade Drop (from ceiling)	B: 34cm
Housing (width)	C: 26cm
Ceiling Canopy (width)	D: 17cm



AIR PERFORMANCE

AIRFLOW Cubic ft. per minute on high	5603
POWER USAGE Watts on High (excludes lights)	27.3
AIRFLOW EFFICIENCY Cubic ft. per minute per Watt	165



LYNDON PATIO

52" / 132cm
bladespan

The 52 inch Lyndon Patio fan is finished in Olde Bronze with reversible blades in either Medium or Dark Walnut. It co-ordinates with the Lyndon outdoor collection and is IP23 rated for covered outdoor living areas.









KLF-LYNDON-52-OZ

INCLUDED FEATURES

- Downrods** 1 x 114mm
- Mounting Options** Standard, Angled
- Light Type** 3 x 8W LED E27, Bulbs Not Included
- Light Glass** Clear Seeded

FAN FEATURES

- Mounting Slope/Pitch** 30°
- Location Rating** IP23 (Damp)
- Hanging Weight** 10.67kg
- Body Material** Steel
- Warranty** Limited Lifetime

BLADE SPECS

Blades (5) included	
Pitch	13°
Material	ABS

INCLUDED CONTROLS



REMOTE CONTROL

- 3 forward speeds & motor off
- lights on/off
- requires a 12V 23A Alkaline battery

MOTOR FEATURES


- Motor Size/Type** 172mm x 15mm, AC
- Amps** 0.238 on High
- RPM (High/Low)** 156/75

BLADE FINISH



HANGING MEASUREMENTS

Min. Fixture Drop (from ceiling)	A: 48cm
Min. Blade Drop (from ceiling)	B: 34cm
Housing (width)	C: 24cm
Ceiling Canopy (width)	D: 17cm



AIR PERFORMANCE

AIRFLOW Cubic ft. per minute on high	4915
POWER USAGE Watts on High (excludes lights)	54.7
AIRFLOW EFFICIENCY Cubic ft. per minute per Watt	90



KEVLAR

42" / 107cm
bladespan

The 42 inch Kevlar ceiling fan is IP44 rated and is an ideal choice for larger outdoor porches and patios. Smart detailing on the motor housing increases the stylish appeal. It is made of a composite material that is corrosion-resistant to withstand harsh outdoor elements such as extreme heat, saltwater spray, intense cold and constant UV exposure.









KLF-KEVLAR-42-WHT

INCLUDED FEATURES

Downrods 1 x 114mm
Mounting Options Standard, Angled, Flush

FAN FEATURES

Mounting Slope/Pitch 30°
Location Rating IP44 (Wet)
Hanging Weight 8.1kg
Body Material Aluminum
Warranty Limited Lifetime

BLADE SPECS

Blades (5) included

Pitch	14°
Material	ABS

INCLUDED CONTROLS

PULL CHAIN


- 3 Speeds
- 3 Forward & Reverse
- Manual Reverse



MOTOR FEATURES


Motor Size/Type 153mm x 18mm, AC
Amps 0.24 on High
RPM (High/Low) 214/100

BLADE FINISH



HANGING MEASUREMENTS

Min. Fixture Drop (from ceiling)	A: 35cm
Min. Blade Drop (from ceiling)	B: 29cm
Housing (width)	C: 33cm
Ceiling Canopy (width)	D: 17cm



AIR PERFORMANCE

AIRFLOW Cubic ft. per minute on high	3939
POWER USAGE Watts on High (excludes lights)	56.8
AIRFLOW EFFICIENCY Cubic ft. per minute per Watt	74



SOLA

34" / 86cm
bladespan

The Sola collection from Kichler is available in Matte White and Brushed Nickel. It can be used outside and features integrated dimmable LED lighting and flush mount installation. The globe inspired motor housing shape brings delightful style to any space. A metal fixture cap is included for non-light use installations.



IP23 rated fans can be used on covered outdoor spaces or indoors.

86 cm 34 inch AC LED IP23 ☁️



KLF-SOLA-34-WHT

INCLUDED FEATURES

- Downrods** Not Available
- Mounting Options** Flush
- Light Type** 1 x 10W LED, Integrated, Replaceable Module, Dimmable, 3000K, 80 CRI
- Light Output** 1116 lm
- Light Glass** Etched Cased Opal

INCLUDED CONTROLS

REMOTE CONTROL



- 3 forward speeds, reverse & motor off
- lights on/off with full-range dimming
- requires a 12V 23A Alkaline battery

FAN FEATURES

- Location Rating** IP23 (Damp)
- Hanging Weight** 6.94kg
- Body Material** Steel
- Warranty** Limited Lifetime


MOTOR FEATURES

- Motor Size/Type** 172mm x 12mm, AC
- Amps** 0.234 on High
- RPM (High/Low)** 247/123

BLADE SPECS


Blades (3) included	
Pitch	22°
Material	ABS

BLADE FINISH



HANGING MEASUREMENTS

Min. Fixture Drop (from ceiling)	A: 28cm
Min. Blade Drop (from ceiling)	B: 18cm
Housing (width)	C: 22cm
Ceiling Canopy (width)	



AIR PERFORMANCE

AIRFLOW Cubic ft. per minute on high	4048
POWER USAGE Watts on High (excludes lights)	53.8
AIRFLOW EFFICIENCY Cubic ft. per minute per Watt	75



KLF-SOLA-34-BN

INCLUDED FEATURES

- Downrods** Not Available
- Mounting Options** Flush
- Light Type** 1 x 10W LED, Integrated, Replaceable Module, Dimmable, 3000K, 80 CRI
- Light Output** 1116 lm
- Light Glass** Etched Cased Opal

FAN FEATURES

- Location Rating** IP23 (Damp)
- Hanging Weight** 6.94kg
- Body Material** Steel
- Warranty** Limited Lifetime

BLADE SPECS

Blades (3) included	
Pitch	22°
Material	ABS

INCLUDED CONTROLS




REMOTE CONTROL

- 3 forward speeds, reverse & motor off
- lights on/off with full-range dimming
- requires a 12V 23A Alkaline battery

MOTOR FEATURES


- Motor Size/Type** 172mm x 12mm, AC
- Amps** 0.234 on High
- RPM (High/Low)** 247/123

BLADE FINISH



HANGING MEASUREMENTS

Min. Fixture Drop (from ceiling)	A: 28cm
Min. Blade Drop (from ceiling)	B: 18cm
Housing (width)	C: 22cm
Ceiling Canopy (width)	D: 17cm



AIR PERFORMANCE

AIRFLOW Cubic ft. per minute on high	4048
POWER USAGE Watts on High (excludes lights)	53.8
AIRFLOW EFFICIENCY Cubic ft. per minute per Watt	75

LED LAMPS

The Litec range of LED lamps are optimised to suit Elstead Lighting products. They all feature a high lumen output, and the filament style bulbs have the added bonus of looking attractive both when switched on and off. All lamps have an A+ Energy Rating and are guaranteed against failure for 2 years.



Edison LED E27 Clear Lamp
CODE: LP-LED7W-E27-ST64-C
DIMMABLE



Classic LED E27 Lamp
CODE: LP-LED8W-E27-A60
DIMMABLE



AMBER
GLASS

Amber Candle LED E14 Lamp
CODE: LP-LED4W-E14-C35
DIMMABLE

All lamps have an A+ Energy Rating and are guaranteed against failure for 2 years.



AMBER
GLASS

Edison LED E27 Lamp
CODE: LP-LED8W-E27-ST6
DIMMABLE



Classic LED B22 Lamp
CODE: LP-LED8W-B22-A60
DIMMABLE



Clear Candle LED E14 Lamp
CODE: LP-LED4W-E14-C3C
DIMMABLE

Code	Description	Height	Diameter	Wattage	Colour temp.	Expected Life	Lumens
LP-LED4W-E14-C35	Amber Candle LED E14 Lamp	98mm	35mm	4W (35W equivalent)	3000k	25,000 hours	400 Lm
LP-LED4W-E14-C3C	Clear Candle LED E14 Lamp	98mm	35mm	4W (35W equivalent)	3000k	25,000 hours	400 Lm
LP-LED8W-E27-A60	Classic LED E27 Lamp	105mm	60mm	8W (60W equivalent)	3000k	25,000 hours	800 Lm
LP-LED8W-B22-A60	Classic LED B22 Lamp	105mm	60mm	8W (60W equivalent)	3000k	20,000 hours	850 Lm
LP-LED8W-E27-ST6	Edison LED E27 Lamp	140mm	64mm	8W (60W equivalent)	3000k	25,000 hours	800 Lm
LP-LED7W-E27-ST64-C	Edison LED E27 Clear Lamp	140mm	64mm	7W (60W equivalent)	3000k	20,000 hours	800 Lm

N.B. All lamps are UV free, suitable for 220-240V.



GX53 LED Lamp
CODE: LP-LED5.7W-GX53
NOT DIMMABLE



G9 LED Lamp
CODE: LP-LED3W-G9
DIMMABLE



GU10 LED Lamp
CODE: LP-LED8W-GU10
DIMMABLE



Golf Ball LED E27 Lamp
CODE: LP-LED4W-E27-G45
NOT DIMMABLE



Golf Ball LED E14 Lamp
CODE: LP-LED4W-E14-G45
NOT DIMMABLE



Tubular LED E14 Lamp
CODE: LP-LED4W-E14-T27
DIMMABLE



Tubular LED E27 Lamp
CODE: LP-LED8W-E27-T30
DIMMABLE



Large Tubular LED E27 Lamp
CODE: LP-LED7W-E27-T30L
DIMMABLE

Code	Description	Height	Diameter	Wattage	Colour temp.	Expected Life	Lumens
LP-LED3W-G9	G9 LED Lamp	50mm	15mm	3W (28W equivalent)	3000k	25,000 hours	320 Lm
LP-LED4W-E14-G45	Golf Ball LED E14 Lamp	78mm	45mm	4W (35W equivalent)	3000k	25,000 hours	400 Lm
LP-LED4W-E27-G45	Golf Ball LED E27 Lamp	72mm	45mm	4W (35W equivalent)	3000k	25,000 hours	400 Lm
LP-LED8W-GU10	GU10 LED Lamp	58mm	50mm	8W (50W equivalent)	3000k	25,000 hours	560 Lm
LP-GX53-LED5.7W	GX53 LED Lamp	24mm	75mm	5.7W (48W equivalent)	3000k	25,000 hours	600 Lm
LP-LED4W-E14-T27	Tubular LED E14 Lamp	105mm	27mm	4W (35W equivalent)	3000k	15,000 hours	420 Lm
LP-LED8W-E27-T30	Tubular LED E27 Lamp	128mm	30mm	8W (60W equivalent)	3000k	20,000 hours	900 Lm
LP-LED7W-E27-T30L	Large Tubular LED E27 Lamp	185mm	30mm	7W (60W equivalent)	3000k	20,000 hours	820 Lm

N.B. All lamps are UV free, suitable for 220-240V.

1. FINISH CONSISTENCY: Some fittings have what seem to be the same finish code, but these finishes can vary between ranges, as they come from a number of different manufacturers whose techniques and processes are not always the same. Please note when specifying.

2. WATTAGES: Most fittings shown in the catalogue are shown with Maximum Wattage recommendations. These recommendations are calculated mainly by heat capability, as there is a correlation between heat and wattage. However, in many countries, traditional incandescent lamps, such as 100W GLS are no longer available. There are now many new LED versions of lamps in the market, with much lower wattage but similar light performance, classed as Lumens. Most fitting's wattage capacity and certification have been based on the criteria using an Incandescent lamp and so when choosing lamps, please take care to ensure that the wattages specified are of no more than the equivalent original incandescent lamps.

3. IP RATINGS: All exterior fittings have an IP (Ingress Protection) rating which is a declaration of how much protection any product has against the ingress of both water and dust/particles. The minimum rating for an outdoor luminaire exposed to rain should be IP23 and the maximum can be up to IP68 (this can vary in different countries) which means the fitting is submersible. Most of our fittings are IP44 or greater and some of the Landscape models are up to IP67 meaning they can be covered by water up to a depth of 150mm, such as in-ground lights. See the IP Ratings table for full classifications. Typically, the higher the numbers, the higher the performance.

4. INSTALLATION CARE & MAINTENANCE: When installing all outdoor lights, it is recommended to lightly grease all threaded parts and screws / nuts to ensure that fittings can easily be disassembled for cleaning or lamp replacement. When handling certain fittings / finishes such as polished copper they can easily finger mark, so it is recommended that bare hands on these surfaces is kept to a minimum. Please retain receipt and installation instructions for future reference. Scratches to paintwork, on glass and other areas are not the responsibility of the manufacturer.

5. FINISH MAINTENANCE: All fittings being installed outdoors and exposed to the elements of weather and atmosphere should be maintained. Most of this relates to rinsing and cleaning with warm water, so that excessive build-up of airborne material and saline content is reduced. Many of our fittings are supplied in a natural finish, i.e., Polished Copper un-lacquered and Teak wood. These fittings can naturally age over time or to maintain their original appearance, treatment is needed, such as oil for teak, beeswax for brass and light oil for Copper and Stainless Steel.

When handling finishes during maintenance, small marks may show which can be easily polished away if required. The alternative is to allow the material to age and weather naturally, which does no harm to the fitting. All lacquered fittings, such as the Newbury Collection, will age early on as the lacquer ages and the fittings will spot and pit until after some time, they will have a more natural patina. Regular washing and waxing are the best way to keep close to the original finish on such products.

Additionally, when installing cast aluminium fittings, a light coating of beeswax or oil can give the finish extended life, especially when in coastal areas. For all models, we highly recommend that exterior fittings are cleaned once per year with fresh water and oiled or waxed to give longer service. Lenses and glasses also benefit from cleaning but take care of sharp edges on glass and with polycarbonate or acrylic as these materials can easily scratch if any abrasive cloth is used.

6. CUSTOMISATION: Some of our ranges supplied in matt black can be relatively easily patinated into finishes such as Black/Gold, Black/Copper etc. Equally, for chain-suspended fittings that need extra chain and cable, these can also be relatively easily undertaken. Both such modifications may incur longer lead times and will have small additional costs added to the price. (See current Terms and Conditions.) Beyond this, with appropriate lead time and client budget, more specialised changes can be undertaken such as different colours completely, changes to dimensions and design modifications and even fully bespoke fittings can be considered due to our varied manufacturing resources available.

IP RATINGS

1st Digit	Short Description (Protection against ingress of solid bodies)	2nd Digit	Short Description (Protection against ingress of moisture)
0	Non-Protected	0	Non-protected
1	Protected against solid objects greater than 50mm dia.	1	Protected against dripping water falling vertically greater than 50mm diameter
2	Protected against solid objects greater than 12mm dia.	2	Protected against dripping water when the Luminaire is tilted up to 15° from its normal position
3	Protected against solid objects greater than 2.5mm dia.	3	Protected against spraying water falling on the Luminaire at any angle up to 60° from the vertical
4	Protected against solid objects greater than 1mm dia.	4	Protected against splashing water from any angle
5	Dust-protected	5	Protected against water jets from any direction
6	Dust-tight	6	Protected against powerful water jets
		7	Protected against immersion in water under defined conditions
		8	Protected against continuous submersion under manufacturers specified conditions

Example IP65 Dust-tight and protected against water jets from any direction.



SAFETY & COMPLIANCE

Safety is paramount with all lighting, and especially when used outdoors. All products within this catalogue conform with the UK and European Union Low Voltage Directive, **(BS) EN 60598-1:2008**, the product standard for luminaires recognised across Europe and all fittings are **CE** marked. They are also **IP** rated to ensure suitable protection against the ingress of water.

Every luminaire is individually tested to ensure that the product is electrically sound and meets the company's quality standards. A unique test/batch number is then applied to the fitting. Please contact us for further details or advise us of your local needs.

We also are **ISO 9001:2015** certified in both of our 2 key production and logistics locations.

bsi.  

Certificate of Registration

QUALITY MANAGEMENT SYSTEM - ISO 9001:2015

This is to certify that: **Elstead Lighting Ltd**
Elstead House
Mill Lane
Ailton
GL34 2QJ
United Kingdom

Holds Certificate Number: **FM 671247**

and operates a Quality Management System which complies with the requirements of ISO 9001:2015 for the following scope:

Design, manufacture, sales including export of decorative lighting and fan lighting

For and on behalf of BSI: 
Andrew Lunn, EMEA Systems Certification Director

Original Registration Date: 2018-03-07 Effective Date: 2021-03-07
Latest Revision Date: 2020-10-19 Expiry Date: 2024-03-06


Page: 1 of 1

...making excellence a habit.™

This certificate was issued electronically and remains the property of BSI and is bound by the conditions of contract. An electronic certificate can be authenticated online. Printed copies can be validated at www.bsigroup.com/ClientDirectory

Information and Contact: BSI, Khemka Court, Davy Avenue, Knowlton, Milton Keynes MK5 8PP. Tel: +44 345 080 9000. BSI Assurance UK Limited, registered in England under number 7895321 at 389 Chiswick High Road, London W4 4AL, UK. A Member of the BSI Group of Companies.

Certificate PL15/0243 

The management system of

Elstead Lighting Spółka z ograniczoną odpowiedzialnością
ul. Sportowa 12, 32-083 Bałowie, Poland


has been assessed and certified as meeting the requirements of


ISO 9001:2015

For the following activities:

Distribution and sales of lighting articles.







This certificate is valid from 16 June 2021 until 15 June 2024 and remains valid subject to satisfactory surveillance audits. Recertification audit due a minimum of 60 days before the expiration date. Issue 3. Certified since 16 June 2015

Authorized by: 



SGS United Kingdom Ltd
Rosemary Business Park, Elmstone Park, Cheshire CH65 3EN UK
t +44 (0)151 350 6666 f +44 (0)151 350 6000 www.sgs.com

HC: GDC 0001 2015 0918
Page 1 of 1

This document is issued by the Company subject to its General Conditions of Certification Services available at www.sgs.com/terms_and_conditions. Attention is drawn to the conditions of liability, indemnification and jurisdiction clauses established therein. The authenticity of this document may be verified at: http://www.sgs.com/certificates/terms-and-conditions/certificate-verification-key-parameters/attention-flags-at-verification-of-the-content-or-authenticity-of-this-document-is-warranted-and-attention-should-be-paid-to-the-flags-warranted-at-the-end-of-the-text

GENERAL 2-YEAR GUARANTEE: All fittings supplied by us, both interior and exterior, have a manufacturer's minimum guarantee of 2 years. This means that in normal and fair service, (and without incorrect or inappropriate installation or location), any product sold by us, or by our partners / resellers, should have no fault develop within a minimum of 2 years from purchase. Any fault that is found is covered by guarantee to be repaired or replaced at the supplier's cost, within this period. ALL Lighting warranties/guarantees do not cover out-of-pocket expenses or consequential costs. The definition of fault excludes the surface finish of brass and copper materials that age / patina early after being exposed to the atmosphere.

3, 5, AND 10-YEAR ANTI-CORROSION GUARANTEES: Many outdoor fittings have anti-corrosion guarantees stated on each relevant page. This guarantee relates to the corrosion of paintwork on cast aluminium or steel fittings and excludes locations within 5 miles (8km) of the coastline.

COASTAL COLLECTION 5-YEAR GUARANTEE: These fittings are designed to be placed in the toughest of conditions including right by the coastline without exclusion. This guarantee covers the protection of the finish on all composite parts against corrosion or significant UV degradation (normal aging / fading allowing). Internal and ancillary metal parts are excluded from this guarantee.

COASTAL COLLECTION 15-YEAR WARRANTY AGAINST STRUCTURAL FAILURE: Those models listed as having a 15-year warranty are guaranteed, that from purchase to within 15 years of normal use, the fittings will not deteriorate to any extent where they experience any structural failure. There may be signs of ageing, corrosion or paint peeling and fading, but the integrity of the construction of these fittings means they will not deteriorate to any extent where they are rendered unusable within a lifetime of 15 years.


COASTAL COLLECTION 20-YEAR GUARANTEE: These fittings are designed to be placed in the toughest of conditions including right by the coastline without exclusion. This guarantee covers the protection of the finish against corrosion or significant UV degradation (normal aging / fading allowing).

LIMITED LIFETIME WARRANTY: This warranty relates to certain ranges/models shown in this catalogue which are produced of materials that have an exceptionally long-life expectation, such as solid copper and brass lanterns. These fittings will age over time (subject to location and maintenance given) but will not deteriorate to an extent where they will no longer function for the purpose intended. The "Limited" element relates to component parts such as rubber seals, lamp-holders etc. which are repairable but are not covered by the Lifetime warranty.

GUARANTEES DISCLAIMER: In the instance that fittings have been damaged, repainted, or cleaned with an aggressive cleaner, they may be excluded from the entitlement to a replacement. Prior to agreeing to replace any fittings, the company reserves the right for the original seller or a representative of the company to inspect the damaged parts and / or for photographic evidence to be supplied. ALL Lighting warranties/guarantees do not cover out-of-pocket expenses or consequential costs. The definition of fault excludes the surface finish of brass and copper materials that age / patina early after being exposed to the atmosphere.

LED MODULE AND PIR SENSOR GUARANTEES: Within this catalogue, there are a number of products incorporating PIR sensors or LED modules. Whilst the fittings themselves may have varying physical guarantees against their life expectancy, these electronic parts are separately covered by a 2-year guarantee against failure. After this period, they are still repairable and serviceable, either by the company or local supplier.

LIMITED LIFETIME WARRANTY ON KICHLER® CEILING FANS: Please see website for details.



A-Z INDEX

A	F	M	Saturne.....23
Admirals Cove.....137	Fairford.....228	Magnus.....31	Security & PIR Lanterns...230, 231
Ahrendale.....248, 249	Fitzgerald.....106	Malvern.....41	Selma.....46
Allenbury.....57	Franceasi.....174	Manhattan.....79	Shannon.....151
Ano.....44	Freeport.....116, 117	Mansion House.....152, 153	Sheldon.....161
Argyle.....221	Freyr.....42	Marblehead.....135, 136	Shepherd.....138, 139
Ashland Bay.....63, 65, 66 67, 234, 235	Frida.....42	Matlock.....225	Shipston.....227
B	G	Medstead.....225, 231	Sigmund.....30
Bainbridge.....78	Galena.....112, 113	Merrill.....76	Sola.....262, 264, 265
Balmoral.....223	Glenbeigh.....148	Miles.....27	Somerton.....163
Baltimore.....194, 195	Glenview.....87	Miners.....222	Sorel.....41
Barras.....73	Goldenrod.....86	Montauk.....165	South Hope.....77
Bay Shore.....168	Grampian.....217	N	Springfield.....206
Bayview.....128, 129	Grand Bank.....240	Newbrighton.....48	St James.....156
Beacon Square.....141, 143	H	Newbury (QZ).....169, 170, 171	St Louis.....193
Bedford.....146, 147	Halleron.....123, 124, 125, 239	Newbury (EL).....228	St Martins.....154
Bingham.....165	Helsingor.....37, 38, 39, 230	New England.....193	Stow.....223
Boynton.....93	Hereford.....218, 219	Newport.....94	St Pauls.....156
Bridge Point.....68, 69	Highnam.....228	Norfolk.....198, 199, 231	Suri.....95
Bromley.....72	Hodges.....83	O	Sven.....43
Burford.....227	Holborn.....118, 119, 120, 121	Old Bailey.....155	T
Byron.....74, 75	Hornbaek.....32	P	Tangier.....166, 167
C	Hornsea.....48	Paignton.....49	Taper.....45
Canterbury.....207	Huntersfield.....108, 109	Parish.....213, 215	Technical Notes
Carlson.....115	Hyde Park.....156	Parish Min.....212	& Information.....268, 269
Carson.....237	Hythe.....225	Parkstone.....47	Torsten.....30
Casa.....107	I	Pediment.....224	Tournai.....180, 181, 182, 183
Cedar Point.....110, 111	Inglenook Outdoor.....175	Philadelphia.....196, 197	Traditional Lanterns.....223, 224 225, 226, 227, 228
Chapel.....209, 211	J	Polruan.....224	Trellis.....191
Chapel Mini.....208	Jannik.....31	Poole.....50	V
Chasm.....25	Jens.....29	Porto.....22	Vandalia.....85, 239
Chedworth.....228	K	Portofino.....22	Vendela.....28
Chelsea Harbor.....97	Kendal.....223	Product Warranties	Venetian Rain.....173
Chicago.....126, 127	Kent.....227	Guarantees.....270	Victoria.....157
Chiswick.....46	Kerry.....149	Province.....224	Visual Index.....5
Cleveland.....130, 131	Kevlar.....250, 251, 260, 261	Q	W
Copenhagen.....36	Kinsale.....150	Quincy.....99	Wabash.....221
Cotswold Lane.....177, 178, 179	Klampenborg.....33, 34 35, 230, 231	R	Wakefield.....55
Cricklade.....228	Kolne.....41	Randhurst.....133	Walker.....101
Crusade.....144	L	Ravine.....88, 89	Wellfleet.....226
D	Lambeth Palace.....157	Redding Station.....70, 71	Westminster.....155
Dali.....22	Lars.....28	Reef.....96	Wexford.....200, 201, 231
Delison.....61	Ledbury.....229	Regents Park.....159	Willoughby.....132
Downing Street.....159	LED Lamps.....266	Riverwood.....91	Wilmslow.....216
Downrod Extensions.....245	Lehr.....246, 247	Roscoe.....26	Winchcombe.....227
Dungarvan.....41, 151	Lehr II.....256, 257	Royal Marine.....81	Winchester.....203
E	Lighthouse.....58, 59	S	Y
Egil.....44	Livingston.....145	Safety & Compliance.....269	York.....204, 205
English Bridle...185, 186, 187, 189	London Towne.....226	Sag Harbor.....105	Z
Eris.....252, 254, 255	Luverne.....192	Sandbanks.....51	Zola.....23
	Lyndon.....62, 241	Sandown.....227	
	Lyndon Patio.....258, 259		

UK HEAD OFFICE

Elstead Lighting Ltd.
Elstead House, Mill Lane, Alton,
Hampshire, GU34 2QJ, UK

UK SALES

T: 01420 82377
F: 01420 89261
E: enquiries@elsteadlighting.com

EXPORT SALES (UK)

T: +44 (0) 1420 590509
F: +44 (0) 1420 590005
E: export@elsteadlighting.com

ELSTEAD EUROPEAN OFFICE

EXPORT SALES (POLAND)
Elstead Lighting Sp. z o.o.
ul. Komandosów 3
32-085 Modlniczka, Poland
T: +48 124441091
E: export@elsteadlighting.pl
E: zamowienia@elsteadlighting.pl

ELSTEAD GERMANY

Elstead Lighting GmbH
In der Schlar 21
59757 Arnsberg, Germany
T: +49 (0)151 645 86315
E: wdecorte@elsteadlighting.com

ELSTEAD FRANCE


Elstead Lighting Sarl.
43 Quai de Rouen,
Zi du Buisson,
76350 Oissel, France
T: +33 02 35 71 03 04
E: contact@elsteadlighting.com

ELSTEAD IRELAND

Elstead Lighting (Ireland) Ltd.
Bandon Retail Park, The Bypass,
Cork, Ireland
T: +353 2388 54500
E: sales@elsteadlighting.ie

ELSTEAD MIDDLE EAST

Elstead Lighting/ The Ceiling Fan Company L.L.C.,
P.O. Box 282188,
Dubai, United Arab Emirates
T: +971 4 388 3025
F: +971 4 388 3031
E: dubaioffice@elsteadlighting.com



5 024005 004066 >

Code: CAT-24-A4-LECTERN-EXT



Please scan this QR Code,
for a direct web link to our online
catalogue download page



www.elsteadlighting.com