LUTEC CONNECTED BY LIGHTING



Ш C V Portfolic

Lusterlicht +38 (066) 496-94-85 +38 067 507 02 30 sales@lusterlicht.com.ua LUTEC in Poland

Delighting Polska Sp. z o.o. sp.k +48 61 4367 481 kontakt@delighting.pl

LUTEC in Ukraine

LUTEC in United States - Canada LUTEC USA LLC +(704) 980 4135 shelley.greenberg@lutec.net

LUTEC in Iraq Al-Riyad Group Co. Ltd. +964 782 2222033 info@alrivad.ig

LUTEC in South Korea Belko Co., Ltd +82 2 465 0603 belko@belko.co.kr

LUTEC in Chile Manufacturas Eléctricas ByP Ltda. +56 228 769 400 online@byp.cl

LUTEC China Head Office CN8. Far-East Industry Park, Yuyao, Zhejiang, China +86-574-62760832 info@lutec.net

2160 Wommelgem, Belgium +32 3 284 51 62 info@lutec-europe.com

LUTEC in Hungary-Slovenia-Croatia

Czech-Slovakia

LUTEC Lighting Kft

+36 30 897 8494

Info@lutec.hu

LUTEC in Belgium - The Netherlands

WEBRANDS Benelux

+32 3 369 26 16

info@webrands.eu

LUTEC in Italy

Lightec Srl.

+39 031 3551342

info@lightecsrl.com

LUTEC in Greece - Cyprus

Samba Eliezer S.A.

+30 2104820946

info@samba-eliezer.gr

LUTEC UK Ltd

Lope Group A/S

+45 47 17 82 26

mail@lopegroup.dk

LUTEC Europe Regional Office

Herentalsebaan 425

LUTEC in Germany Austria - Switzerland ECO-LIGHT Leuchten GmbH +49 22 22 / 82 78 5-0 sales@eco-light.biz

LUTEC in France Prof & Wholesale channel LUTEC France S.A.S +33 04 75 60 25 68 commande@lutec-france.fr

DIY & Specialist channel COREP SAS +33-05-56 49 96 00 contact@corep.com

LUTEC in Portugal **Duarte Neves LDA** +351 219 668 100 info@duarteneves.pt LUTEC Iberia Lda. +351 963 516 750 paulo.pombo@lutec-iberia.com

LUTEC in Spain Prof & Specialist channel Silumin S.L. +34 93 892 40 51 silumin@silumin.es DIY & Garden channel **BRIGHT and GO S.L.** +34 670 85 45 57

administracion@luteciberia.com

LUTEC in Canary Islands Districan Luz +34 928 791 179 info@districanluz.com

LUTEC in United Kingdom - Ireland +44 (0) 1992 760870 sales@lutecuk.com LUTEC in Denmark - Sweden -Norway - Iceland

OUTDOOR LIGHTING

N 025 **OUTDOOR LIGHTING** European Warehouse Portfolio








HELLO, NICE TO CONNECT WITH YOU WE ARE

LUTEC

ONE LUTEC, ONE **LIGHTING** WORLD





DISCOVER WHAT'S NEW



LEADING THE WAY IN SOLAR LIGHTING

At LUTEC, we are proud to introduce our new range of solar products. The combination of innovation, sustainability and modern design makes our solar outdoor lighting the best.

#1 in Solar Lighting

We offer high quality and energy efficient solar solutions. All our products have strong light output in combination with high level of autonomy.

Continuous Innovation

We constantly develop new technologies, such as Solar Hybrid and Solar Connect, ensuring that our solar lighting remains at the forefront of the industry.

New Designs for Modern Living

Our latest range of solar products combines cutting-edge technology with nice, contemporary designs. These new models not only deliver superior functionality but also improve the aesthetic appeal of any outdoor space.

























ATLANTIS: POWERFUL ELEGANCE

The new ATLANTIS product family offers a perfect blend of power and design. Available in various sizes and lumen outputs, with or without sensors,

Beautiful Honeycomb LED Design

Featuring a unique honeycomb LED design, ATLANTIS is the first floodlight range to combine bright lighting with a sleek, modern look.

Powerful Yet Non-Blinding

These floodlights deliver bright, powerful illumination without causing glare, providing efficient lighting for any outdoor area.

Adjustable and Slim Design

Despite their size, ATLANTIS lights are slim and feature an adjustable head, offering flexible positioning and a refined appearance.





















LUTEC **TIMELESS** TRADITIONAL LIGHTING

While LUTEC offers a range of traditional outdoor lighting, these designs are far from outdated. Our traditional lights combine classic aesthetics with modern functionality and are all suitable for Retrofit filament bulbs.

Always Up to Date

LUTEC's traditional lights are constantly refreshed with new designs, ensuring they stay current with the latest trends.

Perfect for Modern Homes

These timeless lights blend seamlessly with modern architecture, offering a perfect balance of style and sophistication.

Classic Look, Modern Performance

Behind the traditional appearance, our lights are equipped with the latest technology, providing both elegance and efficiency.

CREATING **UNIQUE** OUTDOOR AMBIANCES

LUTEC's special light beam products offer a unique way to enhance outdoor spaces, with lighting that goes beyond functionality to create beautiful visual effects on walls. These lights are designed to elevate the atmosphere of any exterior setting.

Customizable Lighting Effects


Our special light beams, like the Gemini Beam series, offer a variety of switchable lighting effects. These lights allow users to easily change the ambiance, adding an artistic touch to their outdoor areas.

Expanding Range


We continue to expand this product line with exciting new models such as MOOV and BELKA. These additions bring even more creative possibilities, ensuring there's a perfect option for every outdoor design.

Transform Your Outdoor Walls


LUTEC's special light beams are more than just lighting; they are a design feature. These lights transform plain walls into illuminated canvases, creating a dynamic and elegant outdoor space with their artistic light projections.























our 7 activity segments





connected



ENJOY THE **SOLAR** SIDE OF LIGHT

SOLAR



SOLAR bollard integrated panel NEW RUNDA FLAIR LONDON 6915802118 / P89 6988802012 / P105 6951301189 / P107 flood independent panel NEW NEW BRITI **SUNSHINE** 6925601345 / P115 комво SUNSHINE **SUNSHINE** 6925604345 / P113 6922401330 / P109 6922201330 / P111 6925701345 / P113



SOLAR WITHOUT RISK THE BEST OF BOTH WORLDS

SOLAR ENERGY + **ELECTRIC** ENERGY





BRIGHT CONTING ALL NIGHT, ALL SEASONS

NO HASSLE, ALWAYS BRIGHT LIGHT WHEN YOU NEED IT

DURING DAYTIME

- · Battery charging from high-efficiency solar panel
- Resulting charging level depending on weather and panel orientation





÷	5.	ź	, -	ò	
	1	DAY	/		

DURING NIGHT

 Bright LED light fueled by free solar energy from the battery Automatic switch to the electric net, when battery capacity reaches 10%







NIGHT

CONVENIANT SETTINGS ENHANCE YOUR PERSONAL COMFORT

MODELS WITH DUSK TO DOWN SENSOR

- Bright LED Light ON, from dusk to dawn
- Select your brightness level with High-Medium-Low Switch





` @ ´		۲. آپ
HIGH	MEDIUM	LOW
100%	50%	10%

1.1.2

 $\sqrt{1}$


MODELS WITH MOTION SENSOR

- Integrated Passive Infra Red (PIR) Motion Sensor
- Select your operational mode, with AUTO-DIM-ON Switch





AUTO	0		_ 100% ★
DIM		' ` 10%	₩ ₩ 1009
ON			- 50%












wall

The BELKA is a solar hybrid wall light that offers versatile up and down lighting with an adjustable beam. Featuring a frontal solar panel, it can operate on both solar and electric energy, providing flexible and sustainable lighting solutions for any outdoor area.





Grey 6915601335

CLASS II IP54 LED 9W 1*2200mAh 3.7V Li-ion battery 280 Lumen Synthetics











FAST CONNECTION







integrated panel

The ZELNA solar hybrid wall light, taking inspiration from the DOBLO design, offers a sustainable and stylish outdoor lighting solution in a sophisticated dark grey finish.






Dark Grey 6912401345

CLASS II IP44 LED 9W 1*2200mAh 3.7V Li-ion battery 650 Lumen Synthetics



/____ ~148°









FAST CONNECTION







integrated panel

The INKA solar hybrid wall light stands out with its refined design, featuring a front-facing solar panel. This innovation allows for efficient solar power absorption while maintaining an aesthetically pleasing appearance, in combination with the possibility of traditional wiring.






ey 6989101118

CLASS I IP44 LED 9W 1*2200mAh 3.7V Li-ion battery 720 Lumen Die Cast Aluminium

3000K










PRIMA

integrated panel

The PRIMA solar hybrid light, drawing inspiration from the CUBA design, features a compact and minimalistic build with a solar panel. This design combines the efficiency of solar power with traditional wiring, ensuring reliable illumination in a small and sleek package.








CLASS I IP44 LED 9.5W 1*2200mAh 3.7V Li-ion battery 400 Lumen Die Cast Aluminium



Battery Item nr:9759804000







350°

FAST CONNECTION





31

LUTEC solar



finally solar lighting **becoming smart!**

solar

- 🕑 Energy Saving
- Easy installation no wires needed
- 🕑 Higher lumen output
- 🕑 Long life solar battery



connected

- Easy to install, connect and control
- Fast & Stable bluetooth connection
- Lights are connected to each other via Bluetooth Mesh
- 🕑 Range up to 50m
- Adjustable light settings
- Control by smart phone or motion sensor



+

Control and adjust your SOLAR lights

Switch your lights on or off, dim your lights, change the temperature or the color according to your mood.



High tech Low energy

Easy to control solar lights for better efficiency and comfort.



Create Groups for more convenience

Control all your lights at once! Easy and fast set up, you can add or delete any light from the group.



Manage the battery life

Check the battery level at any time. At low battery levels, switch easily from ON to PIR or OFF mode.

-

R, 📖

8









Control and adjust your SOLAR lights

With the LUTEC connect App you can switch your lights On/Off,dim or change the color temperature easily.

The led color feature available in either the bollard or spike, allows you to create your own personalised garden atmosphere, desiging your outdoor space in style with colors or dedicated scenes.






Create Groups for more convenience

From first detection at your driveway or path create a group which allows all lights to illuminate

Create a group with the Solar connect light through the APP.

Thanks to Bluetooth MESH the lights can be easily linked and work simultaneously



High tech Low energy



Within the application you can select OFF-AUTO-ON mode. Selecting AUTO mode activates the movement sensor, which enables the light to come on only when someone is passing and increases battery life from a single charge.

From the sensor menu you can :

- Activate the detection from near to the sensor to further away
- Set Twilight mode from dusk to dawn
- Choose light reaction time from 10 seconds to 3 minutes
- Constant light : Additional option to set your light output at 20% and also duration from 2 to 8 hours.

Manage the battery life

My house	10.10
	⋳⋼
	-

This feature enables you to quickly check the battery level.

You can decide to increase or decrease the brightness or switch to AUTO mode or even Off, allowing full user control.

		800 Lumen	→ 90 Minutes
لر	CHARGE	80 Lumen	→ 8 Hours
















Dimming* ☆ Adjustable whites 2700 K 6500 K

Instant full light
 Dimmable via the app and voice control



TUDA

integrated panel


The TUDA LED Outdoor Wall Light seamlessly combines efficiency with convenience, featuring an integrated solar panel and rechargeable battery. Designed for optimal outdoor use, it includes a PIR sensor for improved security and energy savings, activating the light only when motion is detected.





Matt Black 6935501330

CLASS III IP44 LED 8.5W 2*2200mAh 3.7V Li-ion battery 1000 Lumen Synthetics









* Dimming* * Аdjustable whites 2700 к 6500 к

Instant full light
 Dimmable via the app and voice control



TUDA

integrated panel

The TUDA LED Outdoor Wall Light seamlessly combines efficiency with convenience, featuring an integrated solar panel and rechargeable battery. Designed for optimal outdoor use, it includes a PIR sensor for improved security and energy savings, activating the light only when motion is detected.







Matt Black 6935502330

CLASS III IP44 LED 13W 2*2200mAh 3.7V Li-ion battery 1500 Lumen Synthetics
















* Instant full light
* Dimmable via the app or voice control



wall & spike

The GINBO lamp, adaptable as both a wall and spike light, enhances outdoor areas with its app-controlled, adjustable colors. Designed for flexibility and ambiance, it's a smart, stylish choice for modern lighting needs.





Bluetooth MESH

Matt Black 6938405330

CLASS III IP44 LED 7W 1*2200mAh 3.7V Li-ion battery 500 Lumen Synthetics











*	Dimming*	*
	Adjustable whites	
2700 K		6500 K

* Instant full light * Dimmable via the app and voice control





integrated panel

The FRAN Solar Wall Light, with a motion sensor and app-adjustable settings, offers a blend of sustainability and smart technology for outdoor illumination, ensuring energy-efficient lighting.








Matt Black 6941502330

CLASS III IP44 LED 9.7W 1*2200mAh 3.7V Li-ion battery 800 Lumen Synthetics









Dimming*

Adjustable whites

* Dimmable via the app and voice control

NITH

UTE(

INSIDE

2700 K

✤ Instant full light

渁

6500 K



integrated panel

The FADI Solar Wall Light integrates solar power, motion detection, and smart app control for customizable lighting. This energy-efficient solution brings ambiance in outdoor spaces, blending sustainability with convenience for a modern lighting experience.








Matt Black 6939501330

CLASS III IP54 LED 5W 1*2200mAh 3.7V Li-ion battery 800 Lumen Synthetics

Battery Item nr:9759804000




(UTEC connect /NSIDE









* Dimmable via the app or voice control





bollard & spike

The KARLO Pathway Bollard stands out for its solarpowered design, equipped with a motion detector and smart control options. This elegant, efficient solution for pathway illumination combines sustainability with advanced functionality, offering a secure and adjustable outcloor lighting experience.








Matt Black 6935802012

CLASS III IP44 LED 6.8W 1*2200mAh 3.7V Li-ion battery 500 Lumen Synthetics














* Instant full light
* Dimmable via the app or voice control





bollard & spike

The DIAS Solar Bollard, featuring a convenient spike design for easy installation, offers adjustable lighting through the LUTEC Connect app. This sustainable, appcontrolled luminaire upgrades outdoor spaces with customizable illumination.







Matt Black 6996601012

CLASS III IP44 LED 8.4W 1*2200mAh 3.7VDC Li-ion battery 900 Lumen Die Cast Aluminium

Battery Item nr:9759804000



49

complete lighting solution: green & convenient





No electrical wiring, no connection to the mains



Powerful LED Light

Autonomy all night long R.

Î

Full comfort



control options



Easy and fast installation

Longer light or more powerfull light

C




Portable

Integrated solar panel

-ò

-<u>ö</u>-



how to choose



Integrated Compact, no extra wiring



Higher solar energy capacity orientation of solar panel



The luminaire should be placed in the most optimal position; south orientation

Adjustable



The panel can be oriented in the most efficient position; south orientation (tilt angle 35° in summer - 65° in winter)

orientation of LED light

Fixed Diffuse light - Up & down light


Adjustable Directional spotlight

clever control **PIR motion sensor**



Smart use of the available solar energy Always light when somebody is passing

High-Medium-Low switch



DIM



The Light stays in low brightness all night and turns to high brightness when it detects motion.

nice to know



Solar Energy Battery Energy



Battery Energy Light Output



High efficiency monocrystalline or polycrystalline solarpanel



LED module with strong light output: 100 lumen up to 1800 lumen



101

Weatherproof materials and finishing

automatic switch to light-on during night

Integrated dusk to dawn sensor,

C

MEDIUM

51

Separate















POPS

portable post

The POPS Solar Portable Post redefines outdoor lighting with its unique, elegant donut shape. It features a highmedium-low brightness switch and a USB connection for added versatility. This innovative design combines functionality with style, perfect for creating ambiance anywhere outdoors.



1-2-3)	
1 48	30lm	6н
2 24	Olm	20H
3 48	lm	30H
4		OFF

CLASS III IP54 LED 5.1W 1*4400mAh 3.7VDC Li-ion battery 480 Lumen Synthetics

6910901012



3000K Battery Item nr:9759805000

Ø300


Ø280

53















portable post

The POPPY Portable Solar Post marries convenience with entertainment, featuring an integrated solar panel and built-in music playback capabilities. Its design is both practical and engaging, perfect for outdoor gatherings with light and music.



6910802335 Dark Grey

4

CLASS III IP54 LED 8W 1*4400mAh 3.7V Li-ion battery 300 Lumen Synthetics

3000K













bollard & spike

The SPIDO solar bollard light features an artistic design in black and comes with a spike for easy ground installation. This stylish and practical lighting solution is perfect for garden paths and outdoor spaces.








CLASS III IP54 LED 10.5W 1*2200mAh 3.7V Li-ion battery 900 Lumen Synthetics















wall & spike

The BINGO is a versatile solar light that can be used as a wall light, spike light, or bollard. It includes a PIR motion sensor, making it a practical solution for illuminating outdoor areas.





Matt Black 6938401330

CLASS III IP54 LED 8.2W 1*1200mAh 3.7V Li-ion battery 800 Lumen Synthetics



Battery Item nr:9759814000 109--125 133 287 86 109--155 86 109--155 86










portable

The COPPA solar portable lamp is a stylish and ecofriendly lighting choice, featuring a sleek black finish complemented by woven rattan detailing. This cordless, solar-powered lamp combines aesthetics with portability, making it an elegant and versatile lighting option for your outdoor areas.



6933708330 Matt Black

CLASS III IP44 LED 2.8W 1*1500mAh 3.7VDC Li-ion battery 300 Lumen Synthetics



Battery Item nr:9759808000



|-_____| Ø214 ↓ ↓ ↓ ↓ ↓ ↓





portable

The KOZY Solar Portable Table Lamp illuminates with a unique ray of lights, offering a warm, inviting glow. This solar-powered, eco-friendly lamp brings a cozy ambiance to any outdoor setting, combining sustainability with distinctive design.





1W polycrystalline

6933701330 Matt Black

CLASS III IP44 LED 2.8W 1*1500mAh 3.7VDC Li-ion battery 300 Lumen Synthetics F















portable

The MIYI solar portable light features a crystal look and is equipped with USB-C charging for easy power access. This stylish and convenient light is perfect for adding ambiance wherever it's placed.







1 300lm 2 150lm 3 45lm 4

6916301330 Matt Black

CLASS III IP54 LED 2.6W 1*2200mAh 3.7VDC Li-ion battery 390 Lumen Synthetics











DIVA

portable

The DIVA Solar Table Lights stand out with their unique light patterns and transparent diffuser, casting enchanting shadows and soft illumination. This green option adds a touch of elegance and distinctiveness to outdoor dining or relaxation areas.



Matt Black 6938602330

CLASS III IP44 LED 0.11W 1*900mAh 1.2VDC Ni-MH battery 13 Lumen Synthetics













DRAGONFLY

portable

The DRAGONFLY Portable Solar Lamp is designed with versatility in mind. In its open position, it accumulates solar energy; closed, it emits an inviting light. Featuring a 3-step dimmer for tailored illumination and including a USB cable, this lamp offers a captivating ambiance.




CLASS III IP54 LED 1.2W 1*2200mAh 3.7V Li-ion battery 120 Lumen Synthetics

40**0**0K

6904101331











The ALETA solar LED wall light in dark grey features a frontal solar panel, PIR sensor, and provides both up and down lighting. This design efficiently harnesses solar energy, making it a smart and stylish choice for outcloor lighting.








Dark Grey 6915401118

CLASS III IP54 LED 12.6W 1*2200mAh 3.7V Li-ion battery 1100 Lumen Die Cast Aluminium




Battery Item nr:9759804000



71









The BARLO solar wall light, in dark grey, features front light diffusion through its frontal solar panel and includes a PIR sensor. This combination offers efficient, motionactivated illumination, making it an effective and stylish addition to any outdoor space.





1	100times	Αυτο
2	100times	DIM
3	10Н	ON
4		OFF

6915501335 Dark Grey

> CLASS III IP54 LED 8.2W 1*1500mAh 3.7V Li-ion battery 950 Lumen Synthetics 4000K













reddot winner 2024 lighting design



integrated panel

Introducing the LINKO Solar Wall Light, a reliable solution for illuminating pathways with solar-powered efficiency. This fixture combines a sleek design, a PIR sensor for motion detection, and a built-in solar panel for eco-friendly pathway lighting.






Grey 6912301335

CLASS III IP44 LED 11.5W 1*1500mAh 3.7V Li-ion battery 900 Lumen Synthetics

3000K







The MOZE Outdoor Solar Wall Light mixes functionality with beauty. The incorporated motion sensor assures you a welcoming light. This solar-powered light is an elegant solution for illuminating and accentuating outdoor spaces.





Matt Black 6943101012

CLASS III IP44 LED 8W 1*1500mAh 3.7V Li-ion battery 1000 Lumen Synthetics

4000K

Battery Item nr:9759808000




87° 120° 200-10 m















The AERO solar wall light, crafted from durable ABS material in a sleek black finish, features a modern design and is equipped with a PIR motion sensor, making it an efficient and stylish choice for outdoor lighting.





3 10H MODE 3 4 OFF

Matt Black 6919501330

CLASS III IP54 LED 8.6W 1*2500mAh 3.7V Li-ion battery 940 Lumen Synthetics















The WINGS solar LED wall light features an opal diffuser shaped like wings, adding a unique aesthetic touch. Equipped with a PIR sensor, it provides efficient motionactivated lighting, ideal for adding security around your property.






Matt Black 6915101330

CLASS III IP44 LED 3.7W 1*1200mAh 3.7V Li-ion battery 500 Lumen Synthetics













The TRY Outdoor Solar Light features a simple, functional design for effortless installation. Equipped with a motion sensor and a dim switch, it lights up automatically and offers convenient adjustability. TRY is perfect for efficiently lighting up outdoor areas with ease.










Matt Black 6939101330

CLASS III IP54 LED 8W 1*1500mAh 3.7V Li-ion battery 500 Lumen Synthetics











The ARROW Compact Solar Wall Light, characterized by its lightweight design, allows for easy mounting. Equipped with a sensor for increased functionality, it provides an efficient, straightforward lighting solution for any outdoor space.








Dark Grey 6910601335

CLASS III IP44 LED 2.3W 1*1500mAh 3.7V Li-ion battery 180 Lumen Synthetics


















The VYZOR solar LED wall light, finished in dark grey, boasts a contemporary half-round shape and includes a PIR sensor. This design provides effective motion-triggered lighting, ideal for outdoor safety and ambiance.






1	100times	Αυτο
2	100times	DIM
3	10H	ON
4		OFF

Dark Grey 6915701335

CLASS III IP44 LED 7W 1*1500mAh 3.7V Li-ion battery 1000 Lumen Synthetics














RUNDA

independent panel

The RUNDA round solar LED wall light, available in dark grey, features an adjustable solar panel and a PIR sensor for enhanced functionality. This versatile design is also offered as a bollard, making it suitable for a variety of outdoor lighting needs.



Battery Item nr:9759804000

Dark Grey 6915801335

IP54 LED 12W

CLASS III

1300 Lumen

4000K

Ø180

220

Synthetics

6915802118

CLASS III IP54 LED 12W 1*2200mAh 3.7VDC Li-ion battery 1*2200mAh 3.7VDC Li-ion battery 1300 Lumen Die Cast Aluminium

4000K

220

Ø180

0~90


740

152 30 94











The MOON Outdoor Solar Wall Light features an elegant design with a downlight function that casts a powerful beam of light through a cylindrical white diffusor. Its AUTO-DIM-ON-OFF function ensures efficient use of energy, combining sophistication with functionality for outdoor lighting.






Dark Grey 6906001118

CLASS III IP44 LED 9.5W 1*2200mAh 3.7VDC Li-ion battery 1000 Lumen Synthetics

4000K















The DOBLO Solar Wall Light showcases an elegant design, emitting powerful rays of light. Equipped with a dim switch, it allows for adjustable brightness, providing a stylish and practical lighting solution for any outdoor space. Available in two different sizes.





Dark Grey 6940101125

CLASS III IP54 LED 7.5W 1*1500mAh 3.7V Li-ion battery 500 Lumen Die Cast Aluminium

4000K












The DOBLO Solar Wall Light showcases an elegant design, emitting powerful rays of light. Equipped with a dim switch, it allows for adjustable brightness, providing a stylish and practical lighting solution for any outdoor space. Available in two different sizes.





6943701125 Dark Grey

4

CLASS III IP44 LED 12W 1*1500mAh 3.7V Li-ion battery 1000 Lumen Die Cast Aluminium













The DOBLO LED Outdoor Wall Light features a modest shape with a solar panel and four settings for versatile lighting options. Its rectangular diffusor ensures a soft, even spread of light, combining functionality with a sleek design for outdoor spaces.







Grey 6943801125

CLASS III IP54 LED 16.5W 1*2200mAh 3.7V Li-ion battery 1800 Lumen Die Cast Aluminium











The CURTIS Solar Wall Light, with its opal diffuser and square aluminum frame, offers a modern aesthetic. Equipped with a PIR sensor, it gives a powerful warm white light when somebody is passing by, making it a stylish and practical choice for outdoor illumination.





 1
 140times
 AUTO

 2
 5.5H
 ON

 3
 OFF

Dark Grey 6934601118

CLASS III IP54 LED 3W 1*1500mAh 3.7V Li-ion battery 300 Lumen Synthetics



Battery Item nr:9759808000





99







The AVONY solar wall light in black offers a traditional look with an integrated solar panel. Designed to accommodate an E27 bulb, this fixture combines classic styling with modern solar technology, ideal for illuminating outdoor areas efficiently.





6916002330 Matt Black

4

CLASS III IP44 LED 2W 1*1500mAh 3.7V Li-ion battery 200 Lumen Synthetics



Battery Item nr:9759808000



Bulb ₩ Item nr:8711802311 LED 2W 200 Lumen











The FIA Solar LED Wall Light expands the FIA range into the eco-friendly solar sector, matching the traditional electrified collection's aesthetics without the need for an electricity network. It offers seamless integration and sustainability, perfect for outdoor lighting solutions. The filament low voltage bulb is included.





2

1 10H



6990901012 Matt Black

> CLASS III IP44 E27 LED 2W 1*1500mAh 3.7VDC Li-ion battery 200 Lumen Die Cast Aluminium

2700K

207

∠ ______

Battery Item nr:9759808000



LED 2W 200 Lumen

Spare glass 9705514000 9705515000









independent panel

The FLAIR, available as both a solar wall light and bollard, grants full installation freedom and convenience, automatically illuminating when darkness falls. This feature ensures optimal functionality and ease of use. The filament low voltage bulb is included.



Matt Black 6988804012

6988802012

CLASS III IP44 E27 LED 2W 1*1500mAh 3.7VDC Li-ion battery 200 Lumen Die Cast Aluminium

CLASS III IP44 E27 LED 2W I*1500mAh 3.7VDC Li-ion battery 200 Lumen Die Cast Aluminium









LONDON

integrated panel

The LONDON classic 6-side solar lantern features an almost invisible solar panel atop its roof, blending traditional aesthetics with modern solar technology. With a large capacity for extended use, it includes three retrofit filament bulbs that emit a warm and gentle light. A metal mounting bracket is included for easy installation, making it a seamless addition to any outdoor space seeking a blend of classic charm and contemporary efficiency.



Synthetics

6951301189

IP44

CLASS III

300 Lumen Die Cast Aluminium

3000K

208

LED 6W E12/incl. 1*2200mAh 7.4V Li-ion battery

Battery Item nr:9759801000

2270

310

261

9 9700359330

9700357000

Ø32±1

LED 2W

250 Lumen



96±2

Matt Black









independent panel

The BRITI outdoor floodlight is a remarkable lighting solution, integrating a powerful solar panel and a PIR motion sensor for enhanced functionality. Designed for outdoor applications, this fixture combines ecofriendliness and security, providing reliable illumination for your exterior spaces.








Matt Black 6922401330

CLASS III IP44 LED 6W 1*1200mAh 3.7V Li-ion battery 750 Lumen Synthetics















the KOMBO solar wall light, a versatile outdoor lighting solution that comes equipped with a PIR motion sensor and a separate solar panel. This design allows for optimal solar energy capture and motion-activated illumination, offering a convenient and efficient way to light up your outdoor spaces.







6922201330 Matt Black

1 - 2 - 3


2 8H

4 OFF

CLASS III IP44 LED 6W 1*1200mAh 3.7V Li-ion battery 700 Lumen Synthetics







Wiring system




6925701345 Dark Grey

3

CLASS III IP54 LED 7W 1*1500mAh 3.7V Li-ion battery 500 Lumen Synthetics


5000K Battery Item nr:9759808000



SUNSHINE

independent panel


The SUNSHINE Solar Wall Light comes with a separate adjustable solar panel connected by a 5m long cable, offering flexible installation options. Featuring a PIR sensor for enhanced security and a movable spot head for targeted illumination, it combines convenience with functionality, providing a versatile lighting solution for any outdoor area.




6925604345

CLASS III IP54 LED 11W 1*2200mAh 3.7V Li-ion battery 800 Lumen Synthetics

5000K










Wiring system



SUNSHINE

independent panel

The SUNSHINE Solar Flood Light offers both elegance and powerful illumination. It features a separate, movable solar panel connected by a 5-meter cable for flexible placement. Equipped with a PIR motion sensor, this flood light provides targeted lighting for outdoor






Dark Grey 6925601345

CLASS III IP44 LED 7.5W 1*2200mAh 3.7V Li-ion battery 500 Lumen Synthetics







LIGHT UP Your garden In **Style**



ARCHITECTURAL





ARCHITECTURAL









FAST CONNECTION





ATLANTIS

wall

The ATLANTIS Outdoor LED wall light, available in dark grey, features honeycomb clear PC diffusers. This versatile light comes in both small and larger versions, each offered with the option of 4000K or 3000K lighting, catering to different preferences for cool or warm illumination.




Dark Grey	7801601118
	CLASS I IP54 LED 13.7W 2000 Lumen Die Cast Aluminium
	4000K


CLASS I IP54 LED 13.7W 1850 Lumen Die Cast Aluminium

7801605118

3000K

× 51 °











"Also available in PIR version" see page 339






FAST

CONNECTION

Γουτ









ATLANTIS

wall


The ATLANTIS Outdoor LED wall light, available in dark grey, features honeycomb clear PC diffusers. This versatile light comes in both small and larger versions, each offered with the option of 4000K or 3000K lighting, catering to different preferences for cool or warm illumination.
















The CONROY, available as both a wall light and bollard, is a multifunctional lighting solution featuring rotatable components that can be directed up or down. It emits a warm white light, offering flexibility and a cozy ambiance for any outdoor setting.



Dark Grey 5107001118

D


3000K

107~


7207001118

CLASS I CLASS I IP44 IP44 LED 13.5W LED 13.5W 1350 Lumen 1350 Lumer Die Cast Aluminium Die Cast Alu

180°



















CUBA

wall

The CUBA Modern Outdoor Wall Light combines functionality with sleek design, featuring an integrated LED and a double diffusor light head that rotates 90 degrees. Equipped with a motion sensor, it casts a powerful light beam, making it ideal for illuminating any contemporary outdoor space.





Dark Grey 5193811118

CLASS I IP54 LED 14W 1000 Lumen Die Cast Aluminium




90° 90° 308 146, 193-146, 193-146













red<mark>dot</mark> design award winner 2019





wall

The CUBA modern wall light offers versatile installation, suitable for both vertical and horizontal mounting. It features two 350-degree rotatable light heads, allowing for customizable up-down or side lighting effects. Available with warm white and daylight LED modules, CUBA adapts seamlessly to various lighting needs and preferences.





В 3000к 5193808118

CLASS I IP54 LED 19W 1050 Lumen Die Cast Aluminium

CLASS I IP54 LED 19W 1100 Lumen Die Cast Aluminium

4000K





260° 90° 100

150°-7

× 150°





red<mark>dot</mark> design award winner 2019










The CUBA Modern Outdoor Bollard stands 75cm tall, available with both warm white LED modules. Its design ensures an excellent atmosphere. Ideal for creating ambient pathways or accenting



Dark Grey 7193801118

CLASS I IP54 LED 19W 980 Lumen Die Cast Aluminium












wall

The award-winning CUBA LED Light features a compact, one-head design available in either warm light or daylight LED modules. Celebrated for its orientation flexibility, this lighting solution







latt Black Dark Grey	5193803012 5193803118	5193814118
	CLASS I IP54 LED 9.5W 525 Lumen Die Cast Aluminium	CLASS I IP54 LED 9.5W 550 Lumen Die Cast Aluminium
	260° 90° 116	260° 90° 116

350°

K







137









Integrated Dusk to Dawn Sensor





7193802012 7193802118 7193805118 CLASS I CLASS I IP54 IP54 LED 12.2W LED 12.2W 500 Lumen 500 Lumen 16A - Max. 3500W Die Cast Aluminium Die Cast Aluminium F F 3000K 3000K .__137___ 7137, ī260∦ 90°√ L 260° 750 750

138°

110

× 138°-

BLACK

Matt Black

Dark Grey

_110-









FAST CONNECTION





LOOMA

wall

The LOOMA LED wall light showcases a distinctive globe form with an opal diffusor covering half of the globe. Available with one or two adjustable heads, each capable of 315° rotation, this light offers extensive flexibility in directing light.





5138002118 CLASS I IP54

Dark Grey

5138003118 CLASS I IP54

LED 7.8W 800 Lumen Die Cast Aluminium

Die Cast Aluminium

2xLED 7.8W

2x800 Lumen

3000K

D











120°



wall & bollard

The LOOMA LED wall light showcases a distinctive globe form with an opal diffusor covering half of the globe. One big rotatable head that's capable of 120° rotation. This version works with E27 Edison fittings. Also available as bollard.



5138001118 Dark Grey


7138001118

CLASS I IP54

CLASS I IP54

E27 LED Max.25W Die Cast Aluminium E27 LED Max.25W Die Cast Aluminium

/~181



FAST CONNECTION












wall & bollard

The FELE, available as both a wall and bollard light, adds architectural value with its nice design featuring a rotatable head that can direct a powerful light beam either upwards or downwards. This fixture elevates any modern space with its robust illumination and stylish presence.



7196301118 CLASS I IP54 LED 11.2W 1100 Lumen Die Cast Aluminium



× 113° -7

5196301118

CLASS I IP54

LED 11.2W

D

3000K

-160_

1100 Lumen

Die Cast Aluminium

____200-





The CYRA tubular Wall Light features a streamlined anthracite grey aluminum body with an opal white diffuser. It includes two movable heads with a 350° rotation capability, offering different lighting angles. Available in both standard and motion sensor versions, CYRA provides a stylish and adaptable lighting solution for modern exteriors.



5198101118	5198102118
CLASS I IP54 LED 12W 1100 Lumen Die Cast Aluminium	LLASS I IP54 LED 11.5W 1000 Lumen Die Cast Aluminium
3000K	3000K
260° 90° -1078- 245	260° 90° 1078 - 120
A 155°-7	$ \begin{array}{c} \begin{array}{c} \begin{array}{c} \begin{array}{c} \begin{array}{c} \end{array}\\ \end{array}\\ \end{array} \\ \begin{array}{c} \end{array} \\ \end{array} \\ \end{array} \\ \end{array} \\ \end{array} \\ \end{array} \\ \end{array} $ } \\ \end{array} \\ \end{array} \\ \end{array} \\ \end{array} } \\ \end{array} \\ \end{array} \\ \end{array} \\ \end{array} \\ \end{array} \\ \end{array} } \\ \end{array}
	147















reddot winner 2024 lighting design





wall


The TRUMPET LED Wall Light features a powerful, movable spotlight head, designed for precise illumination. Available in both a standard and a compact size, this fixture offers flexibility and powerful lighting for a variety of settings.





Dark Grey	5198501118

CLASS I IP54 GU10 LED Max.7W Die Cast Aluminium











Accentuate your outdoor places with this powerful LED wall light with moveable spothead. Now also available in small version with a light output of 600 lumen.





Grey	5626001118	5626101125
	CLASS I IP54 LED 8.5W 1100 Lumen	CLASS I IP54 LED 5.7W 745 Lumen
	Die Cast Aluminium	Aluminium+Synthetics
	4000K	4000K















EXPLORER

wall & spike

The EXPLORER is an elegant and compact spotlight that can be oriented both horizontally and vertically, providing a warm white light beam. It includes a separate spot-cap to direct the light and reduce glare. Available as a wall or spike version, it comes with a wire and plug for easy installation.



6609202118 Dark Grey

CLASS I

IP54

6609201118

CLASS I


LED 3.5W 430 Lumen Die Cast Aluminium

IP54 LED 3.5W 430 Lumen Die Cast Aluminium D

D 3000K



405









153












An elegant LED Outdoor wall light with an ultra flat, frameless diffusor. Comes with an integrated adjustable colour switch. You can tune the light colour from warm white to cool white in a very convenient way.



Dark Grey 5289001118

CLASS I IP54 LED 17.5W 1300 Lumen Die Cast Aluminium

3000K-5000K









The MOON LED Outdoor Wall Light combines elegance with functionality, featuring a downlight design that casts a powerful beam through a cylindrical white diffusor. It offers homogeneous lighting options in both daylight or warm white hues. A manual switch provides user control, making it a sophisticated choice for any outdoor area.



FAST CONNECTION




















The POLO series, available as both an outdoor wall and bollard light, embodies modern simplicity with its enchanting, downward-facing beam of warm white light. The wall light version also features a motion sensor, enhancing convenience and security, making it a captivating and practical choice for illuminating outdoor spaces.



Dark Grey	5205701118	5205702118	7105701118
u	CLASS I IP54 LED 15W 1100 Lumen Die Cast Aluminium	CLASS I IP54 LED 16.1W 1100 Lumen Die Cast Aluminium	CLASS I IP54 LED 15W 1100 Lumen Die Cast Aluminium 3000K
			650
т		Lux C + - + +	






FAST CONNECTION



J. Pou

159







The APOLLO wall light offers an optimal combination of lighting effects, featuring a narrow beam that creates a visually striking accent, while its front diffusor emits a homogeneous warm white LED light without shadows. Ideal for placement next to front doors.



Dark Grey	5188801118
	CLASS I IP54 LED 9.6W 800 Lumen Die Cast Aluminium







KITE

wall

Introducing the KITE outdoor wall light, featuring an elongated design in a sophisticated dark grey finish. This fixture boasts a tall, upward-reaching structure, making it a striking addition to your outdoor space while providing ample illumination.



Dark Grey	5203301345	
	CLASS II IP54 LED 8.8W 770 Lumen Synthetics	
	3000K	










KIRA wall & bollard

The KIRA, available as both an outdoor LED wall light and bollard, features a bent frameless diffusor that delivers a homogenous white light at 4000K. This design elegantly blends into any outdoor setting, providing a clean, modern aesthetic along with efficient lighting.











The QUBO is a modern, small outdoor wall light that serves as an architectural statement. Its compact design is ideal for adding a contemporary touch and functional illumination to any exterior space.



Grey	5195401118	5195404118	
	CLASS I IP54 LED 7.8W 800 Lumen Die Cast Aluminium	CLASS I IP54 LED 7.8W 850 Lumen Die Cast Aluminium	
	3000K	4000K	
		- 72 -	











"Also available in LUTEC version" see page 377






QUBO

wall

The QUBO is a modern, small outdoor wall light that serves as an architectural statement. Its compact design is ideal for adding a contemporary touch and functional illumination to any exterior space. Also available with fully adjustable PIR motion sensor



ark Grey	5193001118	5193013118	5193002118
	CLASS I IP54 LED 15W 1300 Lumen Die Cast Aluminium	CLASS I IP54 LED 15W 1550 Lumen Die Cast Aluminium	CLASS I IP54 LED 11.3W 1100 Lumen Die Cast Aluminium
	3000K	4000K	3000K
	220	220	270
	A 124	A 124°-7	ت الديني المعادي المعاد المعادي المعادي المعادي المعادي المعادي













The QUBO dark grey bollard elegantly diffuses homogenous light, enhancing outdoor spaces with its modern design and consistent illumination. It is also available with a PIR motion sensor, adding convenience and security to its array of features.







171






The STELA Outdoor Wall Light draws design inspiration from the well-known CUBA, offering a compact and a high light output solution for outdoor illumination. This fixture combines practicality and style to bring understated elegance to your exterior spaces.



Dark Grey 5197401118 CLASS I IP54 LED 14W 1100 Lumen Die Cast Aluminium








FAST CONNECTION







The DOBLO LED Wall Light, finished in anthracite grey, is set in a cubic holder made of die-cast aluminum. Its elegant design emits powerful rays of warm white light, providing a blend of style and strong illumination for any modern outdoor space.



Dark Grey 5197002125

CLASS I IP54 LED 14.5W 1100 Lumen Die Cast Aluminium

















The DOBLO series introduces a new model: a cubeformed LED wall light in dark grey, equipped with a PIR sensor for improved motion detection. This version maintains the sleek and modern aesthetic of the DOBLO series, providing efficient and secure lighting for outdoor spaces.



Dark Grey 5197011125

CLASS I IP54 LED 14W 1300 Lumen Die Cast Aluminium

FAST CONNECTION









The DOBLO Medium Square version offers both warm white and daylight white options in two different Kelvin settings. Its anthracite grey, cubic holder, made of durable die-cast aluminum, combines lasting quality with versatile lighting choices, providing a stylish and functional solution for any outdoor area.







5105001125 5105002125 CLASS I CLASSI IP54 IP54 LED 19.1W 1500 Lumen LED 19.1W 1500 Lumen Die Cast Aluminium Die Cast Aluminium E E 3000K 4000K -150____






/~2410







The DOBLO flat models, available in both square and long versions, offer flexible horizontal or vertical mounting options. Their elegant design emits a powerful cool white light, providing a sophisticated and bright solution for outdoor lighting.



5105003125 Dark Grey CLASS I IP54 CONNECTION LED 19.1W 1500 Lumen Die Cast Aluminium E 4000K

FAST

5107401125

CLASSI IP54 LED 34W 2200 Lumen

Die Cast Aluminium F 4000K






I---80---I

1370.










FAST CONNECTION





BOX CUBE

wall

The BOX CUBE features a striking form and an opal impact-proof diffuser that provides homogeneous, shadow-free light. Its elegant, screwless construction adds to its sleek aesthetic, making it an excellent choice for stylish and durable outdoor lighting. The E27 Edison fitting is suitable for all kind of retrofit bulbs.






Dark Grey 5184601118

CLASS I IP44 E27 Max.60W Die Cast Aluminium

ı—171—ı











The ADALYN compact wall light warmly welcomes you home with its smooth radiation of warm white light. This elegantly designed fixture is perfect for creating a cozy and inviting ambiance at your entryway.



Dark Grey 5193602118 CLASS I IP44 LED 10.2W 600 Lumen Die Cast Aluminium











wall & ceiling

The SHYNE family of lighting fixtures, all in a modern black finish, features E27 sockets for versatility. This collection includes two wall lights, a ceiling light, and a bollard, offering a coordinated and stylish lighting solution for your outdoor space.



Matt Black 5197501012

6397501012



FAST CONNECTION





CLASS I IP54 E27 LED Max.25W Die Cast Aluminium CLASS I IP54 E27 LED Max.25W Die Cast Aluminium















The ZEBRA outdoor wall light, featuring a dark grey finish and a distinctive striped design, incorporates an E27 socket. This fixture combines aesthetics with functionality, offering a stylish yet budget-friendly way to illuminate your outdoor space.







CLASS I IP44 E27 LED Max.25W Die Cast Aluminium







The FULTON series, consisting of both wall and bollard lights, features an evergreen concept that captivates the eye. This retrofit solution has a robust design with multiple bars, providing durability and an aesthetically pleasing structure that complements a range of outdoor environments.




Matt Black 5207601012


7207601012

CLASS I IP54 E27 Max.40W Die Cast Aluminium

CLASS I IP54 E27 Max.

IP54 E27 Max.40W Die Cast Aluminium







FAST CONNECTION











The NILA features a modern bulkhead design with a pleasant light intensity and an E27 bulb socket. This versatile fixture blends contemporary aesthetics with functionality, providing effective and attractive lighting for outdoor spaces.





Dark Grey 5043104424

CLASS II IP44 E27 Max.40W Die Cast Aluminium








The URBAN GU10 retrofit LED outdoor wall light in dark grey is compatible with smart bulbs and offers a subtle light effect from the invisible lightbulb. Its modern design provides a stylish and efficient lighting solution for outdoor spaces.










CLASS II IP54 GU10 LED Max.7W Die Cast Aluminium









LOTUS

wall

The LOTUS, with its captivating design, creates a beautiful up and down light effect. Its elegance makes it the perfect lighting solution to enhance the entry door, offering both functionality and aesthetic appeal.




Matt Black	5193201012	
Dark Grey	5193201118	
	CLASS I	

LED 8.5W 580 Lumen Die Cast Aluminium

3000K









The MOOV Outdoor LED wall light features a robust dark grey aluminum body with two adjustable heads plus one fixed light beam. This configuration allows for targeted lighting flexibility, making it ideal for illuminating specific areas of your outdoor space effectively.



Dark Grey 5137701118

CLASS I IP54 LED 7.8W 550 Lumen Die Cast Aluminium








FAST CONNECTION

















GEMINI BEAMS wall

The GEMINI BEAMS up and down wall light

introduces a new adjustable light beam option. Its built-in mechanical ring with diaphragms can be set to four different patterns, creating beautiful light patterns on your exterior walls for a unique and customizable lighting experience.



Black	5104003012		
hite	5104003032	Dark Grey	5104005118
	CLASS I IP54 LED 7.5W 350 Lumen Die Cast Aluminiu	ım	CLASS I IP54 LED 7.5W 350 Lumen Die Cast Aluminium
	3000K		4000K
Σ		-106 ⁻	1 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0





Гоит



The GEMINI BEAMS up and down matt black rounded version wall light introduces a new adjustable light beam option. Its built-in mechanical ring with diaphragms can be set to four different patterns, creating beautiful light patterns on your exterior walls for a unique and customizable lighting experience.




lack 5104006012

CLASS I IP54 LED 10W 400 Lumen Die Cast Aluminium






21' 30' 100' 30' 100' 100' 100'







FAST CONNECTION







wall

The RIALTO LED outdoor up and down light features an elegant combination of two flat square forms. The upward-facing light is adjustable to three different patterns, offering customizable illumination and adding a sophisticated touch to outdoor spaces.



CLASS I IP44 LED 21W 850 Lumen Die Cast Aluminium

5287901012











FAST CONNECTION








wall

The PILI is a square dark grey wall light featuring a clear glass diffuser that emits light both upwards and downwards. This design provides a balanced, stylish illumination.



S102601125 CLASS I IP54 LED 8.5W 800 Lumen Die Cast Aluminium












The GEMINI XF is an extra-flat downlight version in the GEMINI family, designed for convenient single or multiple installations. This compact and flat wall light provides a powerful white light and is available in three different colors, making it a stylish lighting option for outdoor spaces.
















bollard

The GEMINI XF bollard version is designed to illuminate garden paths with a powerful, onedirection beam from its extra-flat design. This sleek bollard is perfect for efficiently lighting walkways while maintaining a modern aesthetic.





211









The GEMINI small square version, a mini cube, features a strong LED light engine that produces a perfectly symmetrical up and down beam. This compact and efficient design is ideal for creating impactful lighting in any outdoor setting.



Dark Grey	5189114118	Matt Black	5189125	012
	CLASS I IP54 LED 9W 850 Lumen Die Cast Alumir	iium	CLASS I IP54 LED 9W 850 Lume Die Cast /	
	4000K		3000к ⁸⁸⁻¹	

~86

~86

180°-







FAST CONNECTION







ceiling

The GEMINI Ceiling features a minimalistic design, elegantly functioning as a brick light that radiates a perfect beam. This small ceiling version comes in two colors, each available in two different Kelvins: a warm white and a daylight white, providing versatile and refined lighting options.
















215










The GEMINI brick light features a minimalistic design crafted from die-cast aluminum, offering substantial light output with a perfect bi-directional beam. Available in dark grey, white, stainless steel, and wood look finishes, this elegant fixture blends functionality with diverse aesthetic options to complement any space.



bok	5189135118	
еу	5189102118	5189113118
	5189102032 Matt Black	5189113012
	5189103118	
	CLASS I IP54	CLASS I IP54
	LED 10.5W 700 Lumen	LED 8.8W 700 Lumen
	Die Cast Aluminium	Die Cast Aluminium
	F	D
	4000K	3000K
	I140I	l→140I
	I	I
	×-166°-	×-166°,
	× 166°-	×166°
		21/








GEMINI

The GEMINI modern style outdoor wall light, crafted from dark grey die-cast aluminum, is compatible with retrofit E27 lamps, allowing you to select the desired light effect. Its compact design ensures convenient installation, making it a practical choice for your outdoor spaces.








CLASS I IP44 E27 Max.40W Die Cast Aluminium





"Also available in LUTEC version" see page 379





wall

The GEMINI medium version is ideal for installation on larger walls or entrances, offering a big light output that covers the full surface in two directions. Available in both warm white and daylight options, this light ensures plentiful illumination, making it suitable for expansive outdoor areas.



tt Black	
rk Grey	5189101118

CLASS I

LED 21W 1230 Lumen

IP54

F

Гоит

5189112012 5189112118

CLASSI IP54 LED 21W 1230 Lumen Die Cast Aluminium











143°











The GEMINI large version is well-suited for installation at higher elevations, featuring a light output exceeding 3000 lumens. This robust model projects a beam in two directions, providing significant illumination for spacious outdoor areas.



Dark Grey 5189104118 CLASS I IP54 LED 46W 3300 Lumen Die Cast Aluminium E 4000K







BONN

wall

The BONN elegant wall light offers a perfect bidirectional light effect, enhancing walls with its unique design. It features a small vertical window on the front and is equipped with an E27 fitting, making it both stylish and functional for illuminating exterior spaces.







Dark Grey 6330401118

CLASS I IP54 E27 Max.60W Die Cast Aluminium











The MAYA is a small up and down wall light crafted in aluminum with a stainless steel cover, embodying a timeless, slim design that combines efficiency with style. Available also as a rectangular version equipped with a motion sensor, it offers enhanced functionality for modern lighting needs.



5198302001	5198401001
CLASS I IP44 LED 14.5W 1000 Lumen Stainless Steel	CLASS I IP44 LED 18.5W 1200 Lumen Stainless Steel
3000K	3000K
178° X 178°	$\begin{array}{c} 132^{\circ} \\ 132^{\circ} \\ \hline \\ $






The RAN wall light is built to withstand extreme climates, featuring a hot galvanized body ideal for coastal areas. It comes with a 15-year anti-corrosion guarantee and utilizes a retrofit 2xGU10 solution, bulbs are not included. This durable fixture is designed for longevity and reliability in challenging environments.








CLASS II IP54 GU10 LED Max.2*7W Metal







FAST CONNECTION













The VIDAR is an extreme climate-proof wall light with a square design and a hot galvanized body, making it ideal for coastal installations. It comes with a 15-year anti-corrosion guarantee and uses a retrofit E27 solution. Bulb is not included. This durable light fixture is built to endure harsh conditions while providing reliable illumination.







CLASS II IP54 E27 LED Max.25W Metal


















The LEO wall light creates a magical ambiance with its strong up and down light beam, complemented by a striking vertical light-strip on the front. This design not only enhances the visual appeal of any outdoor space but also provides robust illumination.



Matt Black 5192701330 Dark Grey 5192701335

CLASS I IP54 LED 14.5W 750 Lumen Die Cast Aluminium









The CYPRES features updated capabilities for up and down lighting, equipped with adjustable heads to ensure perfectly positioned light patterns. This design utilizes GU10 spot lights, offering flexibility and precision in directing light, making it ideal for adding architectural details in your outdoor spaces.






Dark Grey 6604001118

6604002118

CLASS I IP44 GU10 LED Max.7W Die Cast Aluminium

_109

~ 20° 20° CLASS I IP44 GU10 LED Max.2*7W









FAST CONNECTION



Γουτ

Die Cast Aluminium









FAST CONNECTION

ουτ




The CYPRES offers updated options for down LED lighting, featuring adjustable double heads available in both wall and bollard models. It creates perfectly positioned light patterns using GU10 spotlights, not included. This versatile fixture provides precise and customizable lighting for various outdoor environments.






Dark Grey 6604003118 6604004118

CLASS I IP44 GU10 LED Max.2*7W Die Cast Aluminium CLASS I IP44 GU10 LED Max.2*7W Die Cast Aluminium



750 77 -110









FAST CONNECTION



RIDGE

wall


The RIDGE dark grey wall lamp has a modern design with up and down lighting, complemented by opal diffusers that ensure a smooth spread of light, it includes two GUIO fittings, making it a practical and stylish option for outdoor lighting.



Dark Grey 5107101118

CLASS I IP54 GU10 Max.2*25W Die Cast Aluminium





FOCUS wall


The FOCUS features a round shape crafted from premium stainless steel, offering a soft and shiny appearance. It uses a GU10 bulb to deliver a perfect light pattern, combining durability with a stylish design.





s/s 5604021001

CLASS I IP44 GU10 Max.2*35W Stainless Steel









FOCUS

The FOCUS is constructed from heavy-duty diecast aluminum in anthracite, paired with clear glass diffusors. This robust construction ensures durability while providing perfect light radiation. Both functional and decorative, it's designed to add visual appeal and reliable illumination to any outdoor area.



Dark Grey 5604011118

CLASS I IP44 GU10 Max.2*35W Die Cast Aluminium CLASS I IP44 GU10 Max.35W

Die Cast Aluminium

5604101118











FAST CONNECTION



FOCUS

wall

This evergreen FOCUS design is an up and down outdoor wall light, equipped with movement detection. It includes a compact, black PIR sensor integrated into the housing, with manual adjustments available for time and twilight settings, combining functionality with a nice appearance.






Dark Grey 5604014118

CLASS I IP44 GU10 LED Max.2*7W Die Cast Aluminium







FOCUS, Up & Down wall light, comes now in a Dusk to Dawn execution. The D2D sensor is perfectly integrated in the evergreen and original LUTEC design.





Dark Grey 5604023118

CLASS I IP44 GU10 Max.2*35W Die Cast Aluminium



Integrated Dusk to Dawn Sensor





Four





The FOCUS cylindrical versions with either a typical single or double horizontal glow, equipped with GU10 fittings. These lights are suitable for retrofit LED bulbs, offering versatility and a stylish appearance for both residential and commercial settings.




Dark Grey 6304201118

7204803118

CLASS I IP44 GU10 Max.35W Die Cast Aluminium CLASS I IP44 GU10 Max.35W Die Cast Aluminium





<u>Ø101</u>







The FOCUS square model is crafted from die-cast aluminum and comes in an up-and-down light version, each featuring an integrated LED engine. This design ensures durable, efficient lighting


suitable for a variety of outdoor environments.



Dark Grey 5605013118

CLASS I IP44 LED 8.3W 500 Lumen Die Cast Aluminium











The BULLO LED outdoor wall light features a distinctive bullseye design crafted from aluminum, emitting a homogeneous and strong warm white light. This stylish fixture is perfect for enhancing the ambiance of any outdoor space with its robust illumination.




Dark Grey 6383001118

CLASS I IP54 LED 14.5W 1100 Lumen Die Cast Aluminium















LUPS, in an elegant dark grey hue, is a playful lighting solution designed for pathways. Its whimsical design adds a touch of charm to outdoor spaces while efficiently illuminating

walkways.



6402801118 CLASS I IP54 LED 14W 450 Lumen Die Cast Aluminium













The HELENA small wall light features a sleek opal diffuser and a built-on installation with just 31mm thickness, eliminating the need to cut holes in your wall. It's available in two combinations: matt black with 3000K and dark grey with 4000K, offering simplicity and style in compact lighting solutions.



6402105012	Dark Grey	6402101118
CLASS I		CLASS I
IP54		IP54
LED 4.1W		LED 4.1W
265 Lumen		285 Lumen
Die Cast Alumin	ium	Die Cast Aluminium
3000K		4000K
31.5		31.5





_101_1

257



HELENA

wall & ceiling

The HELENA outdoor LED wall and ceiling light features a large, elegant die-cast aluminum frame with an extra slim design, delivering both aesthetics and functionality. This fixture provides strong light output, perfect for improving visibility and adding ambiance to outdoor spaces.



Dark Grey 5102101118

CLASS I IP54 LED 14.8W 1800 Lumen Die Cast Aluminium
















The HELENA orientation wall light offers a choice between an opal diffusor for even lighting or a directed downlight version for focused illumination. It features a built-on installation with a slim 30mm profile, allowing for easy setup without the need to drill holes in walls. This design provides versatile lighting solutions with a clean, minimal impact on surfaces.



Matt Black	5191605012 Dark Gr	ey 5191601118	5191602118
	CLASS I IP54 LED 11W 450 Lumen Die Cast Aluminium	CLASS I IP54 LED 10.2W 850 Lumen Die Cast Aluminium	CLASS I IP54 LED 14W 450 Lumen Die Cast Aluminium
	230 V2	230 ¥	
	×-113°-3	× 113° ×	A 10 - 10 - 10 - 10 - 10 - 10 - 10 - 10



ROLA wall & ceiling

The ROLA round outdoor lamp, suitable for both wall and ceiling installation, features an integrated LED that emits a warm white light. It comes in dark grey and matt black finishes, accented with a decorative aluminum frame. This fixture blends functionality with a stylish design, ideal for modern exterior spaces.




1att Black Dark Grey	6382201012 6382201118
	CLASS I IP54 LED 11.6W 940 Lumen Die Cast Aluminium

A 114°-







TITAN

wall & ceiling

The TITAN medium-sized wall and ceiling light features a decorative aluminum cover that creates an appealing lighting effect. It is equipped with a traditional Edison fitting, suitable for energy-saving bulbs up to 60W, and offers a standard loop-in loopout wiring option, making installation straightforward and efficient. This fixture combines classic style with modern functionality, ideal for various settings.



Dark Grey 6336201118

CLASS I IP54 E27 Max.60W Die Cast Aluminium





KAYAH

wall & ceiling

The KAYAH medium-sized wall and ceiling light features a robust aluminum ring and an opal impact-proof polycarbonate diffusor. It emits a super powerful warm white light, combining durability with a strong luminous output, making it ideal for both aesthetic appeal and functional lighting in outdoor settings.



Dark Grey	6392202457	
	CLASS I IP54 LED 16.5W 1250 Lumen Die Cast Aluminium	
	40 1	

-109

FAST CONNECTION











wall & ceiling

The SWEEP LED outdoor ceiling light offers reliable and energy-efficient lighting with a glare-free output. It features a modern and simple design with an integrated manual switch, allowing you to select between warm white or cool white color temperatures.




Dark Grey 6303401118

FAST CONNECTION

ουτ

CLASS I IP54 LED 23.5W 1600 Lumen Die Cast Aluminium

3000K/4000K



















The GOLETA LED outdoor ceiling light features a flat, contemporary design with a number of lighting options. It includes an integrated manual switch that allows for easy transition between warm and cool white light settings. This fixture provides a powerful light glow in front and a subtle glow on the back.



Matt Black 5205801012


CLASS I IP54 LED 24.3W 1700 Lumen Die Cast Aluminium

D 3000K/4000K



► 117° ·





FAST CONNECTION









The MAINS outdoor power supply sockets are crafted in durable dark grey die-cast aluminum, designed for easy installation to energize an entire garden. Available in either side earth or pin earth versions, they can handle a total power supply of up to 3500W. Also offered in a more compact bollard version featuring a single socket with side earth.



Matt Blac	k 9702201012	9702202012	9702203012
	CLASS I IP54 16A – Max.3500W Die Cast Aluminium	CLASS I IP54 16A - Max.3500W Die Cast Aluminium	CLASS I IP54 16A – Max.3500W Die Cast Aluminium
		00	



Type F socket











Type E socket



Type F socket













portable


The ROBLE outdoor LED lamp in black is not only efficient but also exceptionally portable. Its lightweight and cordless design make it an ideal choice for illuminating various outdoor settings with ease and flexibility.





Matt Black 8500601012

CLASS III IP54 LED 1.1W 100 Lumen 3.7V 2200mAh Li-ion battery Die Cast Aluminium



THERE'S A NEW **TRADITION**



TRADITION

wall







FLAIR



FLAIR 5288802012 / P301 5288814012 / P303



5288804012 / P303

5288803012 / P303



5273701012 / P307

KELSEY



KELSEY 5273702012 / P307

5290903012 / P295

FIA



5207901012 / P297

WEST

PINE 5296602012 / P299

5288801012 / P301



KELSEY 5273603012 / P307

CATE 5264201213 / P313



bollard





The ANCOR Outdoor LED wall light features a brown appearance. Designed with a GU10 fitting, this durable with both its aesthetic appeal and functional lighting.





5115001445

CLASS I IP54 GU10 Max.7W Die Cast Aluminium

















DALTON

wall

The DALTON wall light, finished in black with a clear diffusor, embodies an industrial style. Designed to house an E27 bulb, this fixture provides robust illumination while adding a touch of rugged charm to any outdoor space.





Matt Black 5214501330

CLASS II IP44 E27 Max.25W Synthetics

FAST CONNECTION







L ENTERINE



PLATO

The PLATO outdoor LED wall light features a traditional look with a sleek black aluminum finish and a lens to enhance light distribution. This fixture combines classic design elements with modern lighting technology, ideal for adding a touch of elegance to exterior spaces.




Matt Black 5213402012

FAST CONNECTION

Γουτ















The SWAN outdoor wall light, crafted in black aluminum, features a design that mimics the elegant neck of a swan, adding a unique industrial style to its surroundings. It accommodates an E27 bulb, blending a distinctive aesthetic with functional lighting capabilities.





Matt Black 5213901012

CLASS I IP54 E27 Max.25W Die Cast Aluminium














The SPIRE outdoor wall lamp with E27 socket offers a classic and timeless design in black, characterized by its square form. This traditional fixture brings a touch of elegance and sophistication to your outdoor setting while providing functional and reliable lighting.





Matt Black 5290603012

CLASS I IP44 E27 Max.10W Die Cast Aluminium













The SHIVA wall light blends elegance with contemporary design, featuring a rustic form reminiscent of a classical lantern but with a modern finish. This stylish outdoor fixture adds an artisanal touch with its clear transparent glass, perfect for illuminating and enhancing the charm of any outdoor space.





Matt Black 5206501012

CLASS I IP44 E27 Max.40W Die Cast Aluminium











ZAGO

wall

The ZAGO outdoor wall lamp draws inspiration from the traditional old-carriage lamp model, offering a warm and atmospheric light. It features a durable black coating on the frame, designed to withstand any weather condition, complemented by clear transparent glass that enhances its vintage appeal while providing ample illumination.





Matt Black 5294502012

CLASS I IP44 E27 Max.40W Die Cast Aluminium











1-160







FIA

wall & bollard

The FIA classic lamp features a rustic shape with clear glass and a refined touch, suitable for filament retrofit E27 LED bulbs. The Fia family includes a versatile range of products: a wall light, a small bollard, and a large 3-light lantern post, all designed to bring a timeless elegance to outdoor spaces.



Matt Black 5290903012

7290901012

CLASS I IP44

CLASS I IP44

7290903012

3*E27 Max.40W

Die Cast Aluminium

CLASS I IP44 E27 Max.40W Die Cast Aluminium

spare glass 9705514000 9705515000

E27 Max.40W

Die Cast Aluminium




spare glass 9705514000 9705515000

CLASSI

IP44







刅







FAST CONNECTION





wall

The WEST wall down lantern features a matt black open frame and clear cylindrical glass, ideal for E27 filament LED bulbs. Its elegant design makes it a perfect match for your entrance door or garden shed. Bulb not included.






Matt Black 5207901012

CLASS I IP44 E27 Max.40W Die Cast Aluminium

spare glass 9788802000









PINE

wall & bollard

The PINE outdoor light collection combines rustic touches with contemporary shapes, radiates pure elegance. Crafted from high-end aluminum with clean lines, and complemented by clear glass, this series includes a wall light, a small bollard, and a 3-light lantern, perfect for adding stylish illumination to any outdoor setting.



Matt Black 5296602012

FAST CONNECTION

CLASS I IP44 E27 Max.40W Die Cast Aluminium

CLASS I IP44 E27 Max.40W Die Cast Aluminium

7196601012


CLASS I IP44 W 3*E27 Max.40W




187

·—122—

spare glass 9705519000











FLAIR

wall

The FLAIR lantern family features a cottage-style design, suitable for LED filament retrofit bulbs that create a cozy and safe ambiance. One version includes a PIR sensor, detecting motion and automatically illuminating outdoor areas.





Matt Black 5288801012

5288802012

CLASS I IP44 E27 Max.40W Die Cast Aluminium CLASS I IP44 E27 Max.40W Die Cast Aluminium



spare glass 9788801000

















small wall & double wall

The FLAIR series features small wall lights, including a stylish wood-look option and double lantern-style lights, ideal for entryways. Designed for E27 filament LED bulbs, they enhance door-side aesthetics.



Wood Look 5288814012 Matt Black 5288803012

5288804012

CLASS I IP44 E27 Max.40W Die Cast Aluminium

CLASS I IP44 2*E27 Max.40W Die Cast Aluminium



spare glass 9788802000

120-











portable & bollard

darkness falls. This feature ensures optimal



6588801012 Matt Black

7288801012

E27 Max.40W

CLASS I


IP44

CLASS I









IP44 E27 Max.40W Die Cast Aluminium

spare glass 9788801000











The KELSEY outdoor light family offers an intimate look and feel, designed for use with retrofit LED bulbs. This charming collection includes four different wall lights, each available with two types of glass: textured water glass and clear glass.





5273601012

CLASS I IP44

5273603012

CLASS I IP44 E27 Max.40W Die Cast Aluminium



9705503000 9705508000 spare glass

E27 Max.40W

Die Cast Aluminium





·—170*—*·









bollard & pendant

The KELSEY series, available as both a pedestal and a pendant, creates a charming and warm atmosphere, ideal for terraces or patios.



Matt Black Clear Glass


6273601012

CLASS I IP44 E27 Max.40W Die Cast Aluminium CLASS I IP44 E27 Max.40W Die Cast Aluminium



spare glass 9705508000











bollard

The KELSEY series, designed for filament retrofit bulbs, includes a bollard and a three-light lantern, ideal for garden paths. Each fixture features a clear glass diffusor, providing bright and inviting light.



Matt Black	7273605012
Clear Glass	
	CLASS I
	ID44

-150-

1035

-170-

7273606012

spare glass 9705508000

CLASS I IP44 E27 Max.40W Die Cast Aluminium CLASS I IP44 3*E27 Max.40W Die Cast Aluminium

spare glass 9705508000





'nΝ





wall & bollard

The CATE series offers a complete family of lighting solutions that bring an authentic, cozy, and warm atmosphere to any outdoor space. Designed for filament retrofit bulbs, this versatile collection includes a wall light, a bollard, and a three-light lantern, each contributing to a charming and inviting environment.



(L)






Rust Matt	5264201213	7264210213
	– CLASS I IP44 E27 Max.40W Die Cast Aluminium	CLASS I IP44 E27 Max.40W Die Cast Aluminium
	spare glass 9705505000	spare glass 9705505000
	200	945 945



CLASS I IP44 3*E27 Max.40W Die Cast Aluminium





SECURITY FOR Your **comfort**



SECURITY

SECURITY









ELARA LIBRA 5267106001 / P329 7632406053 / P331





flood

NEW ATLANTIS 7801602118 / P337

FLAIR

5288811012 / P325

ATLANTIS 7801607118 / P337

5193812118 / P327

ATLANTIS 7801604118 / P339 7801608118 / P339

SUNSHINE SUNSHINE 7625601345 / P341 7625701345 / P341



ARC





NEW CHIMERA 7632201053 / P343 7635415330 / P345

SHRIMP 7622221012 / P347



SHRIMP 7622222012 / P347

MAYA

SHRIMP 7622104330 / P347



QUBO 5198401001 / P349 5193002118 / P351

LEDA 5267103001 / P353

CYRA 5198102118 / P355

wall

LUTEC security

always connected with your home

As market initiator, LUTEC is your reliable partner for the connected camera light category.

The third generation of this range has been developed based on learnings and consumer insights and by applying the gains and innovations of the fastevolving connected camera technology.

This has resulted in a versatile range of decorative and functional camera light fixtures, ready to install or to make a swift replacement of your actual outdoor luminaires.





LUTEC outdoor camera light everything is under control

-



- Powered for lighting
- High definition camera
- Adjustable motion Sensor
- ☑ See, talk and dialogue



- Voice control ready
- Recieve notifications



Receive an alert when someone approaches your home



Get live notifications via your smartphone when someone approaches your door

Keep an eye on your house anytime, anywhere







Enable you to take a picture or record a video from wherever you are.

Listen and talk live with your visitors







Talk with your delivery person, you will never miss your expected parcel


Thanks to Bluetooth MESH


- Quick and easy to find the device and start the configuration process immediately
- ImmediatelyActively send feedback of a problem during the network configuration
- Create groups with your camera light and trigger other LUTEC connect lights on



EASY

TO CONNECT





Thanks to Wifi



Be notified and exchange with people away from home.

Keep in touch with home, images are accessible 24 hours a day from your smartphone, including

Voice control ready Works with LUTEC access box sold separately.



Powered for lighting

- Switch your lights on or off
- Dim your lights
- Change the color temperature

Camera high definition

- High-definition video recording at night
- H265-video file size is halved
- Video playback and transmission speed are doubled
- Alert sensitivity: High, Medium, Low

Adjustable motion Sensor

- Detection reach from near to far distance
- Twilight settings from dark to dusk
- Light time reaction from 10 seconds till 3 minutes
- Constant light: Set your light output at 20% during all night

Secure storage

- SD card Already installed in the product
- Ready to use
- Storage capacity 16 GB

See, talk and dialogue

Listen and speak to visitors from wherever you are.

Trigger the siren straight from your app when there is an intruder.

Start continuous recording to get view of the whole event





HD CAMERA







DIALOGUE

















The FLAIR Smart Security Camera Light is an addition to the traditional FLAIR lantern series, featuring an integrated camera, speaker, microphone, and motion sensor, all manageable through a single app. Designed to be compatible with LED filament bulbs (not included), this device blends classic aesthetics with contemporary security technology to safeguard and illuminate





Matt Black 5288811012

CLASS I IP44 E27 Max.40W Die Cast Aluminium















Instant full light
 Dimmable via the app and voice control

CUBA

wall

The CUBA Smart Security Camera Light extends the design award-winning CUBA series, integrating a camera, speaker, microphone, and motion sensor, all controllable via a single app. This sophisticated device offers multiple orientation possibilities for the light head, camera, and motion sensor, ensuring comprehensive security.









Dark Grey 5193812118 CLASS I

IP44 LED 17.3W 1000 Lumen Die Cast Aluminium










Bluetoth + F




CLASS II IP44 LED 17.5W 1300 Lumen Stainless Steel F










*	* Dimming*		
Adjustable whites			
<mark>2700 К</mark>		6500 K	
 Instant full light * Dimmable via the app and voice control 			

-X-









Dimming* ☆ Adjustable whites 2700 K 6500 K ℜ Instant full light * Dimmable via the app and voice control





The LIBRA double head projector features two 'wing' diffusors that create a seamless surface without edges, producing a perfectly homogeneous light beam. This innovative design includes an automatic plug-in connection for easy setup and offers multiple orientation possibilities, allowing for precise and adaptable lighting configurations





Bluetooth + CONTROL MESH + WIFI

White 7632406053

CLASS I IP44 LED 36W 3400 Lumen Die Cast Aluminium





LUTEC sensor

security for your **comfort**

LUTEC presents the Sensor concept offering a complete range of Security Sensor Lights.


The range is featuring, besides the powerful flood lights with one or two heads, a number of very elegant designs which make a perfect match with the architecture of your house.

Passive infrared (PIR) motion sensor How does it work?

A PIR sensor detects changes in the amount of infrared radiation and converts this changes into a switch-on signal.

When a person makes a movement within the detection reach, the sensor will detect a difference in infrared radiation in between the person's body and the environment.





Comfortable detection area

The detection area is a combination of the reach in distance and angle. An adjustable sensor can be tilted and/or turned and gives you full freedom.

Your personal settings **Time setting**

As from the moment the sensor detects a movement the light stay on from 10 seconds upon 8 minutes according your preference.

Twilight setting

The environment brightness can be adjusted according vour selection from night (10 lux) to daylight. In this way the light will switch into the "ON" position according the selected outside light level and not during the day.

Distance setting

You can limit the detection distance in accordance with the desired detection area. In this way you can avoid a movement detection outside your private grounds.

(
, , , , , ,	, + , + , +
<u> </u>	

LUX



For your convenience Dusk to dawn

Automatic light on switching as soon it's dark outside

Ambient Light

Light stays on all night long in a gentle ambient light, after movement detection the light switches on a powerful light beam.

Double sensor

Assures you a full detection not only frontal but also underneath the luminaire close to the wall.

Test mode

You can define the perfect detection area during installation in daylight situation



















How to choose?

Check in a few steps which InMotion Security Sensor Light suits the best for your home situation.

LUTEC sensor

BASED ON SENSOR DETECTION REACH





120°



FIXED

DETECTION / DISTANCE \

X-LARGE LARGE 18-25M 12-15M

DETECTION X-WIDF WIDE 180°

✓ SENSOR \ **TILT & TURN** TURN

ADJUSTABLE

BASED ON LUMINAIRE CHARACTERISTICS

		/	LIGHT / HEADS \		LIGHT / OUTPUT \	
FLOOD LIGHT	WALL LIGHT	1 OR 2	MOVEABLE YES OR NO	X-POWERFUL 1700 - 3200 LUMEN	POWERFUL 800 - 1500 LUMEN	










FAST CONNECTION






Dark Grey 7801602118 CLASS I IP54 LED 14W 2000 Lumen Die Cast Aluminium

7801607118

CLASS I IP54 LED 14W 1850 Lumen Die Cast Aluminium

3000K







"Also available in no PIR version" see page 125



wal

The ATLANTIS Outdoor LED security light features honeycomb clear diffusors and an adjustable head that can rotate 90° for targeted illumination. It includes an adjustable PIR sensor for added security. Available in both small and larger versions, this versatile fixture offers lighting options in either 4000K or 3000K, accommodating various outdoor lighting needs.


























Dark Grey	7801604118	
	CLASS I	
	IP54	
	LED 24W	
	3200 Lumen	
	Die Cast Aluminium	
	C	
	4000K	

7801608118

CLASSI IP54 LED 23.5W 3100 Lumen Die Cast Aluminium







 $\sum_{i=1}^{n} \frac{1}{2} \sum_{i=1}^{n} \frac{1}{2} \sum_{i$ °))))) 180° × 339












CLASS II CLASS II IP54 IP44 LED 15.4W LED 12.5W 1100 Lumen 800 Lumen Synthetics Synthetics E E 500ÔK 500ÔK ∕ ≦~120°~ 180 -120°-50-18 m DISTANCE TIME ربي Z (((cf

Dark Grey 7625601345







Automatic Plug-in

Quick install

F .::

White **7632201053**

CLASS I IP54 LED 13W 1200 Lumen Synthetics





ARC wall & ceiling

The ARC is an elegant double-head projector with a fully adjustable PIR sensor. Its innovative design includes two 'wings' that serve as edgeless diffusor surfaces, optimizing light dispersion. This fixture offers multiple orientation possibilities, allowing for tailored lighting setups to suit any outdoor area's specific needs.

















7635415330 Matt Black

-120°-

CLASS II IP54 LED 21W 2350 Lumen Synthetics D



TIME















































lack 7622221012		7622222012	7622104330	
	CLASS I IP54 LED 20W 1800 Lumen Die Cast Aluminum	CLASS I IP54 LED 20W 1700 Lumen Die Cast Aluminum	CLASS II IP54 LED 12W 1250 Lumen Synthetics	
	4000K	4000K	500ÔK	
	× 88°-7	€ 88° - 120° - € 0-15 m	→ 97° → 120° → 0-15 m	
		DISTANCE TIME L M H M L Tost Tost Tost 30:10:0: The second seco	TIME Test in 3m-10m	
			347	








The MAYA is a compact up and down wall light with a timeless design, crafted from aluminum and stainless steel. It features a wide beam and includes a discreet, black adjustable PIR sensor that blends seamlessly into the structure, making it almost invisible




















The QUBO wall light is designed with a high-performance integrated motion sensor, offering efficient and responsive outdoor lighting. This sleek fixture combines modern technology with practicality, ensuring a secure and well-lit environment.




Dark Grey 5193002118

CLASS I IP54 LED 11.3W 1100 Lumen Die Cast Aluminum















The LEDA tubular wall light, crafted from stainless steel, features a PIR sensor that is adjustable both horizontally and vertically. This design allows for precise targeting of the light, making it a versatile and effective choice for outdoor security lighting.



s/s **5267103001**


CLASS II IP44 LED 15.5W 1400 Lumen Stainless Steel













The CYRA tubular wall light features a dark grey aluminum body and an opal white diffusor. It is equipped with two movable heads, each capable of 350° rotation, allowing for extensive directional lighting. Additionally, it includes a PIR sensor for enhanced motion detection.





Dark Grey 5198102118





CONNECTED

MAKE YOUR OUTDOOR LIFE **SMARTER**

CONNECTED LIGHT

-





8506201331/P367



8500102331 / P369

8506204331/P367



6501702330/ P371

LUTEC

INSIDE



wall





DROPSI 5010901118/ P375

QUBO 5193004118 / P377 **GEMINI** 5189120118 / P379



accessory



ACCESS BOX 9704401361/ P396 9

WITH

DAWNY 9760002330/ P399



make your outdoor life **smarter**





ର୍ମାନ୍ମ

Bluetooth MESH




_0000

Powered b



Control & Adjust your lights from your bedroom to your garden



control your light like magic

LUTEC has a great range of connected lights. You immediately set the mood in and around your home with the magic of coloured light. Once you have connected your lights to your mobile phone, you can play with light like it's a piece of cake.





CCT adjustable whites Dimming 4 shades of lights Activity lights Night Reading Relaxing



Vary the intensity and white temperatures

By varying the white temperature, you can go from a soft and pleasant warm white for relaxing or enjoying an evening with friends, to a cooler white simulating daylight and providing more powerful lighting.

Light in color

You can create a festive atmosphere, transform your terrace into a cozy and pleasant space, enhance your garden decoration or simply choose your favorite scene. A color and mood for any time of day or night.

the LUTEC connect app

For a full smart lighting experience



Google Play



the smart remote control

With additional Access Bo

With Double Integrated function

Simplicity is our promise, as nothing beats the convenience of remote control Full functionality without Internet access No Router & No Wifi required

Point & Play in the room Infra Red individual control





the 2 in 1 smart way

For an easy control

2 in 1 function


A standard wall switch will allow the luminaire to go from a warm light (2700k) with an additional click to a more intense daylight (4000k).



Control every light

Inside or outside the house

Bluetooth Group control



why Bluetooth Mesh?

Full scalability towards all your indoor and outdoor living spaces

Bluetooth technology, the global standard for wireless connectivity, now supports mesh networking

Easy & stable connection Long range indoor & outdoor Connect up to 100 devices



further on the experience

Add the WiFi LUTEC Connect Access Box to the Bluetooth mesh eco-system. Allows the connection of the Bluetooth mesh ecosystem with your Wifi router at home



Hey Google turn on the light!





The complete LUTEC Connect lighting portfolio is Voice Control Compatible

Alexa, change the light in blue!

works with alexa












touch control









charging














Activity lights



Fire



NOMA portable

The NOMA is a modular, spherical light designed for versatility indoors and outdoors. It allows for the creation of diverse colored scenes controlled via an app, touch, or remote. The starter kit includes two light modules and a charging station with a USB cable. For expanded illumination, additional NOMA+ modules can be integrated, adding flexibility to the setup.





noma+

additional module

smart lighting technology

White




LUTEC

CLASS III LED 2.3W 1200mAh 3.7V Li-ion battery 150 Lumen Synthetics



UTEC









Activity lights



Fire





The PEPPER is a modern, design award-winning portable table lamp, celebrated for its versatility and stylish appearance. It features adjustable brightness and is moveable for convenience in various settings. Chargeable via USB, it comes with a charging cable included, making it ideal for both indoor and outdoor use.

(Ph)	1-2-3 USB Rechargeable	
	1 200lm(2700K)	ЗН
	2 200lm(4500K)	ЗН
	3 15lm(2700K)	48H
	4	7H
	5	OFF



8500102331 White

i

DESIG AWAR 2020

CLASS III IP54 LED 4.5W 2200mAh 3.7V Li-ion battery 200 Lumen Synthetics



















cardi

portable light

This portable LUTEC Cardi is a very versatile indoor and outdoor lamp. The lamp creates the perfect atmosphere in any space, but it can also be used more functionally. It is weatherproof and dimmable and features 16 million colours to brighten up any spot. Activate even more smart light functions with the access box. Control your lights hands free and use your voice instead of a mobile device!



smart lighting technology



Matt Black 6501702330

CLASS III IP54 LED 3.3W 2200mAh 3.7V Li-ion battery 200 Lumen Synthetics









spike & wall

The MINI LETO is a versatile outdoor lighting solution, available as both a garden spike and wall light. It features an integrated connected LED module that can display any color you choose. With two-way installation options, it offers flexibility in setup to suit various landscaping or architectural needs.




smart lighting technology



Grey 6602903424

CLASS II IP65 LED 8W 400 Lumen Die Cast Aluminium







÷	Dim	ming		☆											
	Adjustable whites														
700 K				6500 K											
	R	GB													
	Activit	y light	s												
		ß	and the second)											
Night	Reading	Relaxing	Party												
$(\hat{\boldsymbol{a}})$		(P)	\bigcirc												
Fire	Ocean	Forest	Romanc	e											





wall

The DROPSI contemporary wall lamp features a movable spotlight and a double diffusor, equipped with a connected LED module that creates an immersive lighting effect. This sleek design allows for targeted illumination while adding a modern touch to any space.




smart lighting technology



5010901118

CLASS I IP44 LED 9.5W 690 Lumen Die Cast Aluminium










*	Dim	ming		桊
	Adjusta	able wl	nites	
2700 K				6500 K
	R	GB		
	Activit	y light	s	
(\underline{v})		ß	A a a a a a a a a a a a a a a a a a a a	I
Night	Reading	Relaxing	Party	
$\langle \rangle$			\bigcirc	
Fire	Ocean	Forest	Romance	9



▶ "Also available in non connected version"see page 169/171









wall & bollard


The QUBO series, available as both a wall and bollard light in dark grey, offers stunning, homogeneous lighting through a connected system. Its diffused light provides a soft, even glow, making it an ideal choice for pathways, gardens, and architectural accents.





5193004118







123

377

UTEC



▶ "Also available in non connected version"see page 221










The GEMINI wall light features a minimalistic, diecast design resembling an elegant 'brick' in dark grey. Its connected LED module emits a perfect light beam that covers the full surface in two directions, offering both functionality and modern aesthetic appeal for any outdoor space.




smart lighting technology



ey 5189120118

CLASS I IP54 LED 17W 900 Lumen Die Cast Aluminium







touch control



ol



Light on/off



8--

timer function







The MAINS bollard socket light features an integrated Cloud access box, enabling control of all devices in the LUTEC Connect network from away from home. It offers full control via an app, including a timer function, and is equipped with two side-earth sockets. With a total power supply capability of 3500W, this bollard provides a comprehensive and convenient power solution for outdoor spaces.



smart lighting technology



Matt Black 7202201012

CLASS I IP44 LED 11W 750 Lumen 16A - Max. 3500W Die Cast Aluminium





UTEC

BETTER LIGHT BETTER **WORK**

WORK LIGHT



 PENI
 EPTA

 7902202426 / P387
 7901602426 / P389

385












The PENI outdoor LED portable work light, in a durable yellow and black finish, offers practical lighting at 4000K. It features USB-C charging for convenience and can be easily positioned using its magnetic mounting or hook for hanging, making it ideal for a variety of work or emergency situations.



7902202426

CLASS III IP54 LED 2W 2000mAh 3.7V Li-ion battery 500 Lumen Synthetics












The EPTA outdoor LED work light features a sturdy black and yellow aluminum finish, designed for durability. It emits a bright 5000K light and comes equipped with a 1.5m power cord, making it a practical choice for various outdoor projects requiring strong and reliable illumination.



7901602426

CLASS I IP54 LED 24W 2700 Lumen Die Cast Aluminum





389




CONTROL AT THE TIP OF YOUR FINGERS

ACCESSORY



SERVICE COMPONENTS



WATER GLASS FRONT 9705501000/ P403

WATER GLASS SIDE 9705502000/ P403 CLEAR GLASS SIDE 9705507000/ P403

CLEAR GLASS FRONT 9705506000/ P404

WATER GLASS 9705503000/P404

CLEAR GLASS 9705508000/P404

CLEAR GLASS 9705505000/ P404 SYNTHETICS

9700359330/ P405



Point & Plav in the room Infra Red individual control

Scenes

Fire

Forest Ocean

Romantic

Night Light

Work light Party





Control every light Inside or outside the house Bluetooth Group control



You can add as many smart lighting devices as you want to one of the 3 groups (A-B-C).

C o

I/O push button switches on-off all the lights of the same group.





accessories

A 2-in-1 remote control that allows you to switch the power off from the top half by pointing to change the intensity of the light, the color changing temperature. and access the colors or even multiple varied scenes. From its lower part, you can turn a group of lamps on or off from anywhere in the house.



smart lighting technology



9702315361

White

Infra Red individual control Plastic





SMART SWITCH

Very ingenious, this accessory can be easily attached thanks to its 3M self-adhesive system. No need to connect to the electrical network, it allows you to switch on and off with a single click or to vary the intensity and temperature of the lamps in a room or in a zone defined in the application. 3 zones are possible A, B, C allowing a wide coverage, for example the lamps of the room where the switch is installed, the exterior lighting or a complete zone such as a ground or a complete floor.



smart lighting technology



White 9706201361

> Smart switch Plastic







the brightness

party

Click to turn on/off the light

 \mathbf{G}



Press and rotate

to change the

Long press to change the mode color temperature warm white cold white niaht liaht

Function Buttons A/B/C

Ο Ο Ο С

1. Long press to add the device to the group 2. Short press to activate and control group devices

3. Long press knob and button A to reset the device



ACCESS BOX

accessories

Small in size, it can be easily installed. Even if this accessory is not essential for the proper functioning of the complete system, it is however necessary to access certain functionalities such as voice control but also the programming of one or more lamps over time or according to a particular condition such as the weather.




smart lighting technology



White 9704401361

> Smart switch Plastic






Add the WiFi LUTEC Connect Access Box to the Bluetooth mesh eco-system. Allows the connection of the Bluetooth mesh ecosystem with your Wifi router at home.

The complete LUTEC Connect lighting portfolio is Voice Control Compatible








Via Cloud access you can control all the devices in your LUTEC Connect lighting network from anywhere out of home.















Easy & fast pairing with LUTEC connect app



Adjust in the LUTEC connect app, Time, Twilight and Distance settings



Works with all the LUTEC connect devices except Solar connect range

DAWNY

accessories

The DAWNY is a versatile motion sensor suitable for both outdoor and indoor use, featuring a wireless, battery-powered design that triggers lights upon detecting any movement. It can be mounted on ceilings, walls, or corners, offering flexible installation options to enhance security and convenience around your property.






smart lighting technology



Matt Black 9760002330

CLASS III IP44 2 × 1.5 V 1300mAh NiMH AA battery Sensor Plastic



Not included


LUTEC RECHARGEABLE BATTERIES



9759804000	6915601335 BELKA
-	6912401345 ZELNA
Type Li-ion rechargeable Voltage 3.7V	6989101118 INKA 🧊
Capacity 2200mAh Connection NA	6993801118 PRIMA
	6935501330 TUDA
	6935502330 TUDA
	6938405330 GINBO 💭
	6941502330 FRAN 🛅
	6939501330 FADI
	6935802012 KARLO
	6935802012 KARLO T 6915901012 SPIDO Image: Comparison of the second secon
	6916301330 MIYI
	6904101331 DRAGONFLY
	6915401118 ALETA
	6919501330 AERO 🌫
	6915801335 RUNDA
	6915802118 RUNDA
	6906001118 MOON
	6943801125 DOBLO
	6925604345 SUNSHINE
	6925601345 SUNSHINE 🚽
	6996601012 DIAS

		T	6910802335	POPPY	C
Type Voltage Capacity Connection	Li-ion rechargeable 3.7V 4400mAh SM flat		6910901012	POPS	¢
975980	8000		6933708330	СОРРА	
			6933701330	KOZY	
Type Voltage	Li-ion rechargeable 3.7V		6915501335	BARLO	3
Capacity Connection	1500mAh NA		6912301335	LINKO	
			6910601335	ARROW	d
			6915701335	VYZOR	e
			6934601118	CURTIS	Ī
			6943101012	MOZE	ĺ
			6939101330	TRY	[
			6940101125	DOBLO	[
			6943701125	DOBLO	
			6916002330	AVONY	
			6988804012	FLAIR	
			6925701345	SUNSHINE	
			6990901012	FIA	
			6988802012	FLAIR	
9759813	000	\bigcap	8500601012	ROBLE	ĺ
Type Voltage Capacity Connection	Li-ion rechargeable 3.7V 2200mAh SM flat		000001012	NODEL	c
9759814	1000	1			d
Type Voltage Capacity Connection		12	6938401330	BINGO	
9759815	000	-	0015101770	MINGE	E
Type Voltage Capacity Connection	Li-ion rechargeable 3.7V 1200mAh	(e #	6915101330	WINGS	Ø


LUTEC SPARE GLASSES







LUTEC SPARE GLASSES





LUTEC RETROFIT LOW VOLTAGE BULBS






LUTEC SPIKE



LUTEC Icons

LUTEC Icons - PIR motion sensor



Light angle

Up & Down

Test & Time setting

LUTEC Icons - Solar

X



solar panel

Dusk to Dawn

Integrated



Separated Solar panel solar panel



Portable











Touch dimming

3 step dimming

Moveable

solar panel

1-2-3

Hybrid

•• 4

Т

USB

Rechargeable

connection & cable

WITH LUTEC Jonner INSIDE

SECURE

STORAGE

















LUTEC Icons - Connected Light

Fast & stable connection



CONTROL & ADJUST 5











Suitable for smart bulb

Remote control

App control

Voice control



Adiustable

camera







EASY





introducing our company **50 years of experience**

welcome to the LUTEC center connected by lighting

The origins of a lighting company.

Originally set up as a national aluminum die-cast factory, we gained our first experience of outdoor lighting by producing bulkhead lights & classical garden lanterns. The first export shipment was made in 1996. The new factory in Yuyao became operational in 2001, concentrating on modern garden and professional lighting.

The LUTEC brand was launched in 2010, focusing on architectural LED lighting and the introduction of solar energy products. The success of the company resulted in the opening of a second production facility in 2012, fully devoted to future developments in design and new technologies.



Nowadays, Lighting is both essential and magic.

The challenge of the lighting market is to create products which are a balance between the shape, impact and attractiveness. The LED revolution has completely changed the game, giving many new opportunities. Added to this we must not only continue to offer the latest technical innovations but also anticipate and provoke them, especially with solar energy and smart lighting controls.

We have expanded our international network and organisation: with new central warehouses in Belgium and China, establishing partners in many new countries allowing us to continue building our corporate identity and providing our partners with unique product support and marketing tools.

The future is always here.

Today we are all surrounded by the interactive and connected world. For many reasons it is evident that the lighting market must also embrace this new internet age. The need of control and adjustments by means of an app or remote control has become a must have feature.

LUTEC offers multiple programmable solutions through the LUTEC connect app, for the Outdoor, Solar and Camera smart ranges.

Recently new developments in the SOLAR light domain have been introduced : Solar Hybrid & Solar Dynamic.

This is where the magic is born.





The LUTEC centre located our HQ in Yuyao is an international meeting venue where new concepts, innovation & strategies are studied, created, and shared with our partners. Recently, we've fully updated our showroom featuring attractive presentation of our new developments and actual ranges. You can obtain a sneak preview by scanning the QR code.

We provide an expert platform in design, sales and services. Staying close to our customers, allows the right design solutions to be found for their consumers.

Our team is trained to be proactive and reactive. The key to realise a win-win product, is to explore all the possibilities, look outside the box to find the best solution.






design & engineering design, engineering & manufacturing, all interactive.

One of the main decisions we have taken in the LUTEC organisation is to break down the walls between of each department to improve product strategy.

This brings a culture of flowing communication between the services where everybody has a positive role to play in all projects.





We all know development is complex with many obstacles to overcome. However, working together helps our team to aim for the perfect solution as smoothly as possible. Knowledge is shared at all levels. Creativity, marketing, engineering, production, and sales are seen as one.





warehousing & transport global logistic footprint assuring availability & proximity.







Unlike many other manufacturers in this sector, LUTEC keeps significant levels of finished goods in the central warehouses in Europe and China. Our aim is to reduce the lead time wherever possible.

The European Central Warehouse is now fully operational for more than 5 years, resulting in a proven logistic performance with a service level well over 93%. Overtime the ECW portfolio has increased up to 350 sku's with permanent availability.

Thanks to this warehouse located in Belgium, centrally situated in Europe. with an average lead time for most shipments is less than 7 days, the LUTEC products are always within reach.

We offer different transport options: direct shipment, cross docking, drop shipment or pick-up. this in close co-operation with each local LUTEC partner.

Recently we've arranged an appropriate set-up to assure different value adding trade marketing services in the ECW.





CCW China Central Warehouse Yuyao - China

ECW European Central Warehouse Bornem - Belgium



LUTEC quality

Energy efficient LED lighting continuous improvement



As a global supplier, our products are fully compliant with all relevant technical & quality requirements of the different regions in the world.



All LUTEC LED products benefit from a 5-years functional warranty. For the SOLAR range we apply a 3 years operational warranty. (not applicable for the rechargeable battery)

LUTEC Warranty Conditions, please check on www.lutec.com/warranty



CREE

Lextar

Integrated LED Light-engines

The LUTEC in-house engineering/production departments only use primary component suppliers, constantly improving the performance of the total LED product, resulting in a higher lumen/watt ratio.

Low Energy Cost: LUTEC products offer at least an 80% saving compared to traditional sources

Long Lifetime: up to 20.000 hours

LUTEC LED-light engines featuring the most appropriate characteristics in order to give the best result for all your outdoor applications.

- Lumen Maintenance: 100% LM-80 test report
- Color deviation: 100% under 5-step MacAdam ellipse

The LED driver is the heart of the LED module and is the main influencer of the life-time. LUTEC develops these drivers to the specification of the product for best performance. The production of the SMD's used in the LUTEC-drivers is done inhouse in our approved SMT assembly lines. All drivers are compliant to all relevant standard and regulations.







EVERLIGHT

LUMILEDS

bridaelu

DHILIDS



LUTEC makes a continuous effort to improve the Energy Efficiency of their luminaires:


- Development of Solar ranges with zero energy consumption
- Introduction of retrofit items, suitable for Energy Class A LED light bulbs.
- Pushing the Energy Efficiency classes of the total portfolio from F-E-D to C-B-A level step by step.

LUTEC Outdoor Portfolio

All LUTEC outdoor luminaires, within the scope of the updated EU-regulation 2021 are fully compliant. This results in the attribution of an updated classification with Energy Efficiency Classes in between A & G.

"Containing Products" Classification

The compete range of LUTEC luminaires has been classified as Containing Products with aremovable and (non) replaceable LED-module. As a result the new Energy Efficiency Class is related to the LED-Module and not to the complete luminaire as such.



LED Module – Energy Efficiency Class

In order to make it clear that the test results are related to the LED Module, a specific EEL label was created with a "M" (Module) indication behind the item nr.

This EEL label can't be shown on the packaging of the complete Outdoor Luminaire. In the Instruction Manual we indicated the Energy Class of the concerned light Source (= LED Module)

EPREL Database


Consumers can access the database by scanning the QR code featured on the new energy labels. The EPREL database offers detailed information of all registered LUTEC products.

Available information on www.lutec.com

On our LUTEC website all related information is available for consultation and easy download of specific documents:

- Energy Label
- Instruction Manual
- Product Information sheet (with test results)
- Light Source Remove instructions











We believe outdoor lighting is a unique category with a vast number of specific requirements and challenges. Our aim is to provide creative solutions, innovative designs using quality materials and products.

Our categories include architectural designs with creative forms of illumination. Functional products, combining tough materials with stylish appeal, decorative products ranging from classic to ultra-modern shapes. Solar lighting that incorporates the latest trends alongside unique technologies. All this to support the ever changing climates around the world.

Our commitments to everyday actions





Durable Products

LUTEC outdoor luminaires are made from durable materials s uch high density die-cast aluminium and synthetics glass, fully weatherproof, to **last for many years.**



SOLAR Lights : 100 % green energy

Focus on development of effcient and smart Solar luminaires made with panels :

Without any rare earth element

• Can be recycled and reused up to 4 times Last year, more than 400 000 homes were equipped with a new LUTEC Solar light.





facilities are equipped with high efficiency solar panels (10 000m2) resulting in a green energy saving : **50% of our annual energy consumption.**

Sustainable Functions & Features

LED Lights : 80% less energy vs traditional light sources SENSOR Lights : consume energy only when you need light CONNECTED Lights : smart control of the lights can save up to 90%











materials & finishes

LUTEC exterior luminaires are produced using high quality materials and finishes with excellent weather protection properties as well as mechanical strength to ensure a long lifetime.

Heavy duty die-cast Aluminum (ADC 12) with a thickness of 2mm, is in most cases the preferred material. The LUTEC in-house fully automatic powder-coating & water painting installation provides excellent protection against corrosion.



Different kind of durable synthetics, depending on the application and form factors. Forthe fixtures: ABS, a strong and light-weighted material, can be used under low and high outdoor temperatures. For the opal or transparent diffusors: the impact proof and very resistant PC (polycarbonate) is used. Also clear glass, tempered glass and opal or clear PMMA (plexi-glass) are common in our designs.

LUTEC benefits from an in-house tooling workshop for both aluminum and synthetic components.

IP rating table

The LUTEC Outdoor fixture comply to the International standards concerning Ingress Protection. All articles have a minimum IP44 rate. For some specific applications (Ex. in ground recessed spots) the protection rate goes up to IP67.

	Protection against solids		Protection against liquids
0	Not Protected	0	Not Protected
1	Protected against Solid Objects greater than 50mm	1	Protected against Dripping Water
2	Protected against Solid Objects greater than 12mm	2	Protected against Dripping Water when tilted to 15°
3	Protected against Solid Objects greater than 2.5mm	3	Protected against Spraying Water
4	Protected against Solid Objects greater than 1mm	4	Protected against Splashing Water
5	Dust Protected	5	Protected against Water Jets
6	Dust Tight	6	Protected against Heavy Seas
		7	Protected against the effects of Immersion
		8	Protected against Submersion

Color Indication





mounting, installation ھ maintenance



LUTEC pays a lot of attention to a user friendly and effective yet simple instructions, we strive to find time saving methods of installation

we strive to find time saving methods of installation using uniquely designed interfaces where possible. Every LUTEC Outdoor fixture has a clear instruction manual in the unit box and this manual can also be downloaded from our website. Clear explanations in 16 European languages.



Service network

Our service network is available on global level through our LUTEC Partners. Contact details: www.lutec.com/services/global-network

LUTEC brand identity packaging

LUTEC brand identity rich content

The LUTEC corporate identity has been invigorated in line with our evolving brand values. New trade support tools and POSs have been created to support our products and our customers providing an integrated selling solution, all of which adds value and distinguishes the LUTEC offer from our competitors.





LUTEC applies on regular base graphic updates on the packaging of our complete portfolio, to improve the overall consumer perception and understanding. We believe the new look of the new packaging is fresh, vivid and in tune with our style of products. The product is always the hero with an inspiring photography. The LUTEC logo is visible from all sides of the packaging , together with the emblematic green banner this will further improve the brand recognition.

The LUTEC SOLAR and LUTEC SECURITY unit-box graphics were launched in the market for the LUTEC connect Solar and LUTEC connect Camera ranges. By means of a distinctive color indication, Orange for Solar & Red for Security, the consumers will easily recognize the difference with the standard LUTEC outdoor ranges.

We're constantly creating new communication materials to support and improve the presentation of LUTEC products, facilitating an easy consumer selection of one of the LUTEC products.

All support materials are accessible through our refreshed website www.lutec.com. Where you can find the LUTEC database with all kind of "rich content": Product photos, Lifestyle photo's, Tutorials, Inspirational video's, Flash-Intro video's, Unpacking experiences, and many more.























Index : as per ITEM NO.

NEW ITEM	NAME	PAGE	NEW ITEM	NAME	PAGE	NEW ITEM	NAME	PAGE	NEW ITEM	NAME	PAGE
5010901118	DROPSI	375	5189113118	GEMINI	217	5198101118	CYRA	147	5288903118	KIRA	165
5011602461	VIDAR	231	5189114118	GEMINI	213	5198102118	CYRA	147	5289001118	PANO	155
5011701461	RAN	229	5189120118	GEMINI	379	5198102118	CYRA	355	5290603012	SPIRE	289
5043104424	NILA	193	5189125012	GEMINI	213	5198302001	MAYA	227	5290903012	FIA	295
5102101118	HELENA	259	5189135118	GEMINI	217	5198401001	MAYA	227	5294502012	ZAGO	293
5102601125	PILI	207	5191601118	HELENA	261	5198401001	MAYA	349	5296602012	PINE	299
5104001118	GEMINI XF	209	5191602118	HELENA	261	5198501118	TUBON	149	5602734118	GEMINI	219
5104002012	GEMINI XF	209	5191605012	HELENA	261	5203301345	KITE	163	5604011118	FOCUS	243
5104003012	GEMINI BEAN	1S 201	5192701330	LEO	233	5203501118	ZEBRA	189	5604014118	FOCUS	245
5104003032	GEMINI BEAN	1S 201	5192701335	LEO	233	5205701118	POLO	159	5604021001	FOCUS	241
5104004001	GEMINI XF	209	5193001118	QUBO	169	5205702118	POLO	159	5604023118	FOCUS	247
5104005118	GEMINI BEAN	1S 201	5193002118	QUBO	169	5205801012	GOLETA	271	5604101118	FOCUS	243
5104006012	GEMINI BEAN	1S 203	5193002118	QUBO	351	5206001118	MOON	157	5605013118	FOCUS	251
5105001125	DOBLO	179	5193004118	QUBO	377	5206501012	SHIVA	291	5626001118	TRUMPET	151
5105002125	DOBLO	179	5193013118	QUBO	169	5207601012	FULTON	191	5626101125	TRUMPET	151
5105003125	DOBLO	181	5193201012	LOTUS	197	5207901012	WEST	297	6273601012	KELSEY	30
5107001118	CONROY	129	5193201118	LOTUS	197	5213402012	PLATO	285	6303401118	SWEEP	269
5107101118	RIDGE	239	5193602118	ADALYN	185	5213901012	SWAN	287	6304201118	FOCUS	249
5107401125	DOBLO	181	5193801012	CUBA	133	5214501330	DALTON	283	6330401118	BONN	225
5115001445	ANCOR	281	5193801118	CUBA	133	5264201213	CATE	313	6336201118	TITAN	265
5137701118	MOOV	199	5193803012	CUBA	137	5267103001	LEDA	353	6382201012	ROLA	263
5138001118	LOOMA	143	5193803118	CUBA	137	5267106001	ELARA	329	6382201118	ROLA	263
5138002118	LOOMA	141	5193808118	CUBA	133	5273601012	KELSEY	307	6383001118	BULLO	253
5138003118	LOOMA	141	5193811118	CUBA	131	5273603012	KELSEY	307	6389101118	GEMINI	215
5184601118	BOX CUBE	183	5193812118	CUBA	327	5273701012	KELSEY	307	6389102012	GEMINI	215
5188801118	APOLLO	161	5193814118	CUBA	137	5273702012	KELSEY	307	6392202457	КАҮАН	267
5189101118	GEMINI	221	5195401118	QUBO	167	5287901012	RIALTO	205	6397501012	SHYNE	187
5189102032	GEMINI	217	5195404118	QUBO	167	5288801012	FLAIR	301	6402101118	HELENA	257
5189102118	GEMINI	217	5196301118	FELE	145	5288802012	FLAIR	301	6402105012	HELENA	257
5189103118	GEMINI	217	5196501118	URBAN	195	5288803012	FLAIR	303	6402801118	LUPS	255
5189104118	GEMINI	223	5197002125	DOBLO	175	5288804012	FLAIR	303	6501702330	CARDI	371
5189112012	GEMINI	221	5197011125	DOBLO	177	5288811012	FLAIR	325	6588801012	FLAIR	305
5189112118	GEMINI	221	5197401118	STELA	173	5288814012	FLAIR	303	6602903424		373
5189113012	GEMINI	217	5197501012	SHYNE	187	5288902118	KIRA	165	6604001118	CYPRES	235

Index : as per ITEM NO.

NEW ITEM	NAME	PAGE	NEW ITEM	NAME	PAGE	NEW ITEM	NAME	PAGE	NEW ITEM	NAME	PAGE
6604002118	CYPRES	235	6938401330	BINGO	59	7207601012	FULTON	191	9700359330	SYNTHETICS	405
6604003118	CYPRES	237	6938405330	GINBO	41	7264210213	CATE	313	9702201012	MAINS	273
6604004118	CYPRES	237	6938602330	DIVA	67	7264230213	CATE	313	9702202012	MAINS	273
6609201118	EXPLORER	153	6939101330	TRY	83	7273604012	KELSEY	309	9702203012	MAINS	273
6609202118	EXPLORER	153	6939501330	FADI	45	7273605012	KELSEY	311	9702315361	REMOTE CONTROL	395
6904101331	DRAGONFLY	69	6940101125	DOBLO	93	7273606012	KELSEY	311	9704401361	ACCESS BOX	396
6906001118	MOON	91	6941502330	FRAN	43	7288801012	FLAIR	305	9705501000	WATER GLASS FRON	r 403
6910601335	ARROW	85	6943101012	MOZE	77	7288902118	KIRA	165	9705502000	WATER GLASS SIDI	± 403
6910802335	POPPY	55	6943701125	DOBLO	95	7290901012	FIA	295	9705503000	WATER GLAS	S 404
6910901012	POPS	53	6943801125	DOBLO	97	7290903012	FIA	295	9705505000	CLEAR GLAS	S 404
6912301335	LINKO	75	6951301189	LONDON	107	7622104330	SHRIMP II	347	9705506000	CLEAR GLASS FROM	т 404
6912401345	ZELNA	27	6988802012	FLAIR	105	7622221012	SHRIMP	347	9705507000	CLEAR GLASS SID	Е 403
6915101330	WINGS	81	6988804012	FLAIR	105	7622222012	SHRIMP	347	9705508000	CLEAR GLAS	S 404
6915401118	ALETA	71	6989101118	INKA	29	7625601345	SUNSHINE	341	9705514000	CLEAR GLASS FROM	т 403
6915501335	BARLO	73	6990901012	FIA	103	7625701345	SUNSHINE	341	9705515000	CLEAR GLASS SID	Е 403
6915601335	BELKA	25	6993801118	PRIMA	31	7632201053	ARC	343	9705516000	CLEAR GLASS FRON	т 402
6915701335	VYZOR	87	6996601012	DIAS	49	7632406053	LIBRA	331	9705517000	CLEAR GLASS SID	Е 402
6915801335	RUNDA	89	7104001118	GEMINI XF	211	7635415330	CHIMERA	345	9705518000	CLEAR GLAS	S 402
6915802118	RUNDA	89	7104002012	GEMINI XF	211	7801601118	ATLANTIS	125	9705519000	CLEAR GLAS	S 402
6915901012	SPIDO	57	7105701118	POLO	159	7801602118	ATLANTIS	337	9706201361	SMART SWITC	н 397
6916002330	AVONY	101	7138001118	LOOMA	143	7801603118	ATLANTIS	127	9759801000	BATTERY PAC	K 400
6916301330	MIYI	65	7193001118	QUBO	171	7801604118	ATLANTIS	339	9759804000	BATTERY PAC	K 400
6919501330	AERO	79	7193003118	QUBO	377	7801605118	ATLANTIS	125	9759805000	BATTERY PAC	K 401
6922201330	КОМВО	111	7193004118	QUBO	171	7801606118	ATLANTIS	127	9759808000	BATTERY PAC	K 401
6922401330	BRITI	109	7193801118	CUBA	135	7801607118	ATLANTIS	337	9759813000	BATTERY PAC	K 401
6925601345	SUNSHINE	115	7193802012	CUBA	139	7801608118	ATLANTIS	339	9759814000	BATTERY PAC	K 401
6925604345	SUNSHINE	113	7193802118	CUBA	139	7901602426	EPTA	389	9759815000	BATTERY PAC	K 401
6925701345	SUNSHINE	113	7193805118	CUBA	139	7902202426	PENI	387	9760002330	DAWNY	399
6933701330	KOZY	63	7196301118	FELE	145	8500102331	PEPPER	369	9788801000	CLEAR GLASS BI	g 402
6933708330	COPPA	61	7196601012	PINE	299	8500601012	ROBLE	277	9788802000	CLEAR GLASS SMAI	⊥ 403
6934601118	CURTIS	99	7196603012	PINE	299	8506201331	NOMA	367			
6935501330	TUDA	37	7202201012	MAINS	381	8506204331	NOMA	367			
6935502330	TUDA	39	7204803118	FOCUS	249	8711802311	E27 BULB	405			
6935802012	KARLO	47	7207001118	CONROY	129	9700357000	E14 BULB	405			

Index : as per SERIES NAME

NAME	NEW ITEM	PAGE	NAME	NEW ITEM	PAGE	NAME	NEW ITEM	PAGE	NAME	NEW ITEM	PAGE
ACCESS BOX	9704401361	396	CATE	7264230213	313	CYRA	5198101118	147	FLAIR	5288803012	303
ADALYN	5193602118	185	CHIMERA	7635415330	345	CYRA	5198102118	147	FLAIR	5288804012	303
AERO	6919501330	79	CLEAR GLASS	5 9705518000	402	CYRA	5198102118	355	FLAIR	7288801012	305
ALETA	6915401118	71	CLEAR GLASS	5 9705519000	402	DALTON	5214501330	283	FLAIR	6588801012	305
ANCOR	5115001445	281	CLEAR GLASS	5 9705508000	404	DAWNY	9760002330	399	FLAIR	5288811012	325
APOLLO	5188801118	161	CLEAR GLASS	s 9705505000	404	DIAS	6996601012	49	FLAIR	6988804012	105
ARC	7632201053	343	CLEAR GLASS BIG	9788801000	402	DIVA	6938602330	67	FLAIR	6988802012	105
ARROW	6910601335	85	CLEAR GLASS FRONT	9705506000	404	DOBLO	6940101125	93	FOCUS	5604021001	241
ATLANTIS	7801601118	125	CLEAR GLASS SIDE	9705517000	402	DOBLO	6943701125	95	FOCUS	5604011118	243
ATLANTIS	7801605118	125	CLEAR GLASS SIDE	9705507000	403	DOBLO	6943801125	97	FOCUS	5604101118	243
ATLANTIS	7801603118	127	CLEAR GLASS FRONT	9705516000	402	DOBLO	5197002125	175	FOCUS	5604014118	245
ATLANTIS	7801606118	127	CLEAR GLASS FRONT	9705514000	403	DOBLO	5197011125	177	FOCUS	5604023118	247
ATLANTIS	7801602118	337	CLEAR GLASS SIDE	9705515000	403	DOBLO	5105001125	179	FOCUS	6304201118	249
ATLANTIS	7801607118	337	CLEAR GLASS SMALL	9788802000	403	DOBLO	5105002125	179	FOCUS	7204803118	249
ATLANTIS	7801604118	339	CONROY	5107001118	129	DOBLO	5105003125	181	FOCUS	5605013118	251
ATLANTIS	7801608118	339	CONROY	7207001118	129	DOBLO	5107401125	181	FRAN	6941502330	43
AVONY	6916002330	101	СОРРА	6933708330	61	DRAGONFLY	6904101331	69	FULTON	5207601012	191
BARLO	6915501335	73	CUBA	5193811118	131	DROPSI	5010901118	375	FULTON	7207601012	191
BATTERY PACK	9759801000	400	CUBA	5193801118	133	E14 BULB	9700357000	405	GEMINI	5189114118	213
BATTERY PACK	9759804000	400	CUBA	5193808118	133	E27 BULB	8711802311	405	GEMINI	5189125012	213
BATTERY PACK	9759805000	401	CUBA	5193801012	133	ELARA	5267106001	329	GEMINI	6389101118	215
BATTERY PACK	9759808000	401	CUBA	7193801118	135	ΕΡΤΑ	7901602426	389	GEMINI	6389102012	215
BATTERY PACK	9759813000	401	CUBA	5193803118	137	EXPLORER	6609202118	153	GEMINI	5189102118	217
BATTERY PACK	3759814000	401	CUBA	5193814118	137	EXPLORER	6609201118	153	GEMINI	5189113118	217
BATTERY PACK	9759815000	401	CUBA	5193803012	137	FADI	6939501330	45	GEMINI	5189113012	217
BELKA	6915601335	25	CUBA	7193802118	139	FELE	5196301118	145	GEMINI	5189102032	217
BINGO	6938401330	59	CUBA	7193802012	139	FELE	7196301118	145	GEMINI	5189103118	217
BONN	6330401118	225	CUBA	7193805118	139	FIA	6990901012	103	GEMINI	5189135118	217
BOX CUBE	5184601118	183	CUBA	5193812118	327	FIA	5290903012	295	GEMINI	5602734118	219
BRITI	6922401330	109	CURTIS	6934601118	99	FIA	7290901012	295	GEMINI	5189101118	221
BULLO	6383001118	253	CYPRES	6604001118	235	FIA	7290903012	295	GEMINI	5189112118	221
CARDI	6501702330	371	CYPRES	6604002118	235	FLAIR	5288801012	301	GEMINI	5189112012	221
CATE	5264201213	313	CYPRES	6604003118	237	FLAIR	5288802012	301	GEMINI	5189104118	223
CATE	7264210213	313	CYPRES	6604004118	237	FLAIR	5288814012	303	GEMINI	5189120118	379

Index : as per SERIES NAME

NAME	NEW ITEM	PAGE	NAME	NEW ITEM	PAGE	NAME	NEW ITEM	PAGE	NAME	NEW ITEM	PAGE
GEMINI XF	5104001118	209	LEDA	5267103001	353	PINE	7196601012	299	SMART SWITCH	9706201361	397
GEMINI XF	5104002012	209	LEO	5192701335	233	PINE	7196603012	299	SPIDO	6915901012	57
GEMINI XF	5104004001	209	LEO	5192701330	233	PLATO	5213402012	285	SPIRE	5290603012	289
GEMINI XF	7104001118	211	LIBRA	7632406053	331	POLO	5205701118	159	STELA	5197401118	173
GEMINI XF	7104002012	211	LINKO	6912301335	75	POLO	5205702118	159	SUNSHINE	6925701345	113
GEMINI BEAM	s 5104005118	201	LONDON	6951301189	107	POLO	7105701118	159	SUNSHINE	6925604345	113
GEMINI BEAM	s 5104003012	201	LOOMA	5138002118	141	POPPY	6910802335	55	SUNSHINE	7625701345	341
GEMINI BEAM	s 5104003032	201	LOOMA	5138003118	141	POPS	6910901012	53	SUNSHINE	7625601345	341
GEMINI BEAM	s 5104006012	203	LOOMA	5138001118	143	PRIMA	6993801118	31	SUNSHINE	6925601345	115
GINBO	6938405330	41	LOOMA	7138001118	143	QUBO	5195401118	167	SWAN	5213901012	287
GOLETA	5205801012	271	LOTUS	5193201012	197	QUBO	5195404118	167	SWEEP	6303401118	269
HELENA	6402105012	257	LOTUS	5193201118	197	QUBO	5193001118	169	SYNTHETICS	9700359330	405
HELENA	6402101118	257	LUPS	6402801118	255	QUBO	5193013118	169	TITAN	6336201118	265
HELENA	5102101118	259	MAINS	9702201012	273	QUBO	5193002118	169	TRUMPET	5626001118	151
HELENA	5191605012	261	MAINS	9702202012	273	QUBO	7193001118	171	TRUMPET	5626101125	151
HELENA	5191601118	261	MAINS	9702203012	273	QUBO	7193004118	171	TRY	6939101330	83
HELENA	5191602118	261	MAINS	7202201012	381	QUBO	5193002118	351	TUBON	5198501118	149
ΙΝΚΑ	6989101118	29	MAYA	5198302001	227	QUBO	5193004118	377	TUDA	6935501330	37
KARLO	6935802012	47	MAYA	5198401001	227	QUBO	7193003118	377	TUDA	6935502330	39
КАҮАН	6392202457	267	MAYA	5198401001	349	RAN	5011701461	229	URBAN	5196501118	195
KELSEY	5273701012	307	MINI LETO	6602903424	373	REMOTE CONTROL	9702315361	395	VIDAR	5011602461	231
KELSEY	5273702012	307	ΜΙΥΙ	6916301330	65	RIALTO	5287901012	205	VYZOR	6915701335	87
KELSEY	5273601012	307	MOON	6906001118	91	RIDGE	5107101118	239	WATER GLASS	9705503000	404
KELSEY	5273603012	307	MOON	5206001118	157	ROBLE	8500601012	277	WATER GLASS SIDE	9705502000	403
KELSEY	7273604012	309	MOOV	5137701118	199	ROLA	6382201118	263	WATER GLASS FRONT	9705501000	403
KELSEY	6273601012	309	MOZE	6943101012	77	ROLA	6382201012	263	WEST	5207901012	297
KELSEY	7273605012	311	NILA	5043104424	193	RUNDA	6915801335	89	WINGS	6915101330	81
KELSEY	7273606012	311	ΝΟΜΑ	8506201331	367	RUNDA	6915802118	89	ZAGO	5294502012	293
KIRA	5288902118	165	ΝΟΜΑ	8506204331	367	SHIVA	5206501012	291	ZEBRA	5203501118	189
KIRA	5288903118	165	ΡΑΝΟ	5289001118	155	SHRIMP	7622221012	347	ZELNA	6912401345	27
KIRA	7288902118	165	PENI	7902202426	387	SHRIMP	7622222012	347			
KITE	5203301345	163	PEPPER	8500102331	369	SHRIMP II	7622104330	347			
КОМВО	6922201330	111	PILI	5102601125	207	SHYNE	5197501012	187			
KOZY	6933701330	63	PINE	5296602012	299	SHYNE	6397501012	187			

NOTE

_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
_	_	_	_	_		_	_	_	_		_	_		_	_	_	_	_	_	_	_	_	_	_		_	_			_
_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
_	_		_	_		_	_	_	_	_	_	_		_	_	_	_	_	_	_		_	_			_	_			_
_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
_	_	_	_	_		_	_	_	_		_	_		_	_	_	_	_	_	_		_	_			_	_			_
_	_	-	_	_	_	_	_	-	-	_	_	_	_	_	_	_	-	_	_	-	_	_	_	_	_	_	_	_	_	_
_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_		_	_	_		_
_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_		_	_	_	_	_	_	_	_	_
_	_		_	_		_	_	_			_			_	_	_	_	_	_	_		_	_			_	_			_
_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
_	_	_	_	_	_	_	_	_	_	_	_	_		_	_	_	_	_	_	_	_	_	_	_		_	_	_		_
_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_		_	_	_	_	_	_	_	_	_
_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_