


NOVA LUCE

TECHNICAL
2019

NOVA LUCE
Light Up Your Life



TECHNICAL
CATALOGUE
2019

NOVA LUCE
info@novaluce.gr
www.novaluce.gr

**THINK
DIFFERENT**



ACCESSORIES | 021



MINIMAL | 022



CONO | 020



Q-CONNECTOR | 028



TRACK | 062



SOREL | 092



GIA | 132



TINY | 086

THINGS TO LOOK FOR



PASSAGGIO | 100



PUZZLE | 016



LOOP | 035




NAP | 042




MAGGY | 074




CARE | 049



JAZZ | 040



ZELMIRA | 114



AZUL | 109



GOZZANO | 122



OSLO | 128



CARE | 049



DIDO | 054



UMA | 058



ODIN | 109













































TOBIA | 156






SANDRO | 172




































PREVIEW

 012	 014	 020	 020	 020	 020	 022
 022	 022	 026	 028	 033	 034	 034
 038	 038	 038	 038	 040	 040	 040
 042	 042	 044	 045	 045	 049	 052
 054	 054	 055	 058	 062	 062	 064
 066	 066	 068	 072	 072	 074	 074











































PREVIEW

 076	 076	 078	 078	 078	 080	 080
 080	 082	 082	 084	 084	 085	 085
 086	 088	 090	 090	 092	 092	 092
 094	 094	 095	 096	 100	 100	 100
 101	 102	 102	 106	 106	 106	 108
 109	 110	 111	 112	 112	 114	 115

PREVIEW

						
116	116	118	119	122	124	124
						
126	128	132	132	134	136	138
						
140	141	142	142	142	144	144
						
144	145	146	146	146	148	148
						
150	150	154	154	154	156	156
						
156	156	156	158	158	158	160

PREVIEW

						
160	160	162	162	164	168	168
						
170	170	170	171	172	172	174
						
174	175	175	175	176	176	178
						
178	178	178	180	180	182	182
						
184	184	184	188	188	190	190
						
192	192	192	196	196	198	198

INDEX


1.0 MAGNETIC - DECORATIVE LIGHTING SYSTEMS	011
1.1 ACCESSORIES	019
2.0 MAGNETIC PROFILE SOLUTIONS	025
2.1 PROFILE ACCESSORIES	037
2.2 CARE SYSTEM	047
3.0 LINEAR LIGHTING PROFILES	051
3.1 CARE SYSTEM	057
4.0 SPOT LIGHTS & TRACK LIGHTING SYSTEMS	061
5.0 DOWNLIGHT RECESSED SPOTS	071
5.1 STEP LIGHTS	099
6.0 DOWNLIGHT RECESSED SPOTS GU10	105
6.1 MOUNTED SOLUTIONS	121
7.0 DECORATIVE LIGHTS	131
8.0 GYPSUM & CONCRETE SPOT LIGHTS	153
8.1 WALL & CEILING LIGHTS	167
8.2 STEP LIGHTS	187
9.0 LED PANEL	195



MAGNETIC


DECORATIVE LIGHTING SYSTEMS






GRAMMI 01 | 9180563

Magnetic Tubular Structure
Sandy Black Aluminium IP20
Driver 60 Watt AC85-265V
L: 150 H: 120 cm




GRAMMI


NOVA LUCE introduces the GRAMMI series.
A set of tubular structures compatible with a
wide range of magnetic accessories designed to
assemble in different shapes.
Adjusting to the needs of every space, GRAMMI'S
innovating designing reduces large inventories while
preserving NOVA LUCE'S dream of delivering
high quality fashionable and luxurious products.



GRAMMI 02 | 9180564


Magnetic Tubular Structure
Sandy Black Aluminium IP20
Driver 100 Watt AC85-265V
L: 200 H: 120 cm






PUZZLE | 9180566

Magnetic Cube Structure
Sandy Black Aluminium IP20
Driver 100 Watt AC85-265V
L: 150 W: 150 H: 10 cm



PUZZLE | 9180565

Magnetic Cube Structure
Sandy Black Aluminium IP20
Driver 60 Watt AC85-265V
L: 80 W: 80 H: 10 cm



ZED | 9180567

Sandy Black Aluminium
Tube
D: 2 H: 70 cm



ZED | 9180568


Sandy Black Aluminium
Tube
D: 2 H: 30 cm



PLUS | 9180569

Connector Tube
Sandy Black Aluminium
D: 2 H: 30 cm





HOW IT WORKS

step 1




CHOOSE YOUR MAGNETIC ACCESSORIES

step 2



IF YOU WANT TO COMBINE MORE THAN ONE 'PUZZLES' USE 'PLUS 9180569'

step 3




TO ADJUST THE HEIGHT
CHOOSE 'ZED' 9180567 OR 9180568




MAGNETIC DECORATIVE

ACCESSORIES






VERSUS | **9090292**
10W · 3000K



VERSUS | **9090293**
10W · 3000K



BAR | **9090281**
5W · 3000K



TAG | **9180562**
5W · 3000K



BAR | **9180561**
5W · 3000K



TAG | **9090282**
5W · 3000K



CONO | **9090285**
5W · 3000K



CONO | **9090286**
5W · 3000K




Photo	Code	Material	Watt	Volt	LED Chip	Dimension (cm)	Lumen	CRI	Beam Angle	Kelvin	Protection	Adj.	Driver Included	Dim.	Class
	9090292	Satin Brass Aluminium	10W	DC24V	Osram	L:25 W:2.6 H:4.4	430Lm	>80	120°	3000K	IP20	X	X	X	III
	9090293	Sandy Black Aluminium	10W	DC24V	Osram	L:25 W:2.6 H:4.4	430Lm	>80	120°	3000K	IP20	X	X	X	III
	9090281	Satin Brass Aluminium	5W	DC24V	Philips	D:3 H:14.9	300Lm	>80	120°	3000K	IP20	X	X	X	III
	9180561	Sandy Black Aluminium	5W	DC24V	Philips	D:3 H:14.9	300Lm	>80	120°	3000K	IP20	X	X	X	III
	9180562	Sandy Black Aluminium	5W	DC24V	Cree	D:3.2 H:13.5	330Lm	>80	35°	3000K	IP20	✓	X	X	III
	9090282	Satin Brass Aluminium	5W	DC24V	Cree	D:3.2 H:13.5	330Lm	>80	35°	3000K	IP20	✓	X	X	III
	9090285	Sandy Black Aluminium	5W	DC24V	Osram	D:6 H:10.6	300Lm	>80	120°	3000K	IP20	X	X	X	III
	9090286	Satin Brass Aluminium	5W	DC24V	Osram	D:6 H:10.6	300Lm	>80	120°	3000K	IP20	X	X	X	III







COCKTAIL | **9090290**
5W · 3000K




COCKTAIL | **9090291**
5W · 3000K




GRU | **9090289**
8W · 3000K



GRU | **9090288**
8W · 3000K



MINIMAL | **9090284**
5W · 3000K



MINIMAL | **9090283**
5W · 3000K




Photo	Code	Material	Watt	Volt	LED Chip	Dimension(cm)	Lumen	CRI	Beam Angle	Kelvin	Protection	Adj.	Driver Included	Dim.	Class
	9090290	Satin Brass Alum+Glass	5W	DC24V	Philips	L: 12 H: 14	220Lm	>80	120°	3000K	IP20	X	X	X	III
	9090291	Sandy Black Alum+Glass	5W	DC24V	Philips	L: 12 H: 14	220Lm	>80	120°	3000K	IP20	X	X	X	III
	9090289	Sandy Black Alum+Glass	8W	DC24V	Philips	D: 5 H: 27	400Lm	>80	360°	3000K	IP20	X	X	X	III
	9090288	Satin Brass Alum+Glass	8W	DC24V	Philips	D: 5 H: 27	400Lm	>80	360°	3000K	IP20	X	X	X	III
	9090284	Satin Brass Alum+Glass	5W	DC24V	Osram	D: 10 H: 14	380Lm	>80	360°	3000K	IP20	X	X	X	III
	9090283	Sandy Black Alum+Glass	5W	DC24V	Osram	D: 10 H: 14	380Lm	>80	360°	3000K	IP20	X	X	X	III





MAGNETIC PROFILE
SOLUTIONS



SURFACE MOUNTED


PENDANT SUSPENDED

BUILT IN RECESSED



BUXTON 01 | 8252001

Surface or Pendant
Magnetic Profile IP20
Sandy Black Aluminium
Max Power 300 Watt
L: 100 W: 3.9 H: 7.5 cm




BUXTON 02 | 8252002

Recess Magnetic Profile IP20
Sandy Black Aluminium
L: 100 W: 6.8 H: 7.5 cm
Max Power 300 Watt
Cut Out: 4.4 cm



BUXTON

With Buxton 01 and Buxton 02, Nova Luce takes it to the next level in the profile section. These profiles offer the highest degree of freedom and flexibility, as all modules have magnetic application. Buxton 01 and Buxton 02 allow for neat, trimless installation, while Buxton 01 could be used for projects where surface mounting is required.




SURFACE Q-CONNECTOR



V-CONNECTOR | 8252014

Corner Connector for
Surface Magnetic Profile
Sandy Black Aluminium
L: 10 W: 3.9 H: 7.5 cm




Q-CONNECTOR | 8252011

Corner Connector for
Surface Magnetic Profile
Sandy Black Aluminium
L: 30 W: 30 H: 7.5 cm




SURFACE V-CONNECTOR




Q-CONNECTOR | 8252013

Corner Connector for
Recess Magnetic Profile
Sandy Black Aluminium
L: 30 W: 30 H: 7.5 cm
Cut Out: 4.4 cm



V-CONNECTOR | 8252012

Corner Connector for
Recess Magnetic Profile
Sandy Black Aluminium
L: 10 W: 10 H: 7.5 cm
Cut Out: 4.4 cm



RECESS Q-CONNECTOR




RECESS V-CONNECTOR






POWER CONNECTOR | 9252015

Integrated Pre Wired Power Feed
Used on Magnetic Profile to Connect
the Final Profile with Driver



CONNECTOR | 8252015

Mechanical-Electrical Connector
Used on Recess and Surface Magnetic
Profile to Connect two Profiles Together
L: 10 W: 4.2 H: 2.1 cm



KIT | 8252017

Set of accessories for
Pendant Application of
Magnetic Rail



SCREW | 8252016

Screws for Ceiling Application




CAP | 8252003

End Cap for Profile Cover
Sandy Black Aluminium Frame
L: 3.9 W: 0.2 H: 7.5 cm




HOW IT WORKS

USE THE CONNECTOR




TWO APPLICABLE WAYS




FOR CEILING

OR




FOR PENDANT

PLACE END CAPS




CONNECT THE COMPATIBLE DRIVER



FOR RECESS

OR




FOR SURFACE



COVER | 9012677

Cutable Cover for Magnetic Rail
Sandy Black PVC Cover
L: 1 meter



BOX | 8252037

Fedder Power Included Driver
120 Watt Philips DC24V
Used for Surface and Hanging
Driver Placement
L: 40 H: 7.5 cm



BOX | 8252038

Fedder Box Excluded Driver
Used for Surface and Hanging
Driver Placement
L: 40 H: 7.5 cm



DRIVER | 8252019

Philips Driver
60 Watt
Input: 220-240V AC
Output: 24V DC 2.5A



DRIVER | 8252020

Philips Driver
120 Watt
Input 220-240V AC
Output: 24V DC



DRIVER | 8252021

Philips Driver
180 Watt
Input 220-240V AC
Output: 24V DC



SMART DEVICE | 9011103


Connect it between driver and
power of magnetic profile.
Using a dimmable driver and this
device you can have a dimmable
result on SMD products.





TREE 01 | 8252035

Corner 2V - 120°
Connector between two tracks
Sandy Black Aluminium
L: 18 W: 14 H: 7.5 cm




TREE 02 | 8252036

Corner 3V - 120°
Connector between three tracks
Sandy Black Aluminium
L: 18 W: 21 H: 7.5 cm

HOW TO

ORDER 27PCS OF BUXTON 01
8252001

step 1



ORDER 54PCS OF CONNECTOR
8252015

step 5



ORDER 12PCS OF TREE 01
8252035

step 2




ADD COMPATIBLE DRIVER

step 6


ORDER 10PCS OF TREE 02
8252036

step 3



YOU ARE READY!

step 7



step 4

OR

ORDER KIT
8252017


ORDER SCREW
8252016



ALSO YOU CAN DO

ORDER 6PCS OF BUXTON 01
8252001

step 1



ORDER 6PCS OF TREE 01
8252035

step 2



step 3

OR

ORDER KIT
8252017

ORDER SCREW
8252016





ADD COMPATIBLE DRIVER

step 4

YOU ARE READY!

step 5




BUXTON 03 | 8252034

Surface or Pendant
Magnetic Track
Sandy Black Aluminium
L: 47.4 W: 6.2 H: 7.5 cm

HOW TO

ORDER 6PCS OF BUXTON 03
8252034

step 1



step 2

ORDER KIT
8252017

OR

ORDER SCREW
8252016





ADD COMPATIBLE DRIVER

step 3

YOU ARE READY!


step 4






LOOP 01 | 8925201

Circular Magnetic Profile
Sandy Black Aluminium IP20
Driver 75 Watt AC 220-240 V
D: 90 H: 120 cm



LOOP 02 | 8925202


Circular Magnetic Profile
Sandy Black Aluminium IP20
Driver 120 Watt AC 220-240 V
D: 120 H: 120 cm



SIGN | 8925204

Rectangular Magnetic Profile
Sandy Black Aluminium IP20
Driver 100 Watt AC 220-240 V
L: 120 W: 30 H: 120 cm







PROFILE ACCESSORIES




RIETI | **8254414** · 15W · 4000K
8254418 · 15W · 3000K




RIETI | **8254415** · 22W · 4000K
8254419 · 22W · 3000K




RIETI | **8254413** · 22W · 4000K
8254417 · 22W · 3000K




RIETI | **8254412** · 15W · 4000K
8254416 · 15W · 3000K




ESTE | **8252007** · 22W · 4000K
8252028 · 22W · 3000K



ESTE | **8252006** · 15W · 4000K
8252027 · 15W · 3000K



ESTE | **8252004** · 15W · 4000K
8252025 · 15W · 3000K



ESTE | **8252005** · 22W · 4000K
8252026 · 22W · 3000K





Photo	Code	Material	Watt	Volt	LED Chip	Dimension (cm)	Lumen	CRI	Beam Angle	Kelvin	Protection	Adj.	Driver Included	Dim.	Class
	8254414	Sandy Black Aluminium	15W	DC24V	Philips	L:27.4 W:3.4 H:11.6	954Lm	>80	120°	4000K	IP20	✓	X	X	III
	8254418	Sandy Black Aluminium	15W	DC24V	Philips	L:27.4 W:3.4 H:11.6	860Lm	>80	120°	3000K	IP20	✓	X	X	III
	8254415	Sandy Black Aluminium	22W	DC24V	Philips	L:40.7 W:3.4 H:11.6	1400Lm	>80	120°	4000K	IP20	✓	X	X	III
	8254419	Sandy Black Aluminium	22W	DC24V	Philips	L:40.7 W:3.4 H:11.6	1230Lm	>80	120°	3000K	IP20	✓	X	X	III
	8254412	Sandy Black Aluminium	15W	DC24V	Philips	L:26.9 W:3.5 H:5.1	580Lm	>80	120°	4000K	IP20	X	X	X	III
	8254416	Sandy Black Aluminium	15W	DC24V	Philips	L:26.9 W:3.5 H:5.1	528Lm	>80	120°	3000K	IP20	X	X	X	III
	8254413	Sandy Black Aluminium	22W	DC24V	Philips	L:40.2 W:3.5 H:5.1	943Lm	>80	120°	4000K	IP20	X	X	X	III
	8254417	Sandy Black Aluminium	22W	DC24V	Philips	L:40.2 W:3.5 H:5.1	850Lm	>80	120°	3000K	IP20	X	X	X	III
	8252004	Sandy Black Aluminium	15W	DC24V	Philips	L:26.9 W:3.5 H:5.1	1080Lm	>80	35°	4000K	IP20	X	X	X	III
	8252025	Sandy Black Aluminium	15W	DC24V	Philips	L:26.9 W:3.5 H:5.1	900Lm	>80	35°	3000K	IP20	X	X	X	III
	8252006	Sandy Black Aluminium	15W	DC24V	Philips	L:27.4 W:3.4 H:11.6	1428Lm	>80	35°	4000K	IP20	✓	X	X	III
	8252027	Sandy Black Aluminium	15W	DC24V	Philips	L:27.4 W:3.4 H:11.6	1220Lm	>80	35°	3000K	IP20	✓	X	X	III
	8252005	Sandy Black Aluminium	22W	DC24V	Philips	L:40.2 W:3.5 H:5.1	1746Lm	>80	35°	4000K	IP20	X	X	X	III
	8252026	Sandy Black Aluminium	22W	DC24V	Philips	L:40.2 W:3.5 H:5.1	1480Lm	>80	35°	3000K	IP20	X	X	X	III
	8252007	Sandy Black Aluminium	22W	DC24V	Philips	L:40.7 W:3.4 H:11.6	2100Lm	>80	35°	4000K	IP20	✓	X	X	III
	8252028	Sandy Black Aluminium	22W	DC24V	Philips	L:40.7 W:3.4 H:11.6	1880Lm	>80	35°	3000K	IP20	✓	X	X	III

INSTALLATION & REMOVAL
OF PRODUCTS

All Fittings Can Be
Magnetically
Installed Ensuring
Tool-Free
Mounting And
Repositioning






Photo	Code	Material	Watt	Volt	LED Chip	Dimension (cm)	Lumen	CRI	Beam Angle	Kelvin	Protection	Adj.	Driver Included	Dim.	Class
	8252010	Sandy Black Aluminium	10W	DC24V	Cree	D:3 H1:20 H2:150	800Lm	>80	45°	4000K	IP20	X	X	X	III
	8252030	Sandy Black Aluminium	10W	DC24V	Cree	D:3 H1:20 H2:150	720Lm	>80	45°	3000K	IP20	X	X	X	III
	9025201	Sandy Black Aluminium	15W	DC24V	Cree	D:3 H1:22 H2:150	730Lm	>80	120°	3000K	IP20	X	X	X	III
	9012676	Satin Brass Aluminium	10W	DC24V	Cree	D:3 H1:20 H2:150	720Lm	>80	45°	3000K	IP20	X	X	X	III
	9012662	Satin Brass Aluminium	15W	DC24V	Cree	D:3 H1:22 H2:150	730Lm	>80	120°	3000K	IP20	X	X	X	III
	8252031	Sandy Black Aluminium	10W	DC24V	Cree	D:3 H1:11 H2:42	720Lm	>80	30°	3000K	IP20	✓	X	X	III
	8252032	Sandy Black Aluminium	10W	DC24V	Cree	D:3 H1:11 H2:62	720Lm	>80	30°	3000K	IP20	✓	X	X	III

















Photo	Code	Material	Watt	Volt	LED Chip	Dimension ^(cm)	Lumen	CRI	Beam Angle	Kelvin	Protection	Adj.	Driver Included	Dim.	Class
	8252008	Sandy Black Aluminium	5W	DC24V	Cree	D:3 H1:9 H2:16	400Lm	>90	30°	4000K	IP20	√	X	X	III
	8252039	Sandy Black Aluminium	5W	DC24V	Cree	D:3 H1:9 H2:16	340Lm	>90	30°	3000K	IP20	√	X	X	III
	8252009	Sandy Black Aluminium	10W	DC24V	Cree	D:3 H1:12 H2:19	800Lm	>80	30°	4000K	IP20	√	X	X	III
	8252029	Sandy Black Aluminium	10W	DC24V	Cree	D:3 H1:12 H2:19	680Lm	>80	30°	3000K	IP20	√	X	X	III
	8252018	Sandy Black Aluminium	30W	DC24V	Cree	D:8.5 H1:20 H2:27	2250Lm	>80	60°	4000K	IP20	√	X	X	III
	9052030	Sandy Black Aluminium	30W	DC24V	Cree	D:8.5 H1:20 H2:27	1920Lm	>80	60°	3000K	IP20	√	X	X	III
	8925220	Sandy Black Aluminium	10W	DC24V	Cree	D:3 H1:12 H2:19	800Lm	>90	35°	3000K	IP20	√	X	X	III
	9012673	Satin Brass & Black Alum.	10W	DC24V	Cree	D:3 H1:12 H2:19	680Lm	>80	35°	3000K	IP20	√	X	X	III
	8925216	Sandy Black Aluminium	8W	DC24V	Cree	D:3 H1:12 H2:19	580Lm	>80	10°	3000K	IP20	√	X	X	III





KARMA | **9012671**
5W · 3000K



OIKO | **9012674**
5W · 3000K








Photo	Code	Material	Watt	Volt	LED Chip	Dimension (cm)	Lumen	CRI	Beam Angle	Kelvin	Protection	Adj.	Driver Included	Dim.	Class
	9012671	Sandy Black Alum. & Glass	5W	DC24V	Philips	D:10 H:15	380Lm	>80	360°	3000K	IP20	X	X	X	III
	9012674	Sandy Black Alum. & Glass	5W	DC24V	Philips	D:12 H:16.5	220Lm	>80	120°	3000K	IP20	X	X	X	III


Photo	Code	Material	Watt	Volt	LED Chip	Dimension (cm)	Lumen	CRI	Beam Angle	Kelvin	Protection	Adj.	Driver Included	Dim.	Class
	9012675	Satin Brass Aluminium & Glass	5W	DC24V	Philips	D:12 H:80	220Lm	>80	120°	3000K	IP20	X	X	X	III
	9012672	Sandy Black Alum. & Glass	5W	DC24V	Philips	D:10 H:80	380Lm	>80	360°	3000K	IP20	X	X	X	III



OIKO | **9012675**
5W · 3000K



KARMA | **9012672**
5W · 3000K







MAGNETIC SYSTEM

CARE SYSTEM
DIMMABLE - ADJUSTABLE CCT
3000-6500K






CARE | 8252023
40W · 3000K-6500K



Adjustable



CARE | 8252022
30W · 3000K-6500K




WIRELESS | 8252024
SWITH PANEL | L: 8.5 W: 1.4 H: 8.5 cm

CARE SYSTEM

Care is an intelligent and innovative control solution for a large number of magnetic and linear devices. The smart lighting technology has been designed with energy efficiency and comfort in mind that will transform every space into something special. The Brightness and colour temperature can be adjusted through the Care System or through the smartphone Application **LIGHT MIND**.

LIGHT MIND WIRELESS APPLICATION

The **LIGHT MIND** application is a wireless dimming solution enabling you to control and manage a selection of luminaires from your mobile devices (IOS or Android). **LIGHT MIND** enabled luminaires can also be controlled from a regular wall switch without the app.



For more information and technical info please go to www.novaluce.gr

Photo	Code	Material	Watt	Volt	LED Chip	Dimension (cm)	Lumen	CRI	Beam Angle	Kelvin	Protection	Adj.	Driver Included	Dim.	Class
	8252022	Sandy Black Aluminium	30W	DC24V	Philips	L:40.7 W:3.4 H:11.6	300-3000Lm	>80	120°	3000-6500K	IP20	✓	X	✓	III
	8252023	Sandy Black Aluminium	40W	DC24V	Philips	L:98.9 W:4.4 H:8.75	400-4000Lm	>80	120°	3000-6500K	IP20	X	X	✓	III

LINEAR LIGHTING
PROFILES





SURFACE



GENT | 8254401 · 40W · 4000K
8254429 · 40W · 3000K



GENT | 8254402 · 40W · 4000K
8254430 · 40W · 3000K

RECESS



GENT | 8254403 · 40W · 4000K
8254431 · 40W · 3000K



GENT | 8254404 · 20W · 4000K
8254432 · 20W · 3000K

Photo	Code	Material	Watt	Volt	LED Chip	Dimension (cm)	Lumen	CRI	Beam Angle	Kelvin	Protection	Adj.	Driver Included	Dim.	Class
	8254401	Sandy White Alum.	40W	AC220-240V	Epistar	L:120 W:3.8 H:7	2740Lm	>80	120°	4000K	IP20	X	√	X	I
	8254429	Sandy White Alum.	40W	AC220-240V	Epistar	L:120 W:3.8 H:7	2480Lm	>80	120°	3000K	IP20	X	√	X	I
	8254402	Sandy Black Alum.	40W	AC220-240V	Epistar	L:120 W:3.8 H:7	2740Lm	>80	120°	4000K	IP20	X	√	X	I
	8254430	Sandy Black Alum.	40W	AC220-240V	Epistar	L:120 W:3.8 H:7	2480Lm	>80	120°	3000K	IP20	X	√	X	I
	8254403	Sandy White Alum.	40W	AC220-240V	Epistar	L:120 W:7 H:7	2740Lm	>80	120°	4000K	IP20	X	√	X	I
	8254431	Sandy White Alum.	40W	AC220-240V	Epistar	L:120 W:7 H:7	2480Lm	>80	120°	3000K	IP20	X	√	X	I
	8254404	Sandy White Alum.	20W	AC220-240V	Epistar	L:60 W:7 H:7	1380Lm	>80	120°	4000K	IP20	X	√	X	I
	8254432	Sandy White Alum.	20W	AC220-240V	Epistar	L:60 W:7 H:7	1250Lm	>80	120°	3000K	IP20	X	√	X	I





SURFACE



RECESS



DIDO | **9054443** · 20W · 4000K
9054441 · 20W · 3000K



DIDO | **8254443** · 20W · 4000K
8254441 · 20W · 3000K




DIDO | **8254444** · 20W · 4000K
8254442 · 20W · 3000K



GAGA | **8254408** · 20W · 4000K
8254433 · 20W · 3000K



GAGA | **8254409** · 20W · 4000K
8254434 · 20W · 3000K



KIT | **8254410 W**
White Set of
Accessories for
Pendant Application



KIT | **8254410 B**
Black Set of
Accessories for
Pendant Application



END CAP | **8254407**
White Aluminium
Frame



END CAP | **8254406**
Black Aluminium
Frame



ZERINO | **8254425**
Connector for
Two Linear Profiles



SCREW | **8254411**
Screws for Ceiling
Application



END CAP | **8254445**
White Aluminium Frame





GAGA | **8254420** · 20W · 3000K



GAGA | **8254421** · 20W · 3000K

Photo	Code	Material	Watt	Volt	LED Chip	Dimension (cm)	Lumen	CRI	Beam Angle	Kelvin	Protection	Adj.	Driver Included	Dim.	Class
	9054443	Sandy White Alum.	20W	AC220-240V	Epistar	L:34.5 W:3.8 H:7	1380Lm	>80	120°	4000K	IP20	X	√	X	I
	9054441	Sandy White Alum.	20W	AC220-240V	Epistar	L:34.5 W:3.8 H:7	1250Lm	>80	120°	3000K	IP20	X	√	X	I
	8254443	Sandy White Alum.	20W	AC220-240V	Epistar	L:34.5 W:3.8 H:7	1380Lm	>80	120°	4000K	IP20	X	√	X	I
	8254441	Sandy White Alum.	20W	AC220-240V	Epistar	L:34.5 W:3.8 H:7	1250Lm	>80	120°	3000K	IP20	X	√	X	I
	8254444	Sandy Black Alum.	20W	AC220-240V	Epistar	L:34.5 W:3.8 H:7	1380Lm	>80	120°	4000K	IP20	X	√	X	I
	8254442	Sandy Black Alum.	20W	AC220-240V	Epistar	L:34.5 W:3.8 H:7	1250Lm	>80	120°	3000K	IP20	X	√	X	I

Photo	Code	Material	Watt	Volt	LED Chip	Dimension (cm)	Lumen	CRI	Beam Angle	Kelvin	Protection	Adj.	Driver Included	Dim.	Class
	8254408	Sandy White Aluminium	20W	AC220-240V	Epistar	L:34.5 W:3.8 H:7	1380Lm	>80	120°	4000K	IP20	X	√	X	I
	8254433	Sandy White Aluminium	20W	AC220-240V	Epistar	L:34.5 W:3.8 H:7	1250Lm	> 80	120°	3000K	IP20	X	√	X	I
	8254409	Sandy White Aluminium	20W	AC220-240V	Epistar	L:34.5 W:3.8 H:7	1380Lm	>80	120°	4000K	IP20	X	√	X	I
	8254434	Sandy White Aluminium	20W	AC220-240V	Epistar	L:34.5 W:3.8 H:7	1250Lm	>80	120°	3000K	IP20	X	√	X	I
	8254420	Sandy White Aluminium	20W	AC220-240V	Epistar	L:34.5 W:3.8 H:7	1380Lm	>80	120°	3000K	IP20	X	√	X	I
	8254421	Sandy Black Aluminium	20W	AC220-240V	Epistar	L:34.5 W:3.8 H:7	1250Lm	>80	120°	3000K	IP20	X	√	X	I



LINEAR LIGHTING PROFILES

CARE SYSTEM
DIMMABLE - ADJUSTABLE CCT
3000-6500K



SURFACE

UMA | 8254424
40W · 3000-6500K




RECESS

UMA | 8254423
40W · 3000-6500K



UMA | 8254428 · Corner H
20W · 3000-6500K



UMA | 8254422
20W · 3000-6500K



KIT | 8254410 W
White Set of accessories for Pendant Application




UMA | 8254427 · Corner V
20W · 3000-6500K



END CAP | 8254407
White Aluminium Frame



SCREW | 8254411
Screws for Ceiling Application



UMA | 8254426 · Corner H
20W · 3000-6500K



ZERINO | 8254425
Connector for two linear



WIRELESS SWITCH PANEL | 8252024
L: 8.5 W: 1.4 H: 8.5 cm



END CAP | 8254445
White Aluminium Frame

Photo	Code	Material	Watt	Volt	LED Chip	Dimension (cm)	Lumen	CRI	Beam Angle	Kelvin	Protection	Adj.	Driver Included	Dim.	Class
	8254424	Sandy White Alum.	40W	AC220-240V	Epistar	L:120 W:3.8 H:7	400-3560Lm	>80	120°	3000-6500K	IP20	X	✓	✓	I
	8254423	Sandy White Alum.	40W	AC220-240V	Epistar	L:120 W:3.8 H:7	400-3560Lm	>80	120°	3000-6500K	IP20	X	✓	✓	I
	8254428	Sandy White Alum.	20W	AC220-240V	Epistar	L:60 W:3.8 H:7	250-2020Lm	>80	120°	3000-6500K	IP20	X	✓	✓	I
	8254422	Sandy White Alum.	20W	AC220-240V	Epistar	L:34.5 W:3.8 H:7	250-1360Lm	>80	120°	3000-6500K	IP20	X	✓	✓	I
	8254427	Sandy White Alum.	20W	AC220-240V	Epistar	L:34.5 W:3.8 H:7	250-2020Lm	>80	120°	3000-6500K	IP20	X	✓	✓	I
	8254426	Sandy White Alum.	20W	AC220-240V	Epistar	L:34.5 W:3.8 H:7	250-2020Lm	>80	120°	3000-6500K	IP20	X	✓	✓	I






SPOT LIGHTS &
TRACK LIGHTING
SYSTEMS



TRACK | 9712001

Sandy White Aluminium
Black Honeycomb
GU10 / MR16 1x50 Watt
Adaptor 3 wires 230 Volt
IP20 Bulb Excluded
D: 6 H: 13 cm




Compatible with 9712103 rail



TRACK | 9712002

Sandy Black Aluminium
Black Honeycomb
GU10 / MR16 1x50 Watt
Adaptor 3 wires 230 Volt
IP20 Bulb Excluded
D: 6 H: 13 cm




Compatible with 9712104 rail



TRACK | 8008801

Sandy White Aluminium
Black Honeycomb
GU10 / MR16 1x50 Watt
Adaptor 2 wires 230 Volt
IP20 Bulb Excluded
D: 6 H: 19.5 cm




Compatible with 9052016 rail



TRACK | 8008802

Sandy Black Aluminium
Black Honeycomb
GU10 / MR16 1x50 Watt
Adaptor 2 wires 230 Volt
IP20 Bulb Excluded
D: 6 H: 19.5 cm




Compatible with 9052017 rail



TRACK | 9701101

Sandy White Aluminium
Black Honeycomb
GU10 Adaptor 3 wires
1x50 Watt 230 Volt
IP20 Bulb Excluded
D: 6 H: 20.1 cm




Compatible with 9712103 rail



TRACK | 9701102

Sandy Black Aluminium
Black Honeycomb
GU10 Adaptor 3 wires
1x50 Watt 230 Volt
IP20 Bulb Excluded
D: 6 H: 20.1 cm




Compatible with 9712104 rail








TRACK | **7770407** · 12W · 3000K
8770411 · 12W · 4000K



TRACK | **7770408** · 12W · 3000K
8770412 · 12W · 4000K



TRACK | **7770409** · 30W · 3000K
8770414 · 30W · 4000K



TRACK | **7770410** · 30W · 3000K
8770413 · 30W · 4000K





Photo	Code	Material	Watt	Driver	LED Chip	Dimension (cm)	Lumen	CRI	Beam Angle	Kelvin	Protection	Adaptor	Driver Included
	7770407	White Aluminium	12W	Eaglerise	Cree	D:6.1 H:21	960Lm	>80	24°/ 36°/ 60°	3000K	IP20	4 Wires	✓
	7770408	Black Aluminium	12W	Eaglerise	Cree	D:6.1 H:21	960Lm	>80	24°/ 36°/ 60°	3000K	IP20	4 Wires	✓
	8770411	White Aluminium	12W	Eaglerise	Cree	D:6.1 H:21	1060Lm	>80	24°/ 36°/ 60°	4000K	IP20	4 Wires	✓
	8770412	Black Aluminium	12W	Eaglerise	Cree	D:6.1 H:21	1060Lm	>80	24°/ 36°/ 60°	4000K	IP20	4 Wires	✓
	7770409	White Aluminium	30W	Eaglerise	Cree	D:9.3 H:27	3000Lm	>80	24°/ 36°/ 60°	3000K	IP20	4 Wires	✓
	7770410	Black Aluminium	30W	Eaglerise	Cree	D:9.3 H:27	3000Lm	>80	24°/ 36°/ 60°	3000K	IP20	4 Wires	✓
	8770414	White Aluminium	30W	Eaglerise	Cree	D:9.3 H:27	3300Lm	>80	24°/ 36°/ 60°	4000K	IP20	4 Wires	✓
	8770413	Black Aluminium	30W	Eaglerise	Cree	D:9.3 H:27	3300Lm	>80	24°/ 36°/ 60°	4000K	IP20	4 Wires	✓

COMPATIBLE WITH TRACK RAIL | **7770631 (BLACK) OR 7770630 (WHITE)**








TRACK | 7770405 · 30W · 3000K



TRACK | 7770406 · 30W · 3000K



TRACK | 7770401 · 30W · 3000K



TRACK | 7770402 · 30W · 3000K




Photo	Code	Material	Watt	Driver	LED Chip	Dimension (cm)	Lumen	CRI	Beam Angle	Kelvin	Protection	Adaptor	Driver Included
	7770405	White Aluminium	30W	Philips	Philips	D:8.1 H:21	3100Lm	>80	24° / 36° / 60°	3000K	IP20	3 Wires	✓
	7770406	Black Aluminium	30W	Philips	Philips	D:8.1 H:21	3100Lm	>80	24° / 36° / 60°	3000K	IP20	3 Wires	✓
	7770401	White Aluminium	30W	Philips	Philips	D:8 H:20	3100Lm	>80	24° / 36° / 60°	3000K	IP20	4 Wires	✓
	7770402	Black Aluminium	30W	Philips	Philips	D:8 H:20	3100Lm	>80	24° / 36° / 60°	3000K	IP20	4 Wires	✓

COMPATIBLE WITH TRACK RAIL | 7770417 (BLACK) OR 7770411 (WHITE)



LED



GU10



7770417
Black Aluminium
3 wires track rail socket
end cap are included
2 meters



7770631
Black Aluminium
4 wires track rail socket
end cap are included
2 meters



7770411
White Aluminium
3 wires track rail socket
end cap are included
2 meters



7770630
White Aluminium
4 wires track rail socket
end cap are included
2 meters



9712104
Black Aluminium
3 wires track rail socket
end cap are included
2 meters



9052017
Black Aluminium
2 wires track rail socket
end cap are included
2 meters



9712103
White Aluminium
3 wires track rail socket
end cap are included
2 meters



9052016
White Aluminium
2 wires track rail socket
end cap are included
2 meters

Photo	Code	Material	Photo	Code	Material
	7770413	White Aluminium 3 wires connector L		7770414	Black Aluminium 3 wires connector L
	7770416	White Aluminium 3 wires connector		7770412	Black Aluminium 3 wires connector
	7770633	White Aluminium 4 wires connector L		7770634	Black Aluminium 4 wires connector L
	7770632	White Aluminium 4 wires connector		7770635	Black Aluminium 4 wires connector

Photo	Code	Material	Photo	Code	Material
	9712106	White Aluminium 3 wires connector L		9712105	Black Aluminium 3 wires connector L
	9712108	White Aluminium 3 wires connector		9712107	Black Aluminium 3 wires connector




DOWNLIGHT
RECESSED SPOTS


TRIMLESS
IP54




BELLUNO | 8014909




BELLUNO | 8014910



BELLUNO | 8019109



BELLUNO | 8019310






8016905 | · 10W · 3000K
8016906 | · 10W · 4000K



DRIVER | 9020171


Driver 10W Philips
Input: 100-240V AC 50/60Hz
Output: 12-24VDC 500mA
Not Dimmable

Photo	Code	Material	Trimless			LED Chip	Dimension (cm)	Cut Out (cm)	Beam Angle	Kelvin	Protection	Adjustable	Driver Included	
	8014909	White Aluminium	✓			X	L:7.3 H:8.5	9.6x9.6	36°	X	IP54	X	X	
	8014910	Black Aluminium	✓			X	L:7.3 H:8.5	9.6x9.6	36°	X	IP54	X	X	
	8019109	White Aluminium	✓			X	D:8.2 H:9.4	10.5	36°	X	IP54	X	X	
	8019310	Black Aluminium	✓			X	D:8.2 H:9.4	10.5	36°	X	IP54	X	X	
MUST HAVE ACCESSORY														
Photo	Code	Material	Watt	Volt	Ma	LED Chip	Dimension (cm)	Lumen	CRI	Beam Angle	Kelvin	Protection	Dimmable	Driver Included
	8016905	Black Aluminium	10W	20V	500	Citizen	D:6.3 H:3.8	810Lm	>80	X	3000K	IP44	X	X
	8016906	Black Aluminium	10W	20V	500	Citizen	D:6.3 H:3.8	810Lm	>80	X	4000K	IP44	X	X

DON'T FORGET TO CONNECT THEM WITH DRIVER | code: 9020171



TRIMLESS
ADJUSTABLE



MAGGY | 9700302

White Aluminium Trimless
D: 7.8 H: 3.4 cm



MAGGY | 9700303

White Aluminium Trimless
L: 7.7 H: 3.4 cm



9700304

White Round Inner
Frame D: 7.7 cm



9700306

Black Round Inner
Frame D: 7.7 cm




9700305

White Square Inner Frame
L: 7.5 x W: 7.5 cm




9700307

Black Square Inner Frame
L: 7.5 x W: 7.5 cm



Rotating

READY!



Rotating



MAGGY | 9700301



Gray LED Cree 3000K
15 Watt 1125Lm
Beam Angle 36°



DRIVER | 9715100

Driver 15 Watt Philips
Input: 220-240V AC
Output: 42V
350mA Not Dimmable



HONEYCOMB | 9713003

MAKE IT IDEAL FOR YOU

LED COB


CHOOSE YOUR TRIMLESS SPOT

CHOOSE FRAME: BLACK OR WHITE?

COB

ORDER DRIVER

READY!



IP54



8016905 · 10W · 3000K
8016906 · 10W · 4000K




DRIVER | 9020171

Driver 10W Philips
Input: 100-240V AC 50/60Hz
Output: 12-24VDC 500mA
Not Dimmable




LAZIO | 8044909



Rotating




LAZIO | 8044809



Rotating




LAZIO | 8000502



Rotating



LAZIO | 8000503



Rotating











SELENE | 9071021




SELENE | 9071022




Photo	Code	Material	Recessed	LED Chip	Dimension (cm)	Cut Out (cm)	Beam Angle	Kelvin	Protection	Adjustable	Driver Included			
	8044809	White Aluminium	✓	X	L:16.8 W:9 H:8.9	16 x 8.2	36°	X	IP54	✓	X			
	8000502	White Aluminium	✓	X	D:9.2 H:5.4	8.2	36°	X	IP54	✓	X			
	8000503	Black Aluminium	✓	X	D:9.2 H:5.4	8.2	36°	X	IP54	✓	X			
	8044909	White Aluminium	✓	X	D:9 H:8.6	8.2	36°	X	IP54	✓	X			
	9071021	White Aluminium	✓	X	L:8.2 H:7.9	7.6	36°	X	IP54	X	X			
	9071022	Black Aluminium	✓	X	L:8.2 H:7.9	7.6	36°	X	IP54	X	X			
MUST HAVE ACCESSORY														
Photo	Code	Material	Watt	Volt	Ma	LED Chip	Dimension (cm)	Lumen	CRI	Beam Angle	Kelvin	Protection	Dimmable	Driver Included
	8016905	Black Aluminium	10W	20V	500	Citizen	D:6.3 H:3.8	810Lm	>80	X	3000K	IP44	X	X
	8016906	Black Aluminium	10W	20V	500	Citizen	D:6.3 H:3.8	810Lm	>80	X	4000K	IP44	X	X

DON'T FORGET TO CONNECT THEM WITH DRIVER | code: 9020171

IP44



LAZIO | 8018509



DRIVER | 9020171


Driver 10W Philips
Input: 100-240V AC 50/60Hz
Output: 12-24VDC 500mA
Not Dimmable




8016905 | · 10W · 3000K
8016906 | · 10W · 4000K




OLBIA | 8016909



OLBIA | 8001402



OLBIA | 8059409



OLBIA | 8033409





Photo	Code	Material	Recessed	LED Chip	Dimension (cm)	Cut Out (cm)	Beam Angle	Kelvin	Protection	Adjustable	Driver Included			
	8018509	White & Black Aluminium	✓	X	D:9 H:7.3	7.8	36°	X	IP44	✓	X			
	8016909	White & Black Aluminium	✓	X	L:9 H:8.9	8x8	36°	X	IP44	X	X			
	8001402	White Aluminium	✓	X	L:9 H:8.9	8x8	36°	X	IP44	X	X			
	8059409	White & Black Aluminium	✓	X	L:16 W:9 H:8.9	15x7.7	36°	X	IP44	X	X			
	8033409	White Aluminium	✓	X	L:16 W:9 H:8.9	15x7.7	36°	X	IP44	X	X			
MUST HAVE ACCESSORY														
Photo	Code	Material	Watt	Volt	Ma	LED Chip	Dimension (cm)	Lumen	CRI	Beam Angle	Kelvin	Protection	Dimmable	Driver Included
	8016905	Black Aluminium	10W	20V	500	Citizen	D:6.3 H:3.8	810Lm	>80	X	3000K	IP44	X	X
	8016906	Black Aluminium	10W	20V	500	Citizen	D:6.3 H:3.8	810Lm	>80	X	4000K	IP44	X	X


DON'T FORGET TO CONNECT THEM WITH DRIVER | code: 9020171




GEMA | 62007




GEMA | 62006




GEMA | 620010




GEMA | 62008



GIO | 620014




GIO | 620015



Included Philips Driver



MEA | 7770441



DRIVER | 64001

Driver 20 Watt Philips
Input: 220-240V AC 50/60Hz
Output: 32-40 VDC
0.5A Not Dimmable



DRIVER | 94001

Driver 15 Watt Philips
Input: 220-240V AC 50/60Hz
Output: 32-42 VDC
0.35A Not Dimmable



DRIVER | 6001

Driver 10 Watt Philips
Input: 220-240V AC 50/60Hz
Output: 32-40 VDC
0.25A Not Dimmable

Photo	Code	Material	Watt	Ma	Lumen	LED Chip	Dimension(cm)	Cut Out(cm)	CRI	Beam Angle	Kelvin	Protection	Adj.	Driver Included
	62007	Black Aluminium	10W	250	800Lm	Cree	D:8.2 H:7	7.5	>90	38°	3000K	IP20	X	X
	62006	White Aluminium	10W	250	800Lm	Cree	D:8.2 H:7	7.5	>90	38°	3000K	IP20	X	X
	620010	White Aluminium	10W	250	800Lm	Cree	D:8.2 H:7	7.5	>90	38°	3000K	IP20	X	X
	62008	White Aluminium	10W	250	800Lm	Cree	D:8.2 H:7	7.5	>90	38°	3000K	IP20	X	X
	620014	White Aluminium	10W	250	800Lm	Cree	D:10.5 H:7.4	9.6	>90	38°	3000K	IP20	X	X
	620015	Black Aluminium	10W	250	800Lm	Cree	D:10.5 H:7.4	9.6	>90	38°	3000K	IP20	X	X


DON'T FORGET TO CONNECT THEM WITH DRIVER | code: 6001

Photo	Code	Material	Watt	Ma	Lumen	LED Chip	Dimension(cm)	Cut Out(cm)	CRI	Beam Angle	Kelvin	Protection	Adj.	Driver Included
	7770441	White Aluminium	15W	250	1275Lm	Luminus	D:9.6 H:8.5	8.5	>90	24°	3000K	IP20	✓	Philips


WATERPROOF
IP65




BLADE | 9232116



BLADE | 9232115



BLADE | 9232119




BLADE | 9232120



Rotating

BLADE | 9232117



Rotating

BLADE | 9232118



DRIVER
INCLUDED

Driver 12 Watt Philips
Input: 220-240V AC 50/60Hz
Output: 32-37 VDC
300mA 0.35A
Not Dimmable

Photo	Code	Material	Watt	Volt	Ma	Lumen	LED Chip	Dimension (cm)	Cut Out (cm)	CRI	Beam Angle	Kelvin	Protection	Adj.	Driver Included
	9232116	White Aluminium	12W	37V	300	720Lm	Cree	D:7.8 H:7.2	7.2	>90	38°	3000K	IP65	X	Philips
	9232115	Black Aluminium	12W	37V	300	720Lm	Cree	D:7.8 H:7.2	7.2	>90	38°	3000K	IP65	X	Philips
	9232119	White Aluminium	12W	37V	300	720Lm	Cree	D:8.5 H:5.4	8	>90	38°	3000K	IP65	X	Philips
	9232120	Black Aluminium	12W	37V	300	720Lm	Cree	D:8.5 H:5.4	8	>90	38°	3000K	IP65	X	Philips
	9232117	White Aluminium	12W	37V	300	720Lm	Cree	D:9 H:4.7	8	>90	38°	3000K	IP65	✓	Philips
	9232118	Black Aluminium	12W	37V	300	720Lm	Cree	D:9 H:4.7	8	>90	38°	3000K	IP65	✓	Philips





MINI TRIMLESS



BREE | 9232111



BREE | 9232112



BREE | 9232113



BREE | 9232114



SELENE | 9052014



SELENE | 9052015



DRIVER | 9020172

Driver 6 Watt Eaglerise
Input: 220-240V AC 50/60Hz
Output: 6-12 VDC
500mA Not Dimmable

DRIVER INCLUDED

Driver 7 Watt Philips
Input: 220-240V AC 50/60Hz
Output: 32-37 VDC
200mA Not Dimmable






Photo	Code	Material	Watt	Volt	Ma	Lumen	LED Chip	Dimension (cm)	Cut Out (cm)	CRI	Beam Angle	Kelvin	Protection	Adj.	Driver Included
	9232111	White Aluminium	7W	37V	200	490Lm	Cree	D:5.6 H:7.5	5	>90	24°	3000K	IP32	X	Philips
	9232113	White Aluminium	7W	37V	200	490Lm	Cree	L:5.6 W:5.6H:7.5	5x5	>90	24°	3000K	IP32	X	Philips
	9232112	Black Aluminium	7W	37V	200	490Lm	Cree	D:5.6 H:7.5	5	>90	24°	3000K	IP32	X	Philips
	9232114	Black Aluminium	7W	37V	200	490Lm	Cree	L:5.6 W:5.6H:7.5	5x5	>90	24°	3000K	IP32	X	Philips

Photo	Code	Material	Watt	Volt	Ma	Lumen	LED Chip	Dimension (cm)	Cut Out (cm)	Beam Angle	Kelvin	Protection	Adj.	Driver Included
	9052014	White Aluminium	5W	10V	500	350Lm	Luminus	D:4 H:6.4	3.5	25°/ 40°	3000K	IP20	X	X
	9052015	White Aluminium	5W	10V	500	350Lm	Trimless Luminus	D:3.4 H:6.1	4.5	25°/ 40°	3000K	IP20	X	X

DON'T FORGET TO CONNECT THEM WITH DRIVER | code: 9020172

IP44



TINY | 9080201



TINY | 9080202



DRIVER | 9020170

Driver 4W ACTEC MINI
Input: 100-240V AC 50/60Hz
Output: 3-12 VDC
350mA Not Dimmable

Photo	Code	Material	Watt	Volt	Ma	LED Chip	Lumen	Dimension(cm)	Cut Out(cm)	Beam Angle	Kelvin	Protection	Adj.	Driver Included
	9080201	White Aluminium	1W	3V	350	Philips	70Lm	D:2.5 H:2.2	1.8	16°	3000K	IP44	X	X
	9080202	Black Aluminium	1W	3V	350	Philips	70Lm	D:2.5 H:2.2	1.8	16°	3000K	IP44	X	X

CABLE LENGTH 1.80m
DON'T FORGET TO CONNECT THEM WITH DRIVER | code: 9020170



IP44



TINY | 8035601



TINY | 9017812



TINY | 8125801



DRIVER | 9020170

Driver 4W ACTEC MINI
Input: 100-240V AC 50/60Hz
Output: 3-12 VDC
350mA Not Dimmable


Photo	Code	Material	Watt	Volt	Ma	LED Chip	Lumen	Dimension (cm)	Cut Out (cm)	Beam Angle	Kelvin	Protection	Adj.	Driver Included
	8125801	White Aluminium	1W	3V	350	Cree	70Lm	D:2.2 H:2.9	1.6	30°	3000K	IP44	X	X
	8035601	White Aluminium	1W	3V	350	Cree	70Lm	D:1.6 H:2	1.2	50°	3000K	IP44	X	X
	9017812	Black Aluminium	1W	3V	350	Philips	70Lm	D:1.6 H:2	1.2	50°	3000K	IP44	X	X

CABLE LENGTH 1.80m
DON'T FORGET TO CONNECT THEM WITH DRIVER | code: 9020170






RIC | 642601



UGO | 642402



RIC | 642602




UGO | 642401



SIRI | 643601

**DRIVER
INCLUDED**

64001
Driver 20 Watt Philips
Input: 220-240V AC 50/60Hz
Output: 32-40 VDC
0.5A Not Dimmable

Photo	Code	Material	Recessed	LED Chip	Dimension (cm)	Cut Out (cm)	Kelvin	Protection	Adjustable	Driver Included	
	642601	White Aluminium	✓	X	D:12.3 H:8.5	11	X	IP20	X	X	
	642402	Gold Aluminium	✓	X	L:12.5 W:12.5 H:8.5	11.5x11.5	X	IP20	X	X	
	642602	Gold Aluminium	✓	X	D:12.3 H:8.5	11	X	IP20	X	X	
	642401	White Aluminium	✓	X	L:12.5 W:12.5 H:8.5	11.5x11.5	X	IP20	X	X	
MUST HAVE ACCESSORY											
Photo	Code	Material	Watt	LED Chip	Dimension (cm)	Lumen	CRI	Kelvin	Protection	Dimmable	Driver Included
	643601	Silver Aluminium	20W	Cree	D:9 H:9.2	1650Lm	>90	3000K	IP20	X	Philips





SOREL | 9050920




DRIVER | 9020174

Driver 7 Watt
Input: 100-240V AC 50/60Hz
Output: 12-24 VDC
350mA Not Dimmable



SOREL | 9065023




DRIVER | 9020173

Driver 13 Watt
Input: 100-240V AC 50/60Hz
Output: 25-42 VDC
350mA Not Dimmable



SOREL | 9065121



DRIVER | 9020176


Driver 25 Watt
Input: 220-240V AC 50/60Hz
Output: 30-60 VDC
350mA Not Dimmable

Photo	Code	Material	Watt	Volt	Ma	Lumen	LED Chip	Dimension (cm)	Cut Out (cm)	Beam Angle	Kelvin	Protection	Adj.	Driver Included
	9050920	White & Black Alum.	7W	20V	350	490Lm	Citizen	L:6.2 W:6.2 H:6.8	5.8x5.7	15° - 45°	3000K	IP20	X	X
	9065023	White & Black Alum.	14W	20V	350	910Lm	Citizen	L:11.5 W:6.2 H:6.8	10.8x5.7	15° - 45°	3000K	IP20	X	X
	9065121	White & Black Alum.	21W	20V	350	1330Lm	Citizen	L:15.7 W:6.2 H:6.8	15x5.7	15° - 45°	3000K	IP20	X	X


DON'T FORGET TO CONNECT THEM WITH DRIVER | code: 9020174 - 9020173 - 9020176
7 Watt 13 Watt 25 Watt



SWAN | 9232126



SWAN | 9232127



DRIVER INCLUDED

Driver 10 Watt Philips
Input: 220-240V AC 50/60Hz
Output: 32-40 VDC
0.25A Not Dimmable

Photo	Code	Material	Watt	Volt	Ma	Lumen	LED Chip	Dimension (cm)	Cut Out (cm)	Beam Angle	Kelvin	Protection	Adj.	Driver Included
	9232126	White & Black Alum.	5x2W	16V	500	700Lm	Cree	L:15 W:4.5 H:5.7	14.2x4	38°	3000K	IP32	X	Philips
	9232127	Black Aluminium	5x2W	16V	500	700Lm	Cree	L:15 W:4.5 H:5.7	14.2x4	38°	3000K	IP32	X	Philips







Rotating

DESERT | 9075916





Rotating

DESERT | 9072815





Rotating

DESERT | 9076117








DRIVER | 9020170

Driver 4W ACTEC MINI
Input: 100-240V AC 50/60Hz
Output: 3-12 VDC
350mA Not Dimmable




DRIVER | 9020175

Driver 12W ACTEC
Input: 100-240V AC 50/60Hz
Output: 2-34 VDC
350mA Not Dimmable

Photo	Code	Material	Watt	Volt	Ma	Lumen	LED Chip	Dimension (cm)	Cut Out (cm)	Beam Angle	Kelvin	Protection	Adj.	Driver Included
	9075916	White Aluminium	3W	9V	350	210Lm	Citizen	L:6.2 W:6.2 H:6.6	5.8x5.7	35°/50°	3000K	IP20	✓	X
	9072815	White Aluminium	3W	9V	350	210Lm	Citizen	D:5.2 H:6.8	4.4	35°/50°	3000K	IP20	✓	X
	9076117	White Aluminium	9W	9V	350	630Lm	Citizen	L:15.7 W:6.2 H:6.6	15x5.7	35°/50°	3000K	IP20	✓	X


DON'T FORGET TO CONNECT THEM WITH DRIVER | code: **9020170** - **9020175**
4 Watt 12 Watt



Rotating


ZETAN | 9232122







Rotating



ZETAN | 9232121



DRIVER INCLUDED


Driver 9 Watt Eaglerise
Input: 220-240V AC 50/60Hz
Output: 6-12 VDC
700mA Not Dimmable

Photo	Code	Material	Watt	Volt	Ma	Lumen	LED Chip	Dimension (cm)	Cut Out (cm)	Beam Angle	Kelvin	Protection	Adj.	Driver Included
	9232122	Black Aluminium	9W	220V	700	720Lm	Cree	D:2.6 H:25	7.5 cm	30°	3000K	IP20	✓	Eaglerise
	9232121	White Aluminium	9W	220V	700	720Lm	Cree	D:2.6 H:25	7.5 cm	30°	3000K	IP20	✓	Eaglerise



DRIVER INCLUDED

Driver 15 Watt Philips
Input: 220-240V AC 50/60Hz
Output: 30-42 VDC
0.35A Not Dimmable



DRIVER INCLUDED

Driver 30 Watt Philips
Input: 220-240V AC 50/60Hz
Output: 30-42 VDC
0.7A Not Dimmable


Photo	Code	Material	Watt	LED Chip	Lumen	Dimension (cm)	Cut Out (cm)	CRI	Beam Angle	Kelvin	Protection	Adj.	Driver Included
	7770443	Black Aluminium	15W	Luminus	1275Lm	D:9.6 H:12-21	8.5	>90	24°/36°/60°	3000K	IP20	✓	Philips
	7770442	White Aluminium	15W	Luminus	1275Lm	D:9.6 H:12-21	8.5	>90	24°/36°/60°	3000K	IP20	✓	Philips
	7770445	Black Aluminium	30W	Luminus	2890Lm	D:14 H:16-26.3	12.5	>90	24°/36°/60°	3000K	IP20	✓	Philips
	7770444	White Aluminium	30W	Luminus	2890Lm	D:14 H:16-26.3	12.5	>90	24°/36°/60°	3000K	IP20	✓	Philips





STEP LIGHTS





PASSAGGIO | 8090801



PASSAGGIO | 9045418



PASSAGGIO | 9045514



PASSAGGIO | 8058001



PASSAGGIO | 9031616



DRIVER | 9020170

Driver 4W ACTEC MINI IP65
Input: 100-240V AC 50/60Hz
Output: 3-12 VDC
350mA Not Dimmable

Photo	Code	Material	Watt	Volt	Ma	LED Chip	Lumen	Dimension(cm)	Cut Out(cm)	Kelvin	Protection	Adj.	Driver Included
	8090801	White Aluminium	1W	3V	350	Philips	70Lm	L:3.7 W:2.2 H:3.7	3.2	3000K	IP54	X	X
	9045418	Black Aluminium	1W	3V	350	Philips	70Lm	L:3.7 W:2.2 H:3.7	3.2	3000K	IP54	X	X
	9045514	White Aluminium	1W	3V	350	Philips	70Lm	L:3.7 W:2.2 H:3.7	3.2	3000K	IP54	X	X
	8058001	White Aluminium	1W	3V	350	Philips	70Lm	L:3.9 W:2.1 H:3.9	3.2	3000K	IP54	X	X
	9031616	White Aluminium	1W	3V	350	Philips	70Lm	D:3.9 W:2.1 H:3.9	3.2	3000K	IP54	X	X

CABLE LENGTH 1.80m
DON'T FORGET TO CONNECT THEM WITH DRIVER | code: 9020170



NATAL | 6800202



NATAL | 6800201



DRIVER
INCLUDED



Driver 3 Watt Waiberlon
Input: 220-240V AC 50/60Hz
Output: 3-6 VDC
700mA Not Dimmable

Photo	Code	Material	Watt	LED Chip	Lumen	Dimension(cm)	Cut Out(cm)	Kelvin	Protection	Adj.	Driver Included
	6800202	White Aluminium	2.5W	Cree	68Lm	D:4.4 H:4.3	4	3000K	IP20	X	✓
	6800201	Silver Aluminium	2.5W	Cree	68Lm	D:4.4 H:4.3	4	3000K	IP20	X	✓



BANG | 8038801



BANG | 8039001



BANG | 8038401



DRIVER | 9020170

Driver 4W ACTEC MINI IP65
Input: 100-240V AC 50/60Hz
Output: 3-12 VDC
350mA Not Dimmable



BANG | 9019212



BANG | 9019213



Photo	Code	Material	Watt	Volt	Ma	LED Chip	Lumen	Dimension ^(cm)	Cut Out ^(cm)	Beam Angle	Kelvin	Protection	Adj.	Driver Included
	8038801	White Aluminium	1W	3V	350	Philips	60	D:3.7 H:5.3	3.2	24°/36°	3000K	IP67	X	X
	8039001	White Aluminium	1W	3V	350	Philips	60	D:3.7 H:5.3	3.2	24°/36°	3000K	IP67	X	X
	8038401	White Aluminium	1W	3V	350	Philips	60	D:3.7 H:5.3	3.2	20°/40°	3000K	IP67	X	X
	9019212	Steel Aluminium	1W	3V	350	Philips	60	D:3.7 H:5.3	3.2	20°/40°	3000K	IP67	X	X
	9019213	Steel Aluminium	1W	3V	350	Philips	60	L:3.7 W:3.7 H:5.3	3.2	24°/36°	3000K	IP67	X	X

CABLE LENGTH 1.80m

DON'T FORGET TO CONNECT THEM WITH DRIVER | code: 9020170



**WATERPROOF
IP67**



A modern interior space featuring a white ceiling with several recessed circular lights. The walls are white, and the floor is a light-colored concrete. On the left, there is a wooden staircase with a wooden wall. On the right, there is a white wall and a white countertop. The text "DOWNLIGHT RECESSED SPOTS GU10" is overlaid on the right side of the image.


DOWNLIGHT RECESSED
SPOTS GU10

TRIMLESS
CU10 ADJUSTABLE




BRAD | 9000351

Sandy White Aluminium Trimless
GU10 1x50 Watt 60Hz
220-240 Volt Adjustable
IP20 Bulb Excluded
L: 8.8 H: 6.2 cm
Cut Out: 8.5x8.5 cm




BRAD | 9000352

Sandy Black Aluminium Trimless
GU10 1x50 Watt 60Hz
220-240 Volt Adjustable
IP20 Bulb Excluded
L: 8.8 H: 6.2 cm
Cut Out: 8.5x8.5 cm




BRAD | 9017391

Sandy White Aluminium Trimless
GU10 1x50 Watt 60Hz
220-240 Volt Adjustable
IP20 Bulb Excluded
D: 8.1 H: 5.1 cm
Cut Out: 10 cm




BRAD | 9017392

Sandy Black Aluminium Trimless
GU10 1x50 Watt 60Hz
220-240 Volt Adjustable
IP20 Bulb Excluded
D: 8.1 H: 5.1 cm
Cut Out: 10 cm



BRAD | 9017402

Sandy White Aluminium Trimless
GU10 1x50 Watt
220-240 Volt 60Hz
IP20 Bulb Excluded
D: 6.5 H: 4.6 cm
Cut Out: 7.2 cm



BRAD | 9017403

Sandy Black Aluminium Trimless
GU10 1x50 Watt
220-240 Volt 60Hz
IP20 Bulb Excluded
D: 6.5 H: 4.6 cm
Cut Out: 7.2 cm





IP44



AZUL | 642603
Sandy White Aluminium
GU10 1x35 Watt
D: 12.3 H: 9.5 cm
Cut Out: 11 cm



AZUL | 642604
Gold Aluminium
GU10 1x35 Watt
D: 12.3 H: 9.5 cm
Cut Out: 11 cm



LUZ | 642404
Gold Aluminium
GU10 1x35 Watt
L: 12.5 W: 12.5 H: 9.5 cm
Cut Out: 11.5 x 11.5 cm




LUZ | 642403
Sandy White Aluminium
GU10 1x35 Watt
L: 12.5 W: 12.5 H: 9.5 cm
Cut Out: 11.5 x 11.5 cm



MIO | 7206201
Sandy White Aluminium
GU10 1x35 Watt IP44
D: 9.5 H: 7 cm
Cut Out: 9 cm




CHOOSE THE FRAME:
BLACK OR WHITE?



MIO | 7206202
Sandy Black Aluminium
GU10 1x35 Watt IP44
D: 9.5 H: 7 cm
Cut Out: 9 cm



CHOOSE THE FRAME:
BLACK OR WHITE?



ALSO YOU CAN CHOOSE
YOUR COLOUR



NUIN | 6206801
Sandy White Aluminium
GU10 1x35 Watt IP44
L: 9 W: 9 H: 4.8 cm
Cut Out 8.5 x 8.5 cm




MAKE IT IDEAL FOR YOU

LAMP OR COB?



+



READY

MAKE IT IDEAL FOR YOU

LAMP OR COB?



+

CHOOSE YOUR SPOT



READY



MAKE IT IDEAL FOR YOU

LAMP OR COB?


GU10 COB



Rotating

CADMO | 9701001


Sandy White Aluminium
GU10 1x50 Watt 230 Volt
IP20 Bulb Excluded
D: 9 X H: 4.5 cm
Cut Out: 8.2 cm



Rotating

CADMO | 9701002

Sandy Black Aluminium
GU10 1x50 Watt 230 Volt
IP20 Bulb Excluded
D: 9 X H: 4.5 cm
Cut Out: 8.2 cm



CADMO | 9707701

LED 12 Watt 3000K
Philips COB 250mA
1140 Lm 3000K
CRI 90 Beam Angle 36°
D: 5.2 H: 5.4 cm



DRIVER | 9712102

Driver 12 Watt Philips
Input: 220-240V AC 50/60Hz
Output: 32-40 VDC
0.3A Not Dimmable



HONEYCOMB | 9712101

Black Plastic
Honeycomb
D: 5 cm



HAP | 9174151

Sandy White Aluminium
GU10 1x50 Watt 12 Volt
IP20 Bulb Excluded
D: 6.8 H: 5 cm
Cut Out: 6.2 cm



HAP | 9174152

Sandy Black Aluminium
GU10 1x50 Watt 12 Volt
IP20 Bulb Excluded
D: 6.8 H: 5 cm
Cut Out: 6.2 cm



MAKE IT IDEAL FOR YOU

LAMP OR COB?

GU10 COB



+

CHOOSE THE FRAME:
BLACK OR WHITE?



READY

• ○

MAKE IT IDEAL FOR YOU

LAMP OR COB?

step 1

GU10

COB



+

step 2

CHOOSE THE FRAME:
BLACK OR WHITE?




READY

● ○




ENZO | 834801

Sandy White Aluminium
Consists of 3 Parts
GU10 1x50 Watt 230 Volt
IP20 Bulb Excluded
D: 9.2 H: 2.5 cm
Cut Out: 7.8 cm



ENZO | 834802

Sandy Black Aluminium
Consists of 3 Parts
GU10 1x50 Watt 230 Volt
IP20 Bulb Excluded
D: 9.2 H: 2.5 cm
Cut Out: 7.8 cm



Easy Replacement of Light Source!



ENZO | 7201401

Sandy White Aluminium
GU10 1x50 Watt 230 Volt
IP20 Bulb Excluded
D: 10.5 H: 3.3 cm Cut Out: 10 cm



ENZO | 7201402

Sandy Black Aluminium
GU10 1x50 Watt 230 Volt
IP20 Bulb Excluded
D: 10.5 H: 3.3 cm Cut Out: 10 cm



LAMP OR COB?

GU10


COB



Rotating

ENZO | 7201201


Sandy White Aluminium
GU10 1x50 Watt 230 Volt
IP20 Bulb Excluded Adjustable
D: 11 H: 4.1 cm
Cut Out: 10.5 cm



Rotating

ENZO | 7201202

Sandy Black Aluminium
GU10 1x50 Watt 230 Volt
IP20 Bulb Excluded Adjustable
D: 11 H: 4.1 cm
Cut Out: 10.5 cm





ZELMIRA | 62202

Sandy White Aluminium
GU10 1x50 Watt
Bulb Excluded
D: 8.2 H: 2.2 cm
Cut Out: 7.5 cm



ZELMIRA | 62221

Sandy Black Aluminium
GU10 1x50 Watt
Bulb Excluded
D: 8.2 H: 2.2 cm
Cut Out: 7.5 cm



OTTAVIA | 62018

Sandy White Aluminium
GU10 1x50 Watt
Bulb Excluded
D: 8.2 H: 2.2 cm
Cut Out: 7.5 cm



OTTAVIA | 62019

Sandy Black Aluminium
GU10 1x50 Watt
Bulb Excluded
D: 8.2 H: 2.2 cm
Cut Out: 7.5 cm



RAENA | 62200

Sandy White Aluminium
GU10 1x50 Watt
Bulb Excluded
D: 8.2 H: 2.2 cm
Cut Out: 7.5 cm



RAENA | 62201

Sandy Black Aluminium
GU10 1x50 Watt
Bulb Excluded
D: 8.2 H: 2.2 cm
Cut Out: 7.5 cm



MEGA | 732001

MR 16 LED 16 Watt 3000K
Cree COB 250mA
1450 Lm 3000K
CRI 90 Beam Angle 38°
D: 5 H: 9.6 cm



MEGA | 62000

MR 16 LED 9 Watt 3000K
Cree COB 250mA
800Lm 3000K
CRI 90 Beam Angle 38°
D: 5 H: 6 cm



DRIVER | 6001

Driver 10 Watt Philips
Input: 220-240V AC 50/60Hz
Output: 32-40 VDC
0.25A Not Dimmable



DRIVER | 94001

Driver 15 Watt Philips
Input: 220-240V AC 50/60Hz
Output: 32-42 VDC
0.35A Not Dimmable



DRIVER | 64001

Driver 20 Watt Philips
Input: 220-240V AC 50/60Hz
Output: 32-40 VDC
0.5A Not Dimmable

MAKE IT IDEAL FOR YOU

LAMP OR COB?



CHOOSE THE FRAME: BLACK OR WHITE?



READY

MAKE IT IDEAL FOR YOU

LAMP OR COB?



OR

LED COB



CID | 6209
Sandy White Aluminium
D: 10 H: 15 cm
BULB EXCL. A++-E



CID | 6208
Sandy Black Aluminium
D: 10 H: 15 cm
BULB EXCL. A++-E


MAKE IT IDEAL FOR YOU

LAMP OR COB?




OR


LED COB




CID | 62014
Sandy White Aluminium
L: 10.5 H: 15 cm
BULB EXCL. A++-E



CID | 62015
Sandy Black Aluminium
L: 10.5 H: 15 cm
BULB EXCL. A++-E




CID | 6202
Sandy White Aluminium
Frame
W: 10 L: 10 cm
BULB EXCL. A++-E




CID | 6203
Sandy Black Aluminium
Frame
W: 10 L: 10 cm
BULB EXCL. A++-E





CID | 6206
Sandy White Aluminium
Frame for Recess
L: 19.5 W: 10 cm
Cut Out: 9.3 x 18.3 cm
BULB EXCL. A++-E



CID | 6207
Sandy Black Aluminium
Frame for Recess
L: 19.5 W: 10 cm
Cut Out: 9.3 x 18.3 cm
BULB EXCL. A++-E

MAKE IT IDEAL FOR YOU

LAMP OR COB?



OR

LED COB




MAKE IT IDEAL FOR YOU

LAMP OR COB?



OR

LED COB




CID | 62017
Sandy Black Aluminium
L: 20 W: 10.5 H: 15 cm
BULB EXCL. A++-E



CID | 62016
Sandy White Aluminium
L: 20 W: 10.5 H: 15 cm
BULB EXCL. A++-E



CID | 6205
Sandy Black Aluminium
Frame
L: 19.5 W: 10 cm
BULB EXCL. A++-E




CID | 6204
Sandy White Aluminium
Frame
L: 19.5 W: 10 cm
BULB EXCL. A++-E





MOUNTED SOLUTIONS





GOZZANO | 9174511

Sandy White Aluminium
GU10 1x50 Watt 230 Volt
IP20 Bulb Excluded
Adjustable
D: 8 H: 9 cm




Rotating



GOZZANO | 820001

Sandy White Aluminium
GU10 1x50 Watt 230 Volt
IP20 Bulb Excluded
Adjustable
D: 9.6 H: 12.5 cm



GOZZANO | 9174512

Sandy Black Aluminium
GU10 1x50 Watt 230 Volt
IP20 Bulb Excluded
Adjustable
D: 8 H: 9 cm




Rotating



GOZZANO | 820002


Sandy Black Aluminium
GU10 1x50 Watt 230 Volt
IP20 Bulb Excluded
Adjustable
D: 9.6 H: 12.5 cm





RENDI | 820202

Sandy White Aluminium
GU10 1x50 Watt 230 Volt
IP20 Bulb Excluded
Adjustable
L: 9.6 W: 9.6 H: 12.5 cm



Rotating



RENDI | 820203

Sandy Black Aluminium
GU10 1x50 Watt 230 Volt
IP20 Bulb Excluded
Adjustable
L: 9.6 W: 9.6 H: 12.5 cm




Rotating




RENDI | 9175513

Sandy White Aluminium
GU10 1x50 Watt 230 Volt
IP20 Bulb Excluded
Adjustable
L: 8 W: 8 H: 9 cm




RENDI | 9175514

Sandy Black Aluminium
GU10 1x50 Watt 230 Volt
IP20 Bulb Excluded
Adjustable
L: 8 W: 8 H: 9 cm



RENDI | 820602

Sandy Black Aluminium
GU10 2x50 Watt 230 Volt
IP20 Bulb Excluded
Adjustable
L: 18 W: 9.6 H: 12.5 cm




Rotating



RENDI | 820602

Sandy White Aluminium
GU10 2x50 Watt 230 Volt
IP20 Bulb Excluded
Adjustable
L: 18 W: 9.6 H: 12.5 cm



Rotating





MARUPE | 834863

Sandy White Aluminium
GU10 1x50 Watt 230 Volt
IP20 Bulb Excluded
D: 6 H: 10 cm



MARUPE | 834865


Sandy Black Aluminium
GU10 1x50 Watt 230 Volt
IP20 Bulb Excluded
D: 6 H: 10 cm



RING

834868

White & Silver



RING


834867

Black & Gold




MARUPE | 834864

Sandy White Aluminium
GU10 1x50 Watt 230 Volt
IP20 Bulb Excluded
D: 6 H: 20 cm




MARUPE | 834866

Sandy Black Aluminium
GU10 1x50 Watt 230 Volt
IP20 Bulb Excluded
D: 6 H: 20 cm






OSLO | 9184371



Sandy White Aluminium Outside
Sandy White Aluminium Inside
GU10 1x50 Watt 230 Volt
IP20 Bulb Excluded
D: 6 H: 15 cm




OSLO | 9184372



Sandy White Aluminium Outside
Sandy White Aluminium Inside
GU10 1x50 Watt 230 Volt
IP20 Bulb Excluded
D: 6 H: 30 cm




OSLO | 9184373



Sandy Black Aluminium Outside
Gold Aluminium Inside
GU10 1x50 Watt 230 Volt
IP20 Bulb Excluded
D: 6 H: 15 cm



OSLO | 9184374



Sandy Black Aluminium Outside
Gold Aluminium Inside
GU10 1x50 Watt 230 Volt
IP20 Bulb Excluded
D: 6 H: 30 cm





DECORATIVE LIGHTS



PERO | 9184376

Sandy Black Aluminium Outside
Gold Aluminium Inside
GU10 1x50 Watt 230 Volt
IP20 Bulb Excluded
D: 6 H1: 30 H2: 150 cm




PERO | 9184375

Sandy White Aluminium Outside
White Aluminium Inside
GU10 1x50 Watt 230 Volt
IP20 Bulb Excluded
D: 6 H1: 30 H2: 150 cm



GIA | 834870

Sandy Black Aluminium
GU10 1x50 Watt 230 Volt
IP20 Bulb Excluded
D: 6 H1: 30 H2: 170 cm




**RING
834867**

Black & Gold



GIA | 834869


Sandy White Aluminium
GU10 1x50 Watt 230 Volt
IP20 Bulb Excluded
D: 6 H1: 30 H2: 170 cm




**RING
834868**

White & Silver









ULTRATHIN | 9184022

Sandy Black Aluminium
LED 3 Watt
180Lm 3000K IP20
D: 2.5 H1: 60 H2: 150 cm




ULTRATHIN | 9184021

Sandy White Aluminium
LED 3 Watt
180Lm 3000K IP20
D: 2.5 H1: 60 H2: 150 cm



ULTRATHIN | 9184024

Sandy Black Aluminium
LED 7x3 Watt
1680Lm 3000K IP20
D: 40 H: 150 cm



ULTRATHIN | 9184023

Sandy White Aluminium
LED 7x3 Watt
1680Lm 3000K IP20
D: 40 H: 150 cm



BRANDO | 7409601

Sandy White Aluminium
 GU10 1x35 Watt 230 Volt
 IP20 Bulb Excluded
 D: 6 H1: 15 H2: 59 cm
 Cut Out: 6.2 cm

Silver Gold White Black

BRANDO | 7409604

Sandy Black Aluminium
 GU10 1x35 Watt 230 Volt
 IP20 Bulb Excluded
 D: 6 H1: 15 H2: 85 cm
 Cut Out: 6.2 cm

Silver Gold White Black

BRANDO | 7409602

Sandy Black Aluminium
 GU10 1x35 Watt 230 Volt
 IP20 Bulb Excluded
 D: 6 H1: 15 H2: 59 cm
 Cut Out: 6.2 cm


Silver Gold White Black

BRANDO | 7409603


Sandy White Aluminium
 GU10 1x35 Watt 230 Volt
 IP20 Bulb Excluded
 D: 6 H1: 15 H2: 85 cm
 Cut Out: 6.2 cm

Silver Gold White Black





Rotating & Adjustable



Rotating & Adjustable



UNIVERSAL | 62004

Sandy White Aluminium
Cree COB 300mA 13 Watt
1140Lm 3000K IP20
Philips Driver
CRI 90 Beam Angle 38°
D: 10 H: 10.3 cm



UNIVERSAL | 72004

Sandy Black Aluminium
Cree COB 300mA 13 Watt
1140Lm 3000K IP20
Philips Driver
CRI 90 Beam Angle 38°
D: 10 H: 10.3 cm



Rotating & Adjustable




Rotating & Adjustable



UNIVERSAL | 72002

Sandy Black Aluminium
Cree COB 300mA 13 Watt
1140Lm 3000K IP20
Philips Driver
CRI 90 Beam Angle 38°
D: 10 H: 9 cm
Cut Out: 9.3 cm




UNIVERSAL | 62002

Sandy White Aluminium
Cree COB 300mA 13 Watt
1140Lm 3000K IP20
Philips Driver
CRI 90 Beam Angle 38°
D: 10 H: 9 cm
Cut Out: 9.3 cm






BERNARDO | 7409002




Sandy White Aluminium
GU10 1x35 Watt 230 Volt
IP20 Bulb Excluded
Adjustable
D: 6 H1: 11 H2: 29 cm



BERNARDO | 7409001




Sandy Black Aluminium
GU10 1x35 Watt 230 Volt
IP20 Bulb Excluded
Adjustable
D: 6 H1: 11 H2: 29 cm




Rotating & Adjustable

BERNARDO | 7404601



Sandy Black Aluminium
LED COB 13 Watt Cree
1140Lm 3000K IP20
CRI 90 Adjustable
Philips Driver
D: 5 H1: 14 H2: 28 cm



Rotating & Adjustable

BERNARDO | 7404602




Sandy White Aluminium
LED COB 13 Watt Cree
1140Lm 3000K IP20
CRI 90 Adjustable
Philips Driver
D: 5 H1: 14 H2: 28 cm



Rotating & Adjustable

MINIAIR | 9720101




Sandy White Aluminium
LED COB 10 Watt Cree
900Lm 3000K IP20
CRI 90 Adjustable
Eaglerise Driver
D: 6.3 H: 17 cm



Rotating & Adjustable

MINIAIR | 9720102




Sandy Black Aluminium
LED COB 10 Watt Cree
900Lm 3000K IP20
CRI 90 Adjustable
Eaglerise Driver
D: 6.3 H: 17 cm






ANZIO | 711006

Sandy White Aluminium
LED 6 Watt 230 Volt
390Lm 3000K IP20
L: 15 W: 3 H:15 cm



ANZIO | 711008

Sandy White Aluminium
LED 6 Watt 230 Volt
390Lm 3000K IP20
L: 15 W: 3 H:15 cm




Rotating




AUSTIN | 9001704

Sandy White Aluminium
Adjustable
LED 6 Watt 230 Volt
420Lm 3000K IP20
L: 16 W: 5.2 H: 16 cm




AUSTIN | 9001707

Sandy White Aluminium
LED 6 Watt 230 Volt
420Lm 3000K IP20
L: 13 W: 4 H: 13 cm



AUSTIN | 9001706

Sandy White Aluminium
Adjustable
LED 6 Watt 230 Volt
420Lm 3000K IP20
D: 13 W: 4 H: 13 cm




Rotating



AUSTIN | 9001705

Sandy White Aluminium
Adjustable
LED 6 Watt 230 Volt
420Lm 3000K IP20
D: 16 W: 5.2 H: 16 cm




Rotating



ODIN | 910161


Sandy White Aluminium
Adjustable
LED 5 Watt 230 Volt
247Lm 3000K IP20
D: 14 W: 7 H: 14 cm




Rotating

ODIN | 910162


Sandy Black Aluminium
Adjustable
LED 5 Watt 230 Volt
247Lm 3000K IP20
D: 14 W: 7 H: 14 cm





UMBERTO | 7410401

Sandy Black Aluminium
Adjustable
Switch On/Off
GU10 1x35 Watt 230 Volt
IP20 Bulb Excluded
D: 15 H: 15 cm



UMBERTO | 7410402

Sandy White Aluminium
Adjustable
Switch On/Off
GU10 1x35 Watt 230 Volt
IP20 Bulb Excluded
D: 15 H: 15 cm




WAN | 9184311

Sandy White Aluminium
Adjustable
GU10 1x35 Watt 230 Volt
IP20 Bulb Excluded
D: 5.6 H: 15 cm




WAN | 9184312

Sandy Black Aluminium
Adjustable
GU10 1x35 Watt 230 Volt
IP20 Bulb Excluded
D: 5.6 H: 15 cm



DEXTER | 821601

Sandy Black Aluminium
Adjustable
GU10 1x35 Watt 230 Volt
IP20 Bulb Excluded
D: 6.2 H: 15 cm



DEXTER | 821602


Sandy White Aluminium
Adjustable
GU10 1x35 Watt 230 Volt
IP20 Bulb Excluded
D: 6.2 H: 15 cm






FLEX | 9701611

Sandy White Aluminium
Adjustable Switch On/Off
LED 3 Watt
190Lm 3000K IP20
D: 7 H: 30 cm





FLEX | 9701613

Chrome Aluminium
Adjustable Switch On/Off
LED 3 Watt
190Lm 3000K IP20
D: 7 H: 30 cm




MADISON | 8128202

Sandy White Aluminium
Adjustable Switch On/Off
LED Samsung 3 Watt
190Lm 3000K IP20
L: 32 W: 8 H: 31 cm



MADISON | 8128201

Chrome Aluminium
Adjustable Switch On/Off
LED Samsung 3 Watt
190Lm 3000K IP20
L: 32 W: 8 H: 31 cm




Rotating & Adjustable



CLIP | 9030201

Sandy White Aluminium
LED Philips 3 Watt
Adjustable Switch On/Off
190Lm 3000K IP20
D: 8 W: 3.4 H: 11 cm




Rotating & Adjustable



CLIP | 9030202

Sandy Black Aluminium
LED Philips 3 Watt
Adjustable Switch On/Off
190Lm 3000K IP20
D: 8 W: 3.4 H: 11 cm




Rotating & Adjustable



CLIP | 9030203

Satin Brass Aluminium
LED Philips 3 Watt
Adjustable Switch On/Off
190Lm 3000K IP20
D: 8 W: 3.4 H: 11 cm




Rotating & Adjustable




LAREDO | 8140521

Sandy White Aluminium
LED Samsung 3 Watt
Adjustable Switch On/Off
190Lm 3000K IP20
L: 11 W: 9 H: 11 cm




Rotating & Adjustable




LAREDO | 8140522

Chrome Aluminium
LED Samsung 3 Watt
Adjustable Switch On/Off
190Lm 3000K IP20
L: 11 W: 9 H: 11 cm







GYPSUM & CONCRETE
SPOT LIGHTS



new


TOBIA | 9879110

White Gypsum
Adjustable Brackets
GU10 1x35 Watt 230 Volt
IP20 Bulb Excluded
L: 8 W: 8 H: 5.2 cm
Cut Out: 8.5 x 8.5 cm



TOBIA | 7100481


White Gypsum
Adjustable Brackets
GU10 1x35 Watt 230 Volt
IP20 Bulb Excluded
L: 8 W: 8 H: 6 cm
Cut Out: 8.5 x 8.5 cm



new



TOBIA | 9879101

White Gypsum
Adjustable Brackets
GU10 1x35 Watt 230 Volt
IP20 Bulb Excluded
L: 12 W: 12 H: 5.5 cm
Cut Out: 12.5 x 12.5 cm



TOBIA | 41825801



White Gypsum
Adjustable Brackets
GU10 1x35 Watt 230 Volt
IP20 Bulb Excluded
L: 12 W: 12 H: 6 cm
Cut Out: 12.5 x 12.5 cm



new


TOBIA | 9879102

White Gypsum & Glass
Adjustable Brackets
GU10 1x35 Watt 230 Volt
IP20 Bulb Excluded
L: 12 W: 12 H: 5.5 cm
Cut Out: 12.5 x 12.5 cm



TOBIA | 41825802

White Gypsum & Glass
Adjustable Brackets
GU10 1x35 Watt 230 Volt
IP20 Bulb Excluded
L: 12 W: 12 H: 6 cm
Cut Out: 12.5 x 12.5 cm





new


COSIMO | 9879109

White Gypsum
Adjustable Brackets
GU10 1x35 Watt 230 Volt
IP20 Bulb Excluded
L: 8 W: 8 H: 5.2 cm
Cut Out: 8.5 x 8.5 cm



COSIMO | 7100461


White Gypsum
Adjustable Brackets
GU10 1x35 Watt 230 Volt
IP20 Bulb Excluded
L: 8 W: 8 H: 6 cm
Cut Out: 8.5 x 8.5 cm



new

TOBIA | 9879113

White Gypsum
Adjustable Brackets
GU10 1x35 Watt 230 Volt
IP20 Bulb Excluded
L: 9.5 W: 9.5 H: 5 cm
Cut Out: 9 x 9 cm



new

TOBIA | 9879112

White Gypsum
Adjustable Brackets
GU10 1x35 Watt 230 Volt
IP20 Bulb Excluded
L: 9.5 W: 9.5 H: 5 cm
Cut Out: 9 x 9 cm



new

TOBIA | 9879111

White Gypsum
Adjustable Brackets
GU10 1x35 Watt 230 Volt
IP20 Bulb Excluded
D: 9.2 H: 5.2 cm
Cut Out: 8.8 cm



NEIVA | 620017

White Aluminium & Gypsum
Adjustable Brackets
GU10 1x35 Watt
D: 14 H: 4.1 cm
Cut Out: 14.3 cm






new

TOBIA | 9879107


White Gypsum
GU10 1x35 Watt 230 Volt
IP20 Bulb Excluded
L: 10 W: 10 H: 2.5 cm
Cut Out: 10.5 x 10.5 cm



Adjustable
Brackets

TOBIA | 41844401

White Gypsum
Adjustable Brackets
GU10 1x35 Watt 230 Volt
IP20 Bulb Excluded
L: 10 W: 10 H: 3 cm
Cut Out: 10.5 x 10.5 cm




Adjustable
Brackets

new

TOBIA | 9879104


White Gypsum
Adjustable Brackets
GU10 1x35 Watt 230 Volt
IP20 Bulb Excluded
L: 12 W: 12 H: 4.5 cm
Cut Out: 12.5 x 12.5 cm



Adjustable
Brackets

TOBIA | 51826201


White Gypsum
Adjustable Brackets
GU10 1x35 Watt 230 Volt
IP20 Bulb Excluded
L: 12 W: 12 H: 4.5 cm
Cut Out: 12.5 x 12.5 cm



Adjustable
Brackets

TOBIA | 61853201

White Gypsum
Adjustable Brackets
GU10 2x35 Watt 230 Volt
IP20 Bulb Excluded
L: 21.4 W: 11.7 H: 6 cm
Cut Out: 21.7 x 12 cm



COSIMO | 61844801

White Gypsum
GU10 1x35 Watt 230 Volt
IP20 Bulb Excluded
Adjustable
L: 20.5 W: 20.5 H: 6 cm
Cut Out: 20.7 x 20.7 cm





new
COSIMO | 9879108

White Gypsum
GU10 1x35 Watt 230 Volt
IP20 Bulb Excluded
D:10.3 H: 3 cm
Cut Out: 10.8 cm



COSIMO | 41844402

White Gypsum
GU10 1x35 Watt 230 Volt
IP20 Bulb Excluded
D:10 H: 3 cm
Cut Out: 10.5 cm



Adjustable
Brackets

new
COSIMO | 9879103

White Gypsum
Adjustable Brackets
GU10 1x35 Watt 230 Volt
IP20 Bulb Excluded
D: 13 H: 4.5 cm
Cut Out: 13.5 cm



Adjustable
Brackets

COSIMO | 41826001

White Gypsum
Adjustable Brackets
GU10 1x35 Watt 230 Volt
IP20 Bulb Excluded
D: 13 H: 5 cm
Cut Out: 13.5 cm



Adjustable
Brackets

new
COSIMO | 9879105

White Gypsum
Adjustable Brackets
GU10 1x35 Watt 230 Volt
IP20 Bulb Excluded
D: 12 H: 4.3 cm
Cut Out: 12.5 cm




Adjustable
Brackets

COSIMO | 51826202


White Gypsum
Adjustable Brackets
GU10 1x35 Watt 230 Volt
IP20 Bulb Excluded
D: 13 H: 4.5 cm
Cut Out: 13.5 cm





VITALE | 51850801

White Gypsum
Adjustable Brackets
AR111 1x100 Watt 230 Volt
IP20 Bulb Excluded
Adjustable
L: 21 W: 21 D: 6.7 cm
Cut Out: 21.5 x 21.5 cm



VITALE | 51851001

White Gypsum
Adjustable Brackets
AR111 1x100 Watt 230 Volt
IP20 Bulb Excluded
Adjustable
D: 21 W:21 H: 6.7 cm
Cut Out: 21.5 x 21.5 cm



VITALE | 41849601

White Gypsum
Adjustable Brackets
AR111 1x50 Watt 230 Volt
IP 20 Bulb Excluded
L: 20 W: 20 H: 8.5 cm
Cut Out: 20.5 x 20.5 cm



VITALE | 41849401

White Gypsum
Adjustable Brackets
AR111 1x50 Watt 230 Volt
IP 20 Bulb Excluded
L: 20 W: 20 H: 8.5 cm
Cut Out: 20.5 cm






GIACOMO | 51855201



Gypsum & White Metal
Downlight Adjustable
GU10 1x35 Watt 230 Volt
IP 20 Bulb Excluded
D: 6 L: 15.5 H: 33 cm
Cut Out: 15.8 x 15.8 cm



GIACOMO | 51855401



Gypsum & White Metal
Downlight Adjustable
GU10 1x35 Watt 230 Volt
IP 20 Bulb Excluded
D: 6 L: 15.5 H: 23 cm
Cut Out: 15.8 x 15.8 cm



GIACOMO | 51855402




Gypsum & Black Metal
Downlight Adjustable
GU10 1x35 Watt 230 Volt
IP 20 Bulb Excluded
D: 6 L: 15.5 H: 23 cm
Cut Out: 15.8 x 15.8 cm



GIACOMO | 51855202



Gypsum & Black Metal
Downlight Adjustable
GU10 1x35 Watt 230 Volt
IP 20 Bulb Excluded
D: 6 L: 15.5 H: 33 cm
Cut Out: 15.8 x 15.8 cm






WALL & CEILING LIGHTS





CADMO | 61625401




Gray Concrete
G9 1x40 Watt 230 Volt
IP20 Bulb Excluded
L: 11.5 W: 11.5 H: 11.5 cm



IP65

CADMO | 9162021




Gray Concrete
LED 1x7 Watt 3000K IP65
Eaglerise Driver Included
L: 13 W: 13 H: 13 cm



IP65

CADMO | 9162141




Gray Concrete
LED 1x6 Watt 3000K IP65
Eaglerise Driver Included
L: 10.9 W: 9.4 H: 12 cm



IP65

CADMO | 9162121




Gray Concrete
LED 1x7 Watt 3000K IP65
Eaglerise Driver Included
L: 10.7 W: 8.4 H: 12 cm



IP65

CADMO | 9162142




Gray Concrete
LED 2x3 Watt 3000K IP65
Eaglerise Driver Included
L: 10.9 W: 9.4 H: 16 cm



IP65

CADMO | 9162122



Gray Concrete
LED 2x3 Watt 3000K IP65
Eaglerise Driver Included
L: 10.7 W: 8.4 H: 16 cm





IP65

ZERINO | 9162204

Gray Concrete
LED 1x6 Watt 3000K IP65
Eaglerise Driver Included
L: 14 W: 14 H: 14 cm



IP65

ZERINO | 9161989

Gray Concrete
LED 1x6 Watt 3000K IP65
Eaglerise Driver Included
L: 13 W: 13 H: 8 cm



ZERINO | 9170202

Gray Concrete
G9 1x40 Watt 230 Volt
IP20 Bulb Excluded
L: 18 W: 10 H: 9 cm



IP65

ZERINO | 9161947

Gray Concrete
LED 1x6 Watt 3000K IP65
Eaglerise Driver Included
L: 18 W: 10.4 H: 8.8 cm



IP65

ZERINO | 9161968


Gray Concrete
LED 1x6 Watt 3000K IP65
Eaglerise Driver Included
L: 21 W: 10 H: 10 cm



IP65

ZERINO | 9162164

Gray Concrete
LED 1x6 Watt 3000K IP65
Eaglerise Driver Included
L: 28 W: 13 H: 14 cm



SINTRA | 9168241


Gray Concrete
GU10 1x35 Watt 230 Volt
IP20 Bulb Excluded
D: 13 H: 15 cm




SINTRA | 9168242

Gray Concrete
GU10 1x35 Watt 230 Volt
IP20 Bulb Excluded
L: 13 W: 13 H: 15 cm






SANDRO | 61623401




White Gypsum
G9 1x40 Watt 230 Volt
IP20 Bulb Excluded
L: 11.5 W: 11.5 H: 11.5 cm



new


SANDRO | 9879394



White Gypsum
G9 1x40 Watt 230 Volt
IP20 Bulb Excluded
L: 12 W: 12 H: 12 cm



SANDRO | 41637801



White Gypsum & Glass
E14 1x40 Watt 230 Volt
IP20 Bulb Excluded
L: 32 W: 17 H: 12 cm



SANDRO | 41667801



White Gypsum
G9 1x40 Watt 230 Volt
IP20 Bulb Excluded
L: 12.5 W: 7 H: 12.5 cm



SANDRO | 41688001



White Gypsum
G9 1x40 Watt 230 Volt
IP20 Bulb Excluded
D: 15 W: 7 H: 15 cm



SANDRO | 516276



White Gypsum
E14 1x40 Watt 230 Volt
IP20 Bulb Excluded
L: 28 H: 14 cm





SANDRO | 9164923



White Gypsum
G9 1x40 Watt 230 Volt
IP20 Bulb Excluded
D: 10 W: 12.5 H: 15 cm




SANDRO | 9879383



White Gypsum
G9 1x40 Watt 230 Volt
IP20 Bulb Excluded
D: 7.5 H: 10 cm




SANDRO | 9168544



White Gypsum
G9 1x40 Watt 230 Volt
IP20 Bulb Excluded
L: 10 W: 12.5 H: 15 cm




SANDRO | 9879381



White Gypsum
G9 1x40 Watt 230 Volt
IP20 Bulb Excluded
L: 7.5 W: 10 H: 10 cm




SANDRO | 9879382



White Gypsum
LED 1x6 Watt
3000K IP20
L: 7.5 W: 10 H: 10 cm




SANDRO | 9168303



White Gypsum
G9 1x40 Watt 230 Volt
IP20 Bulb Excluded
D: 15 W: 13 H: 12.8 cm




SANDRO | 9166821



White Gypsum
G9 1x40 Watt 230 Volt
IP20 Bulb Excluded
D: 11.5 W: 10.7 H: 24 cm



SANDRO | 7200601




White Gypsum
G9 1x40 Watt 230 Volt
IP20 Bulb Excluded
D: 15 W: 13 H: 12.8 cm






RENATA | 51686001



White Gypsum
G9 1x40 Watt 230 Volt
IP20 Bulb Excluded
L: 32 W: 14 H: 5.5 cm




OTELLO | 61702401



White Gypsum
E14 1x40 Watt 230 Volt
IP20 Bulb Excluded
L: 30 W: 9.5 H: 14 cm



OTELLO | 7201601




White Gypsum
E27 1x40 Watt 230 Volt
IP20 Bulb Excluded
L: 30 W: 17 H: 12 cm





SANDRO | 9168562



White Gypsum & Glass
E14 1x40 Watt 230 Volt
IP20 Bulb Excluded
D: 11 W: 7 H: 18 cm



SANDRO | 9164041



White Gypsum
E14 1x40 Watt 230 Volt
IP20 Bulb Excluded
L: 9.5 W: 9 H: 24.5 cm




OTELLO | 41688601



White Gypsum
GU10 2x35 Watt 230 Volt
IP20 Bulb Excluded
D: 7 W: 10 H: 25 cm




OTELLO | 7200401



White Gypsum
G9 1x40 Watt 230 Volt
IP20 Bulb Excluded
L: 18 W: 10 H: 9 cm



OTELLO | 51684201



White Gypsum
G9 1x40 Watt 230 Volt
IP20 Bulb Excluded
L: 8 W: 13 H: 30 cm



OTELLO | 41688602




White Gypsum
GU10 2x35 Watt 230 Volt
IP20 Bulb Excluded
D: 7 W: 10 H: 25 cm






SANDRO | 9162445

White Gypsum
G9 1x40 Watt 230 Volt
IP20 Bulb Excluded
L: 30 W: 10 H: 7.5 cm




RENATA | 61642201

White Gypsum
E14 1x40 Watt 230 Volt
IP20 Bulb Excluded
L: 27.5 W: 9.5 H: 5.5 cm




OTELLO | 7240202


White Gypsum & Glass
E14 2x40 Watt 230 Volt
IP20 Bulb Excluded
L: 36 W: 9.5 H: 7 cm



OTELLO | 9166041


White Gypsum & Glass
E14 1x40 Watt 230 Volt
IP20 Bulb Excluded
L: 22 W: 9.5 H: 7 cm





BELINA | 41860401

White Gypsum & Glass
E27 3x25 Watt 230 Volt
IP20 Bulb Excluded
L: 45 W: 45 H: 8 cm



BELINA | 41860201

White Gypsum & Glass
E27 2x25 Watt 230 Volt
IP20 Bulb Excluded
L: 25 W: 25 H: 8.5 cm



BONA | 41880401

White Gypsum & Glass
E27 3x25 Watt 230 Volt
IP20 Bulb Excluded
D: 51 H: 7 cm




BONA | 41880201

White Gypsum & Glass
E27 2x25 Watt 230 Volt
IP20 Bulb Excluded
D: 30 H: 6 cm






NEVIO | 51852801



White Gypsum
GU10 1x50 Watt 230 Volt
IP20 Bulb Excluded
L: 7 W: 7 H: 17 cm




NEVIO | 4192401



White Gypsum
GU10 1x35 Watt 230 Volt
IP20 Bulb Excluded
L: 7 W: 7 H: 11 cm



ORAZIO | 61853202



White Gypsum
GU10 1x50 Watt 230 Volt
IP20 Bulb Excluded
D1: 16.8 D2: 6.8 H: 13 cm




ORAZIO | 51854001




White Gypsum
GU10 1x50 Watt 230 Volt
IP20 Bulb Excluded
D: 7 H: 17 cm





ORAZIO | 61853601



White Gypsum
GU10 1x50 Watt 230 Volt
IP20 Bulb Excluded
D: 7 H: 11 cm






STEP LIGHTS



CIROCCO | 5600601



White Gypsum
MR11 GU4 1x20 Watt
230 Volt IP20
Bulb Excluded
L: 11 W: 5.5 H: 24.5 cm
Cut Out: 11.3 x 24.8 cm




CIROCCO | 66018101



White Gypsum
MR11 GU4 1x20 Watt
L: 8 W: 4.8 H: 17 cm
Cut Out: 8.3 x 17.3 cm




CIROCCO | 9600217



White Gypsum
LED 1 Watt 3000K IP20
Driver Excluded
L: 14.2 W: 4.5 H: 17 cm
Cut Out: 14.5 x 17.3 cm



CIROCCO | 6600801



White Gypsum
LED 1 Watt 3000K IP20
Driver Excluded
L: 14.2 W: 4.5 H: 17 cm
Cut Out: 14.5 x 17.3 cm



DRIVER | 9889134

Driver 2 Watt Waiberlon
Input: 220-240V AC 50/60Hz
Output: 3-4 VDC
500mA Not Dimmable





EURONA | 9879390

White Gypsum
MR11 GU4 1x20 Watt
230 Volt IP20
Bulb Excluded
L: 10.8 W: 5.3 H: 24.5 cm
Cut Out: 11 x 24.7 cm



EURONA | 9879391

White Gypsum
LED 1 Watt 3000K IP20
Waiberlon Driver Included
L: 10.8 W: 5.3 H: 24.5 cm
Cut Out: 11.1 x 24.8 cm



EURONA | 9879388


White Gypsum
MR11 GU4 1x20 Watt
230 Volt IP20
Bulb Excluded
L: 8 W: 4.8 H: 16.5 cm
Cut Out: 8.2 x 16.7 cm




EURONA | 9879389

White Gypsum
LED 1 Watt 3000K IP20
Waiberlon Driver Included
L: 8 W: 4.8 H: 16.5 cm
Cut Out: 8.2 x 16.7 cm







new
CIROCCO | 9879392




White Gypsum
MR11/GU4 1x20 Watt
IP20 Bulb Excluded
L: 10 W: 4.75 H: 10 cm
Cut Out: 10.3 x 10.3 cm




new
CIROCCO | 9879106




White Gypsum
LED 1 Watt CREE 3000K IP20
Waiberlon Driver Included
L: 10 W: 4.75 H: 10 cm
Cut Out: 10.3 x 10.3 cm




CIROCCO | 51886001



White Gypsum
MR11/GU4 1x20 Watt
230 Volt IP20 Bulb Excluded
L: 10 W: 4.9 H: 10 cm
Cut Out: 10.3 x 10.3 cm




CIROCCO | 61886001




White Gypsum
LED 1 Watt CREE 3000K IP20
L: 10 W: 4.9 H: 10 cm
Cut Out: 10.3 x 10.3 cm

DRIVER | 9889134


Driver 2 Watt Waiberlon
Input: 220-240V AC 50/60Hz
Output: 3-4 VDC
500mA Not Dimmable




CIROCCO | 9188626



White Gypsum
LED 1 Watt CREE 3000K IP20
L: 12 W: 5.5 H: 18 cm
Cut Out: 12.3 x 18.3 cm



CIROCCO | 9602615



White Gypsum
GU10 1x50 Watt 230 Volt
IP20 Bulb Excluded
L: 21 W: 7.8 H: 25 cm
Cut Out: 21.3 x 25.3 cm






LED PANEL




PANEL | **90630003** · 6W · 3000K



PANEL | **61840002** · 18W · 4000K








PANEL | **61840001** · 18W · 4000K
61840003 · 18W · 6500K



PANEL | **61840004** · 18W · 6500K



LED SAMSUNG CHIP

Photo	Code	Material	Watt	Volt	LED Chip	Lumen	Dimension(cm)	Cut Out(cm)	Kelvin	Protection	Adj.	CRI	Driver Included
	90630003	White Aluminium & Acrylic	6W	220-240	Samsung	430Lm	D:12 H:2.5	12.3x12.3	3000K	IP20	X	>80	✓
	61840001	White Aluminium & Acrylic	18W	220-240	Samsung	1430Lm	D:22.7 H:3.5	25.8x25.8	4000K	IP20	X	>80	✓
	61840003	White Aluminium & Acrylic	18W	220-240	Samsung	1560Lm	D:22.7 H:3.5	25.8x25.8	6500K	IP20	X	>80	✓
	61840002	White Aluminium & Acrylic	18W	220-240	Samsung	1430Lm	L:22.7 W:22.7 H:3.5	25.8x25.8	4000K	IP20	X	>80	✓
	61840004	White Aluminium & Acrylic	18W	220-240	Samsung	1560Lm	L:22.7 W:22.7 H:3.5	25.8x25.8	6500K	IP20	X	>80	✓





SURFACE | **90630001** · 6W · 3000K



SURFACE | **61830001** · 18W · 3000K
81840001 · 18W · 4000K



SURFACE | **61830002** · 18W · 3000K
81840002 · 18W · 4000K



SURFACE | **62430001** · 24W · 3000K
82440001 · 24W · 4000K



SURFACE | **62430002** · 24W · 3000K
82440002 · 24W · 4000K




LED SAMSUNG CHIP

Photo	Code	Material	Watt	Volt	LED Chip	Lumen	Dimension _(cm)	Kelvin	Protection	Adj.	CRI	Driver Included
	90630001	White Aluminium & Acrylic	6W	220-240V	Samsung	430Lm	D:12 H:3	3000K	IP20	X	>80	✓
	61830001	White Aluminium & Acrylic	18W	220-240V	Samsung	1300Lm	D:22.7 H:3.5	3000K	IP20	X	>80	✓
	81840001	White Aluminium & Acrylic	18W	220-240V	Samsung	1430Lm	D:22.7 H:3.5	4000K	IP20	X	>80	✓
	62430001	White Aluminium & Acrylic	24W	220-240V	Samsung	1740Lm	D:30 H:3.8	3000K	IP20	X	>80	✓
	82440001	White Aluminium & Acrylic	24W	220-240V	Samsung	1850Lm	D:30 H:3.8	4000K	IP20	X	>80	✓
	61830002	White Aluminium & Acrylic	18W	220-240V	Samsung	1300Lm	L:22.7 W:22.7 H:3.5	3000K	IP20	X	>80	✓
	81840002	White Aluminium & Acrylic	18W	220-240V	Samsung	1430Lm	L:22.7 W:22.7 H:3.5	4000K	IP20	X	>80	✓
	62430002	White Aluminium & Acrylic	24W	220-240V	Samsung	1740Lm	L:30 W:30 H:3.8	3000K	IP20	X	>80	✓
	82440002	White Aluminium & Acrylic	24W	220-240V	Samsung	1850Lm	L:30 W:30 H:3.8	4000K	IP20	X	>80	✓



LOOK WHAT THE CAT DRAGGED IN.



EEL BUTTONS

The luminaire is compatible with bulbs of all energy classes.

Included highly efficient LED boards (cannot be replaced by the end consumer)

LIGHT COLOUR

Neutral White

Warm White

Cool White

FUNCTIONS & COMFORT

Dimmable

Not Dimmable

Cut out

DRIVER & BULBS

Driver Included

Bulb Excluded

Bulb Included

Lamp E14

Lamp E27

Lamp G9

Lamp GU10

IP PROTECTION

Protection rating IP20

Protection rating IP32

Protection rating IP44

Protection rating IP54

Protection rating IP65

Protection rating IP67

SWITCHES & SENSORES

This luminaire can be switched on and off by touching the specially designed

A	
144	ANZIO
144	AUSTIN
109	AZUL
B	
102	BANG
20	BAR
182	BELINA
72	BELLUNO
142	BERNARDO
82	BLADE
182	BONA
30	BOX
106	BRAD
138	BRANDO
84	BREE
26. 33	BUXTON 01.02.03
C	
110.168	CADMO
30	CAP
49	CARE
116.118.119	CID
188.192.193	CIROCCO
150	CLIP
22	COCKTAIL
134	CONCETTA
30	CONNECTOR
20	CONO
156.158.160	COSIMO
30	COVER
D	
94	DESERT
146	DEXTER
54	DIDO
E	
54.58	END CAP
112	ENZO
38	ESTE
190	EURONA
F	
148	FLEX
G	
55	GAGA
80	GEMA
52	GENT
132	GIA
164	GIACOMO
80	GIO
122	GOZZANO
12	GRAMMI 01-02
22	GRU



H	
111	HAP
74.110	HONEYCOMB
J	
40	JAZZ
96	JUNO
K	
44.45	KARMA
30.54	KIT
L	
150	LAREDO
76.78	LAZIO
34	LOOP 01.02
109	LUZ
M	
148	MADISON
74	MAGGY
126	MARUPE
80.115	MEA
142	MINIAIR
22	MINIMAL
108	MIO
N	
42	NAP
101	NATAL
156	NEIVA
184	NEVIO
108	NUIN
O	
145	ODIN
44.45	OIKO
78	OLBIA
184	ORAZIO
128	OSLO
176.178.180	OTELLO
114	OTTAVIA
P	
196	PANEL
100	PASSAGGIO
132	PERO
14	PLUS
30	POWER CONNECTOR
14	PUZZLE
Q	
28.29	Q-CONNECTOR

R	
114	RAENA
176.180	RENATA
124	RENDE
90	RIC
38	RIETI
S	
172-180	SANDRO
30.54	SCREW
76.85	SELENE
34	SIGN
171	SINTRA
90	SIRI
30	SMART DEVICE
92	SOREL
198	SURFACE
92	SWAN
T	
20	TAG
40	TEK
86.88	TINY
154.156.158	TOBIA
62.64.66	TRACK
33	TREE 01.02
U	
90	UGO
136	ULTRATHIN
58	UMA
146	UMBERTO
140.141	UNIVERSAL
V	
28.29	V-CONNECTOR
20	VERSUS
162	VITALE
W	
146	WAN
49	WIRELESS SWITCH
Z	
14	ZED
114	ZELMIRA
54	ZERINO
170	ZERINO
95	ZETAN

code	page	code	page	code	page	code	page	code	page	code	page
6001	080	642603	109	7404601	142	8014910	072	8252021	030	8254427	058
6001	115	642604	109	7404602	142	8016905	072	8252022	049	8254428	058
6202	116	643601	090	7409001	142	8016906	072	8252023	049	8254429	052
6203	116	711006	144	7409002	142	8016909	078	8252024	049	8254430	052
6204	118	711008	144	7409601	138	8018509	078	8252025	038	8254431	052
6205	118	732001	115	7409602	138	8019109	072	8252026	038	8254432	052
6206	119	820001	122	7409603	138	8019310	072	8252027	038	8254433	055
6207	119	820002	122	7409604	138	8033409	078	8252028	038	8254434	055
6208	116	820202	124	7410401	146	8035601	088	8252029	042	8254441	054
6209	116	820203	124	7410402	146	8038401	102	8252030	040	8254442	054
62000	115	820602	124	7600601	188	8038801	102	8252031	040	8254443	054
62002	140	820603	124	7770401	066	8039001	102	8252032	040	8254444	054
62004	141	821601	146	7770402	066	8044809	076	8252034	033	8254445	058
62006	080	821602	146	7770405	066	8044909	076	8252035	033	8770411	064
62007	080	834801	112	7770406	066	8058001	100	8252036	033	8770412	064
62008	080	834802	112	7770407	064	8059409	078	8252037	030	8770413	064
62014	116	834863	126	7770408	064	8090801	100	8252038	030	8770414	064
62015	116	834864	126	7770409	064	8125801	088	8252039	042	8925201	034
62016	118	834865	126	7770410	064	8128201	148	8254401	052	8925202	034
62017	118	834866	126	7770411	068	8128202	148	8254402	052	8925204	034
62018	114	834869	132	7770412	068	8140521	150	8254403	052	8925216	042
62019	114	834870	132	7770413	068	8140522	150	8254404	052	8925220	042
62200	114	910161	145	7770414	068	8252001	026	8254406	054	9000351	106
62201	114	910162	145	7770416	068	8252002	026	8254407	054	9000352	106
62202	114	4192401	184	7770417	068	8252003	030	8254408	055	9001704	144
62221	114	5600601	188	7770441	080	8252004	038	8254409	055	9001705	144
64001	080	6206801	108	7770442	096	8252005	038	8254411	054	9001706	144
64001	115	6600801	188	7770443	096	8252006	038	8254412	038	9001707	144
72002	140	6800201	101	7770444	096	8252007	038	8254413	038	9011103	030
72004	141	6800202	101	7770445	096	8252008	042	8254414	038	9012662	040
94001	080	7100461	156	7770630	068	8252009	042	8254415	038	9012671	045
516276	172	7100481	154	7770631	068	8252010	040	8254416	038	9012672	044
620010	080	7200401	178	7770632	068	8252011	028	8254417	038	9012673	042
620014	080	7200601	175	7770633	068	8252012	029	8254418	038	9012674	045
620015	080	7201201	112	7770634	068	8252013	029	8254419	038	9012675	044
620017	156	7201202	112	7770635	068	8252014	028	8254420	055	9012676	040
642401	090	7201401	112	8000502	076	8252015	030	8254421	055	9012677	030
642402	090	7201402	112	8000503	076	8252016	030	8254422	058	9017391	106
642403	109	7201601	176	8001402	078	8252017	030	8254423	058	9017392	106
642404	109	7206201	108	8008801	062	8252018	042	8254424	058	9017402	106
642601	090	7206202	108	8008802	062	8252019	030	8254425	054	9017403	106
642602	090	7240202	180	8014909	072	8252020	030	8254426	058	9017812	088

code	page	code	page	code	page	code	page	code	page	code	page
9019212	102	9090291	022	9184024	136	9712002	062	41826001	160	74014603	134
9019213	102	9090292	020	9184311	146	9712101	110	41844401	158	74014604	134
9020170	086	9090293	020	9184312	146	9712103	069	41844402	160	81840001	198
9020171	072	9161947	170	9184371	128	9712104	069	41849401	162	81840002	198
9020172	085	9161968	170	9184372	128	9712105	069	41849601	162	82440001	198
9020173	092	9161989	170	9184373	128	9712106	069	41860201	182	82440002	198
9020174	092	9162021	168	9184374	128	9712107	069	41860401	182	8254410 B	054
9020175	094	9162121	168	9184375	132	9712108	069	41880201	182	8254410 W	054
9020176	092	9162122	168	9184376	132	9712102	110	41880401	182		
9025201	040	9162141	168	9188626	193	9713003	074	51684201	178		
9030201	150	9162142	168	9232111	084	9715100	074	51686001	176		
9030202	150	9162164	170	9232112	084	9720101	142	51826201	158		
9030203	150	9162204	170	9232113	084	9720102	142	51826202	160		
9031616	100	9164041	178	9232114	084	9879101	154	51850801	162		
9045418	100	9164923	174	9232115	082	9879102	154	51851001	162		
9045514	100	9162445	179	9232116	082	9879103	160	51852801	184		
9050920	092	9166041	180	9232117	082	9879104	158	51854001	184		
9052014	085	9166821	175	9232118	082	9879105	160	51855201	164		
9052015	085	9168241	171	9232119	082	9879106	192	51855202	164		
9052016	069	9168242	171	9232120	082	9879107	158	51855401	164		
9052017	069	9168303	175	9232121	095	9879108	160	51855402	164		
9052030	042	9168544	174	9232122	095	9879109	156	51886001	192		
9054441	054	9168562	178	9232126	092	9879110	154	61623401	172		
9054443	054	9170202	170	9232127	092	9879111	156	61625401	168		
9065023	092	9174151	111	9252015	030	9879112	156	61642201	180		
9065121	092	9174152	111	9600217	188	9879113	156	61702401	176		
9071021	076	9174511	122	9602615	193	9879381	174	61830001	198		
9071022	076	9174512	122	9700301	074	9879382	174	61830002	198		
9072815	094	9175513	124	9700302	074	9879383	174	61840001	196		
9075916	094	9175514	124	9700303	074	9879388	190	61840002	196		
9076117	094	9180561	020	9700304	074	9879389	190	61840003	196		
9080201	086	9180562	020	9700305	074	9879390	190	61840004	196		
9080202	086	9180563	012	9700306	074	9879391	190	61844801	158		
9090281	020	9180564	012	9700307	074	9879392	192	61853201	158		
9090282	020	9180565	014	9701001	110	9879394	172	61853202	184		
9090283	022	9180566	014	9701002	110	41637801	172	61853601	184		
9090284	022	9180567	014	9701101	062	41667801	172	61886001	192		
9090285	020	9180568	014	9701102	062	41688001	172	62430001	198		
9090286	020	9180569	014	9701611	148	41688601	178	62430002	198		
9090288	022	9184021	136	9701613	148	41688602	178	66018101	188		
9090289	022	9184022	136	9707701	110	41825801	154	74014601	134		
9090290	022	9184023	136	9712001	062	41825802	154	74014602	134		

PHOTOMETRICS



TECHNICAL INFO



GU10
TRIMLESS

- 1. The installation must be done in strict accordance with the instruction.
- 2. Please don't install the lighting in easily damaged, deformed, unsteady ceiling.
- 3. Please make sure you have cut off the power supply before install, changing or clearing the lamp.
- 4. Please make sure there is no component loose.

